# For KCC Use: Effective Date: District # SGA? Yes XNo

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

### NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form KSONA-1, Certification of Compliance with the Kansas Surface Owner Notification Act, MUST be submitted with this form.

	October 22, 2011	Spot Description:	
	month day year	NW - SE - SE - NE Sec. 32 Twp. 1	4 S.R. 22   ▼ E   W
ODEDATOD Live "	8653	(9/0/0/a) 3,020 feet from	
OPERATOR: License# Name: Petroleum Techn	The state of the s		E / W Line of Section
Address 1: 801 W 47th S		Is SECTION: Regular Irregular?	Siz / Line or occura
Address 2: Suite 412		No ded from Manageral :	
	State: MO Zip: 64112 + 1253	(Note: Locate well on the Section Plat	on reverse side)
Contact Person: Alan J. S	Seaton	County: Johnson	
Phone: 816-531-6904		Lease Name: REITZ	Well #: 31
	0500	Field Name: Edgerton Northeast	
CONTRACTOR: License#_	8509	Is this a Prorated / Spaced Field?	☐Yes XNo
Name: Evans Energy Dev	relopment Inc.	Target Formation(s): Bartlesville Sand	
Well Drilled For:	Well Class: Туре Еqціртепt:	Nearest Lease or unit boundary line (in footage):	595'
		Ground Surface Elevation: 983'	feet MSL
		Water well within one-quarter mile:	XXXX PNO
Gas Storag		Public water supply well within one mile:	Yes X No
Dispos		Depth to bottom of fresh water: 150'	
Seismic ; # o	<b>!</b>	Depth to bottom of usable water: 300'	
Other:	·	Surface Pipe by Alternate:	
If OWWO: old well i	information as follows:	Length of Surface Pipe Planned to be set: 20'	•
<del>_</del>		Length of Surface Pipe Planned to be set:	
•		Projected Total Depth: 900'	
		Formation at Total Depth: Cherokee	
Original Completion Date	te: Original Total Depth:		
Directional, Deviated or Hor	izontal wellbore? Yes No	Water Source for Drilling Operations	
	izontal wellpole:	Well Farm Pond Other:	
•		DWR Permit #:	
		(Note: Apply for Permit with Di	
1,00 pitt #,		Will Cores be taken?	☐Yes 🔀 No
		If Yes, proposed zone:	RECEIVE
	ΔFF	FIDAVIT	TOEIV
The undersigned hereby a		gging of this well will comply with K.S.A. 55 et. seq.	OCT 17 2
		sams of the treatment of the transfer of the same	- 7/2
	ina minimum requiremente will he met:		
•	ing minimum requirements will be met:		KCCI
Notify the appropria	te district office prior to spudding of well;	1.005 - 2.50	KCC WICH
Notify the appropria     A copy of the appro-	te district office <i>prior</i> to spudding of well; ved notice of intent to drill <b>shall be</b> posted on each		KCC WICH
<ol> <li>Notify the appropria</li> <li>A copy of the appro</li> <li>The minimum amou</li> </ol>	te district office <i>prior</i> to spudding of well; ved notice of intent to drill <i>shall be</i> posted on each int of surface pipe as specified below <i>shall be set</i>	by circulating cement to the top; in all cases surface p	KCC WICH
Notify the appropria     A copy of the appro     The minimum amouthrough all unconso	te district office <i>prior</i> to spudding of well; ved notice of intent to drill <i>shall be</i> posted on each int of surface pipe as specified below <i>shall be set</i> lidated materials plus a minimum of 20 feet into the	by circulating cement to the top; in all cases surface pe underlying formation.	pipe <b>shall be set</b>
<ol> <li>Notify the appropria</li> <li>A copy of the appro</li> <li>The minimum amouthrough all unconso</li> <li>If the well is dry hole</li> </ol>	te district office <i>prior</i> to spudding of well; ved notice of intent to drill <b>shall be</b> posted on each int of surface pipe as specified below <b>shall be set</b> didated materials plus a minimum of 20 feet into the e, an agreement between the operator and the dist	by circulating cement to the top; in all cases surface pe underlying formation. rict office on plug length and placement is necessary	pipe <b>shall be set</b>
<ol> <li>Notify the appropria</li> <li>A copy of the appro</li> <li>The minimum amouthrough all unconso</li> <li>If the well is dry hole</li> <li>The appropriate dis</li> </ol>	the district office <i>prior</i> to spudding of well; ved notice of intent to drill <i>shall be</i> posted on each unt of surface pipe as specified below <i>shall be set</i> elidated materials plus a minimum of 20 feet into the e, an agreement between the operator and the dist trict office will be notified before well is either plugg	by circulating cement to the top; in all cases surface pe underlying formation. rict office on plug length and placement is necessary	prior to plugging;
<ol> <li>Notify the appropria</li> <li>A copy of the appro</li> <li>The minimum amouthrough all unconso</li> <li>If the well is dry hole</li> <li>The appropriate dis</li> <li>If an ALTERNATE II</li> </ol>	the district office <i>prior</i> to spudding of well; ved notice of intent to drill <i>shall be</i> posted on each unt of surface pipe as specified below <i>shall be set</i> didated materials plus a minimum of 20 feet into the e, an agreement between the operator and the dist trict office will be notified before well is either plugg COMPLETION, production pipe shall be cemented	by circulating cement to the top; in all cases surface pe underlying formation. rict office on plug length and placement is necessary led or production casing is cemented in;	prior to plugging;  DAYS of spud date.
<ol> <li>Notify the appropria</li> <li>A copy of the appro</li> <li>The minimum amouthrough all unconso</li> <li>If the well is dry hold</li> <li>The appropriate dis</li> <li>If an ALTERNATE II</li> <li>Or pursuant to Appe</li> </ol>	the district office <i>prior</i> to spudding of well; ved notice of intent to drill <i>shall be</i> posted on each unt of surface pipe as specified below <i>shall be set</i> didated materials plus a minimum of 20 feet into the e, an agreement between the operator and the dist trict office will be notified before well is either plugg COMPLETION, production pipe shall be cemented and ix "B" - Eastern Kansas surface casing order #1	by circulating cement to the top; in all cases surface perunderlying formation.  rict office on plug length and placement is necessary led or production casing is cemented in;  d from below any usable water to surface within 120 le	prior to plugging;  DAYS of spud date.  Ilternate II cementing
<ol> <li>Notify the appropria</li> <li>A copy of the appro</li> <li>The minimum amouthrough all unconso</li> <li>If the well is dry hole</li> <li>The appropriate dis</li> <li>If an ALTERNATE II         <ul> <li>Or pursuant to Appendent</li> </ul> </li> </ol>	the district office <i>prior</i> to spudding of well; wed notice of intent to drill <i>shall be</i> posted on each unt of surface pipe as specified below <i>shall be set</i> didated materials plus a minimum of 20 feet into the e, an agreement between the operator and the dist trict office will be notified before well is either plugg COMPLETION, production pipe shall be cemented and if B" - Eastern Kansas surface casing order #1 within 30 days of the spud date or the well shall be	by circulating cement to the top; in all cases surface per underlying formation.  rict office on plug length and placement is necessary led or production casing is cemented in; deform below any usable water to surface within 120 to 33,891-C, which applies to the KCC District 3 area, a plugged. In all cases, NOTIFY district office prior	prior to plugging;  DAYS of spud date.  Ilternate II cementing
1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hole 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appermust be completed I hereby certify that the sta	the district office <i>prior</i> to spudding of well; wed notice of intent to drill <i>shall be</i> posted on each ant of surface pipe as specified below <i>shall be set</i> didated materials plus a minimum of 20 feet into the e, an agreement between the operator and the dist trict office will be notified before well is either plugg COMPLETION, production pipe shall be cemented endix "B" - Eastern Kansas surface casing order #1 within 30 days of the spud date or the well shall be attements made herein are true and to the best of many control of the statements made herein are true and to the best of many control of the statements made herein are true and to the best of many control of the statements made herein are true and to the statements.	by circulating cement to the top; in all cases surface per underlying formation.  rict office on plug length and placement is necessary led or production casing is cemented in; defrom below any usable water to surface within 120 to 33,891-C, which applies to the KCC District 3 area, a plugged. In all cases, NOTIFY district office prioring knowledge and belief.	prior to plugging;  DAYS of spud date.  Iternate II cementing to any cementing.
1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hole 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appemust be completed I hereby certify that the	the district office <i>prior</i> to spudding of well; wed notice of intent to drill <i>shall be</i> posted on each unt of surface pipe as specified below <i>shall be set</i> didated materials plus a minimum of 20 feet into the e, an agreement between the operator and the dist trict office will be notified before well is either plugg COMPLETION, production pipe shall be cemented and if B" - Eastern Kansas surface casing order #1 within 30 days of the spud date or the well shall be	by circulating cement to the top; in all cases surface per underlying formation.  rict office on plug length and placement is necessary led or production casing is cemented in; defrom below any usable water to surface within 120 to 33,891-C, which applies to the KCC District 3 area, a plugged. In all cases, NOTIFY district office prioring knowledge and belief.	prior to plugging;  DAYS of spud date.  Ilternate II cementing
1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hole 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appermust be completed I hereby certify that the sta	the district office <i>prior</i> to spudding of well; wed notice of intent to drill <i>shall be</i> posted on each ant of surface pipe as specified below <i>shall be set</i> didated materials plus a minimum of 20 feet into the e, an agreement between the operator and the dist trict office will be notified before well is either plugg COMPLETION, production pipe shall be cemented endix "B" - Eastern Kansas surface casing order #1 within 30 days of the spud date or the well shall be attements made herein are true and to the best of many control of the statements made herein are true and to the best of many control of the statements made herein are true and to the best of many control of the statements made herein are true and to the statements.	by circulating cement to the top; in all cases surface per underlying formation.  rict office on plug length and placement is necessary led or production casing is cemented in; defrom below any usable water to surface within 120 to 33,891-C, which applies to the KCC District 3 area, a plugged. In all cases, NOTIFY district office prior my knowledge and belief.  Pres	prior to plugging;  DAYS of spud date alternate II cementing to any cementing.
1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hole 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appermust be completed I hereby certify that the standard  Date:  October 14, 20	te district office <i>prior</i> to spudding of well; ved notice of intent to drill <i>shall be</i> posted on each int of surface pipe as specified below <i>shall be set</i> didated materials plus a minimum of 20 feet into the e, an agreement between the operator and the dist trict office will be notified before well is either plugg COMPLETION, production pipe shall be cementered of the castern Kansas surface casing order #1 within 30 days of the spud date or the well shall be atterments made herein are true and to the best of many surface caster the well shall be atterned to the state of the signature of Operator or Agent:	by circulating cement to the top; in all cases surface per underlying formation.  rict office on plug length and placement is necessary led or production casing is cemented in; defrom below any usable water to surface within 120 to 33,891-C, which applies to the KCC District 3 area, a plugged. In all cases, NOTIFY district office prior may knowledge and belief.  Pres  Remember to:	prior to plugging;  DAYS of spud date alternate II cementing to any cementing.
1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hole 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appermust be completed I hereby certify that the standard  Date:  October 14, 20	the district office <i>prior</i> to spudding of well; wed notice of intent to drill <i>shall be</i> posted on each ant of surface pipe as specified below <i>shall be set</i> didated materials plus a minimum of 20 feet into the e, an agreement between the operator and the dist trict office will be notified before well is either plugg COMPLETION, production pipe shall be cemented endix "B" - Eastern Kansas surface casing order #1 within 30 days of the spud date or the well shall be attements made herein are true and to the best of many control of the statements made herein are true and to the best of many control of the statements made herein are true and to the best of many control of the statements made herein are true and to the statements.	by circulating cement to the top; in all cases surface per underlying formation.  rict office on plug length and placement is necessary led or production casing is cemented in; defrom below any usable water to surface within 120 to 33,891-C, which applies to the KCC District 3 area, a plugged. In all cases, NOTIFY district office prior may knowledge and belief.  Presented Remember to:  - File Certification of Compliance with the Kansas Surface.	prior to plugging;  DAYS of spud date alternate II cementing to any cementing.
1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hold 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appemust be completed I hereby certify that the sta  Date: October 14, 20  For KCC Use ONLY API # 15	te district office <i>prior</i> to spudding of well; ved notice of intent to drill <i>shall be</i> posted on each ant of surface pipe as specified below <i>shall be set</i> didated materials plus a minimum of 20 feet into the e, an agreement between the operator and the dist trict office will be notified before well is either plugg COMPLETION, production pipe shall be cementered in "B" - Eastern Kansas surface casing order #1 within 30 days of the spud date or the well shall be aterments made herein are true and to the best of materials. Signature of Operator or Agent:	by circulating cement to the top; in all cases surface per underlying formation.  rict office on plug length and placement is necessary led or production casing is cemented in; defrom below any usable water to surface within 120 to 33,891-C, which applies to the KCC District 3 area, a plugged. In all cases, NOTIFY district office prior may knowledge and belief.  Pres  Remember to:  - File Certification of Compliance with the Kansas Surfact (KSONA-1) with Intent to Drill;	prior to plugging;  DAYS of spud date.  Ilternate II cementing to any cementing.  SIDENT
1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hole 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appermust be completed I hereby certify that the standard  Date:  October 14, 20	te district office <i>prior</i> to spudding of well; ved notice of intent to drill <i>shall be</i> posted on each int of surface pipe as specified below <i>shall be set</i> didated materials plus a minimum of 20 feet into the e, an agreement between the operator and the dist trict office will be notified before well is either plugg COMPLETION, production pipe shall be cementered of the castern Kansas surface casing order #1 within 30 days of the spud date or the well shall be atterments made herein are true and to the best of many surface caster the well shall be atterned to the state of the signature of Operator or Agent:	by circulating cement to the top; in all cases surface per underlying formation.  rict office on plug length and placement is necessary led or production casing is cemented in; defrom below any usable water to surface within 120 to 33,891-C, which applies to the KCC District 3 area, a plugged. In all cases, NOTIFY district office prior may knowledge and belief.  Pres  Remember to:  - File Certification of Compliance with the Kansas Surfact (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill.	prior to plugging;  DAYS of spud date alternate II cementing to any cementing.  Sident  Frace Owner Notification  Drill;
1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hold 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appemust be completed I hereby certify that the sta  Date: October 14, 20  For KCC Use ONLY API # 15	te district office <i>prior</i> to spudding of well; ved notice of intent to drill <i>shall be</i> posted on each ant of surface pipe as specified below <i>shall be set</i> didated materials plus a minimum of 20 feet into the e, an agreement between the operator and the dist trict office will be notified before well is either plugg COMPLETION, production pipe shall be cementered with 30 days of the spud date or the well shall be aterments made herein are true and to the best of materials. Signature of Operator or Agent:	by circulating cement to the top; in all cases surface per underlying formation.  rict office on plug length and placement is necessary led or production casing is cemented in; defrom below any usable water to surface within 120 to 33,891-C, which applies to the KCC District 3 area, a plugged. In all cases, NOTIFY district office prior may knowledge and belief.  Pres  Remember to:  - File Certification of Compliance with the Kansas Surfact (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of sput	prior to plugging;  DAYS of spud date. Ilternate II cementing to any cementing.  Sident  Frace Owner Notification  Drill; Id date;
1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hole 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Apperous be completed I hereby certify that the standard in the	te district office <i>prior</i> to spudding of well; ved notice of intent to drill <i>shall be</i> posted on each ant of surface pipe as specified below <i>shall be set</i> didated materials plus a minimum of 20 feet into the e, an agreement between the operator and the dist trict office will be notified before well is either plugg COMPLETION, production pipe shall be cementered within 30 days of the spud date or the well shall be attements made herein are true and to the best of materials. Signature of Operator or Agent:	by circulating cement to the top; in all cases surface per underlying formation.  rict office on plug length and placement is necessary led or production casing is cemented in; defrom below any usable water to surface within 120 to 33,891-C, which applies to the KCC District 3 area, a plugged. In all cases, NOTIFY district office prior may knowledge and belief.  Pres  Remember to:  - File Certification of Compliance with the Kansas Surfact (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spuring according to field proration.	prior to plugging;  DAYS of spud date. Ilternate II cementing to any cementing.  Sident  Frace Owner Notification  Drill; Id date; Ion orders;
1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hold 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appendent to Example to the completed I hereby certify that the standard completed  Date: October 14, 200  For KCC Use ONLY API # 15 - O9/	te district office <i>prior</i> to spudding of well; ved notice of intent to drill <i>shall be</i> posted on each unt of surface pipe as specified below <i>shall be set</i> didated materials plus a minimum of 20 feet into the e, an agreement between the operator and the dist trict office will be notified before well is either plugg COMPLETION, production pipe shall be cementered in "B" - Eastern Kansas surface casing order #1 within 30 days of the spud date or the well shall be aterments made herein are true and to the best of materials and the specific plus of th	by circulating cement to the top; in all cases surface per underlying formation.  rict office on plug length and placement is necessary led or production casing is cemented in; different below any usable water to surface within 120 to 33,891-C, which applies to the KCC District 3 area, a plugged. In all cases, NOTIFY district office prior may knowledge and belief.  Pres  Remember to:  - File Certification of Compliance with the Kansas Surfact (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spuring in the properties of the completion of the properties of th	prior to plugging;  DAYS of spud date alternate II cementing to any cementing.  Sident  Prior to plugging;  DAYS of spud date alternate II cementing to any cementing.
1. Notify the appropria 2. A copy of the appropria 3. The minimum amout through all unconso 4. If the well is dry hold 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appendix be completed I hereby certify that the sta  Date: October 14, 20  For KCC Use ONLY  API # 15	te district office <i>prior</i> to spudding of well; ved notice of intent to drill <i>shall be</i> posted on each ant of surface pipe as specified below <i>shall be set</i> didated materials plus a minimum of 20 feet into the e, an agreement between the operator and the dist trict office will be notified before well is either plugg COMPLETION, production pipe shall be cementered to "B" - Eastern Kansas surface casing order #1 within 30 days of the spud date or the well shall be aternents made herein are true and to the best of materials and the signature of Operator or Agent:  23 6 98-0000  Mone feet  11 Signature of Operator or Agent:  23 6 98-0000  11 Signature of Operator or Agent:  23 6 98-0000  11 Signature of Operator or Agent:	by circulating cement to the top; in all cases surface per underlying formation.  rict office on plug length and placement is necessary led or production casing is cemented in; defrom below any usable water to surface within 120 to 33,891-C, which applies to the KCC District 3 area, a plugged. In all cases, NOTIFY district office prior may knowledge and belief.  Pres  Remember to:  - File Certification of Compliance with the Kansas Surfact (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spuring according to field proration.	prior to plugging;  DAYS of spud date alternate II cementing to any cementing.  Sident  Prior to plugging;  DAYS of spud date alternate II cementing to any cementing.  Sident  Prior to plugging;  Prior to p
1. Notify the appropria 2. A copy of the appropria 3. The minimum amout through all unconso 4. If the well is dry hold 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appendix be completed I hereby certify that the sta  Date: October 14, 20  For KCC Use ONLY  API # 15	te district office <i>prior</i> to spudding of well; ved notice of intent to drill <i>shall be</i> posted on each unt of surface pipe as specified below <i>shall be set</i> didated materials plus a minimum of 20 feet into the e, an agreement between the operator and the dist trict office will be notified before well is either plugg COMPLETION, production pipe shall be cementered in "B" - Eastern Kansas surface casing order #1 within 30 days of the spud date or the well shall be aterments made herein are true and to the best of materials and the specific plus of th	by circulating cement to the top; in all cases surface per underlying formation.  rict office on plug length and placement is necessary led or production casing is cemented in; deform below any usable water to surface within 120 to 33,891-C, which applies to the KCC District 3 area, a plugged. In all cases, NOTIFY district office prior my knowledge and belief.  File Certification of Compliance with the Kansas Surfact (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Diffice Completion Form ACO-1 within 120 days of spure File acreage attribution plat according to field proration. Notify appropriate district office 48 hours prior to work Submit plugging report (CP-4) after plugging is completed.	prior to plugging;  DAYS of spud date.  alternate II cementing to any cementing.  Sident  Frace Owner Notification  Drill; ad date; ion orders; rkover or re-entry; pleted (within 60 days); salt water.
1. Notify the appropria 2. A copy of the appro 3. The minimum amout through all unconso 4. If the well is dry hole 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appendix be completed I hereby certify that the standard of the completed  I hereby certify that the standard of the completed  For KCC Use ONLY  API # 15 - Conductor pipe required  Minimum surface pipe required Approved by:  This authorization expires: (This authorization void if dri	the district office <i>prior</i> to spudding of well; ved notice of intent to drill <i>shall be</i> posted on each unt of surface pipe as specified below <i>shall be set</i> didated materials plus a minimum of 20 feet into the e, an agreement between the operator and the dist trict office will be notified before well is either plugg COMPLETION, production pipe shall be cementered in B" - Eastern Kansas surface casing order #1 within 30 days of the spud date or the well shall be aterments made herein are true and to the best of materials. Signature of Operator or Agent:  23 6 98-00-00 feet  20 feet per ALT. I I I I I I I I I I I I I I I I I I I	by circulating cement to the top; in all cases surface per underlying formation.  rict office on plug length and placement is necessary led or production casing is cemented in; different below any usable water to surface within 120 to 33,891-C, which applies to the KCC District 3 area, a plugged. In all cases, NOTIFY district office prior may knowledge and belief.  Pres  Remember to:  - File Certification of Compliance with the Kansas Surfact (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spuring in the completion form according to field proration. Notify appropriate district office 48 hours prior to work. Submit plugging report (CP-4) after plugging is completion.	prior to plugging;  DAYS of spud date. Ilternate II cementing to any cementing.  SIDENT  Frace Owner Notification  Drill; Id date; Ion orders; Irkover or re-entry; Ipleted (within 60 days); Is salt water.  Buthorized expiration date)  Since See See See See See See See See See S
1. Notify the appropria 2. A copy of the appro 3. The minimum amout through all unconso 4. If the well is dry hold 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appendix be completed I hereby certify that the sta  Date: October 14, 20  For KCC Use ONLY  API # 15	te district office <i>prior</i> to spudding of well; ved notice of intent to drill <i>shall be</i> posted on each ant of surface pipe as specified below <i>shall be set</i> didated materials plus a minimum of 20 feet into the e, an agreement between the operator and the dist trict office will be notified before well is either plugg COMPLETION, production pipe shall be cementered to "B" - Eastern Kansas surface casing order #1 within 30 days of the spud date or the well shall be aternents made herein are true and to the best of materials and the signature of Operator or Agent:  23 6 98-0000  Mone feet  11 Signature of Operator or Agent:  23 6 98-0000  11 Signature of Operator or Agent:  23 6 98-0000  11 Signature of Operator or Agent:	by circulating cement to the top; in all cases surface per underlying formation.  rict office on plug length and placement is necessary led or production casing is cemented in; difference within 120 to 33,891-C, which applies to the KCC District 3 area, as plugged. In all cases, NOTIFY district office prior may knowledge and belief.  Preserved Remember to:  File Certification of Compliance with the Kansas Surfact (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Implied acreage attribution plat according to field proration. Notify appropriate district office 48 hours prior to wood Submit plugging report (CP-4) after plugging is completed. Obtain written approval before disposing or injecting a please check the box below and return to the address.	prior to plugging;  DAYS of spud date. Internate II cementing to any cementing.  Sident  Prior Cowner Notification  Orill; Ind date; Ion orders; Irkover or re-entry; Ipleted (within 80 days); I salt water. I sauthorized expiration date) I side of the section of
1. Notify the appropria 2. A copy of the appro- 3. The minimum amouthrough all unconso 4. If the well is dry hole 5. The appropriate dis- 6. If an ALTERNATE II Or pursuant to Appendix be completed.  I hereby certify that the standard of	the district office <i>prior</i> to spudding of well; ved notice of intent to drill <i>shall be</i> posted on each unt of surface pipe as specified below <i>shall be set</i> didated materials plus a minimum of 20 feet into the e, an agreement between the operator and the dist trict office will be notified before well is either plugg COMPLETION, production pipe shall be cementered in B" - Eastern Kansas surface casing order #1 within 30 days of the spud date or the well shall be aterments made herein are true and to the best of materials. Signature of Operator or Agent:  23 6 98-00-00 feet  20 feet per ALT. I I I I I I I I I I I I I I I I I I I	by circulating cement to the top; in all cases surface per underlying formation.  rict office on plug length and placement is necessary led or production casing is cemented in; deform below any usable water to surface within 120 to 33,891-C, which applies to the KCC District 3 area, a plugged. In all cases, NOTIFY district office prior my knowledge and belief.  File Certification of Compliance with the Kansas Surfact (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File acreage attribution plat according to field proration. Notify appropriate district office 48 hours prior to work Submit plugging report (CP-4) after plugging is completed. Obtain written approval before disposing or injecting. If well will not be drilled or permit has expired (See: a	prior to plugging;  DAYS of spud date. Internate II cementing to any cementing.  Sident  Prior Cowner Notification  Drill; Ind date; Ion orders; Irkover or re-entry; Ipleted (within 60 days); Is salt water. Insultorized expiration date) Is selow.

For KCC Use ONLY
API # 15 - 09/-23689-00-00

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator: Petroleum Technologies, Inc.	Location of Well: County: Johnson			
Lease REITZ	3,020 feet from N / X S Line of Section			
Well Number: 31	595 feet from X E / W Line of Section			
Field: Edgerton Northeast	Sec. 32 Twp. 14 S. R. 22 X E W			
Number of Acres attributable to well: 2.6  QTR/QTR/QTRQTR of acreage: NW - SE - SE - NE	Is Section: Regular or Irregular			
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW			

#### **PLAT**

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.

						595' F	EL	
		<u></u>						LEGEND  O Well Location  Tank Battery Location
	•••••		i 					Pipeline Location  Electric Line Location  Lease Road Location
·····	•••••							EXAMPLE : :
•		•		E/4 c 32			:	
			*********	.,,	******			
			:					1980' FSL
: :			: :			O:I—	:	3020' FSL RECEIVE
TE: In	all cases	locate the	e spot of t	he propos	ed drillin	: ng locaton	:	SEWARD CO. 3390' FEL OCT 17 2
								KCC WICHI

### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT 15-09-23698-00-00

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1	(Cathodic Protection Borehole Intent) T-1 (Transfer)	CP-1 (Plugging Application)
OPERATOR: License # 8653  Name: Petroleum Technologies, Inc.  Address 1: 801 W 47th Street  Address 2: Suite 412  City: Kansas City State: MO Zip: 64112 + 1253  Contact Person: Alan J. Seaton  Phone: (816) 531-6904 Fax: (816) 531-6905  Email Address: ajseaton@swbell.net	Well Location:  NW_SE_SE_NE_Sec. 32 Twp. 14  County: Johnson  Lease Name: REITZ  If filing a Form T-1 for multiple wells on a leather lease below:	Well #: 31
Surface Owner Information:  Name: Engelmann Farms LLC  Address 1: 2000 W. 68th St.  Address 2:  City: Mission Hills State: KS Zip: 66021 +	When filing a Form T-1 involving multiple sur sheet listing all of the information to the left owner information can be found in the recor county, and in the real estate property tax re	for each surface owner. Surface ds of the register of deeds for the
If this form is being submitted with a Form C-1 (Intent) or CB-1 (Cathethe KCC with a plat showing the predicted locations of lease roads, tar are preliminary non-binding estimates. The locations may be entered a Select one of the following:	nk batteries, pipelines, and electrical lines. The on the Form C-1 plat, Form CB-1 plat, or a separate the following the fill coated: 1) a copy of the Form C-1, Form Clubeing filed is a Form C-1 or Form CB-1, the	e locations shown on the plat parate plat may be submitted. ollowing to the surface B-1, Form T-1, or Form
I have not provided this information to the surface owner(s). I KCC will be required to send this information to the surface o task, I acknowledge that I am being charged a \$30.00 handlin	acknowledge that, because I have not provid wner(s). To mitigate the additional cost of th	e KCC performing this
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CF	-1 will be returned.	RECEIVED
hereby certify that the statements made herein are true and correct t	o the best of my knowledge and belief.	OCT 1 7 2011
Date: October 14, 2011 Signature of Operator or Agent:	Title: Presid	OCT 1 7 2011

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 May 2010 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Petroleum Techno	License Number: 8653				
Operator Address: 801 W 47th S	te 412	Kansas City	MO 64112		
Contact Person: Alan J. Seaton	·	Phone Number: 816-531-6904			
Lease Name & Well No.: REITZ		Pit Location (QQQQ):			
Type of Pit:	Pit is:		NW _ SE _ SE _ NE    Sec. 32   Twp. 14   R. 22   X   East   West     3,020   Feet from   North /   X   South Line of Section     595   Feet from   X   East /   West Line of Section		
Emergency Pit Burn Pit	X Proposed	Existing			
Settling Pit X Drilling Pit	If Existing, date cor	nstructed:			
Workover Pit Haul-Off Pit	Pit capacity:				
(If WP Supply API No. or Year Drilled)	77	(bbls)	Johnson County		
Is the pit located in a Sensitive Ground Water A	rea? Yes 🔀	No			mg/l
Is the bottom below ground level?  XYes No	ło	How is the pit lined if a plastic liner is not used? Native Clay			
Pit dimensions (all but working pits):	2 Length (fee	et) 6		N/A	A: Steel Pits
Depth fro	m ground level to dee	pest point:	6 (feet)	☐ No	Pit
If the pit is lined give a brief description of the limaterial, thickness and installation procedure.	ner		edures for periodic ma ncluding any special r	aintenance and determining	9
Distance to nearest water well within one-mile of	of nit	Denth to shallo	west fresh water	150 feet.	
3407	Source of information:				
feet Depth of water well	149 feet	measured	X  well owner	electric log	KDWR 097-2
Emergency, Settling and Burn Pits ONLY:	Drilling, Workover and Haul-Off Pits ONLY:  fresh water				
Producing Formation:  Number of producing wells on lease:	1				
Barrels of fluid produced daily:	Number of working pits to be utilized:  air dry and backfill  Abandonment procedure:				
Does the slope from the tank battery allow all s flow into the pit? Yes No	Drill pits must be closed within 365 days of spud date.  RECEIVED				
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.  OCT 12 2014					
October 14, 2011  Date  October 14, 2011  Date  October 14, 2011  Date  October 14, 2011  Signature of Applicant or Agent					
KCC OFFICE USE ONLY Liner Steel Pit RFAC RFAS					
Date Received: 10-17-11 Permit Number	per:	Permi	it Date: 10-18 -	-// Lease Inspection:	Yes No

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Ward Loyd, Commissioner Thomas E. Wright, Commissioner

October 18, 2011

Petroleum Technologies, Inc. 801 W 47<sup>th</sup> St Ste 412 Kansas City, MO 64112-1253

RE:

Drilling Pit Application Reitz Lease Well No. 31 NE/4 Sec. 32-14S-22E Johnson County, Kansas

#### Dear Sir or Madam:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit immediately after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 432-2300 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill.

If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Kathy Haynes

**Environmental Protection and Remediation Department** 

cc: File