For KCC Use: Effective Date: _ District

Kansas Corporation Commission Oil & Gas Conservation Division

Form C-1 March 2010 Form must be Typed Form must be Signed

NOTICE OF INTENT TO DRILL

| The state of the s | e (5) days prior to commencing well : Surface Owner Notification Act, MUST be submitted with this form. | |
|--|--|---|
| vnooted Soud Date: October 23, 2011 | | |
| xpected Spud Date: October 23, 2011 month day year | Spot Description: | |
| 34592 | NW - SW - SE - SW Sec. 11 Twp. 14 S. R. 22 | لسا ننا |
| PERATOR: License# | feet from N / X S | |
| ame: Kansas Resource Exploration & Development, LLC | leet from \(\sigma \) \(\sigma \) | Line of Section |
| ddress 1: 9393 W. 110th St., Suite 500 | ls SECTION: XRegular ☐ Irregular? | |
| ddress 2: ity: Overland Park State: KS Zip: 66210 + | (Note: Locate well on the Section Plat on reverse sid | e) |
| ontact Person: Brad Kramer | County: Johnson | |
| nnact r elson. none: (913) 669-2253 | Lease Name: Roberts Well a | #: KRI-1 |
| | Field Name: _Gardner | |
| ONTRACTOR: License#8509 | Is this a Prorated / Spaced Field? | Yes ⊠No |
| ame: | Target Formation(s): Cherokee Group | |
| Well Drilled For: Well Class: Type Equipment: | Nearest Lease or unit boundary line (in footage): 384 | |
| Oil Enh Rec Infield Mud Rotary | Ground Surface Elevation: 1,045 Estimated | feet MSL |
| Gas Storage Pool Ext. X Air Rotary | Water well within one-quarter mile: | ☐Yes ⊠No |
| Disposal Wildcat Cable | Public water supply well within one mile: | ☐Yes XNo |
| Seismic; # of Holes Other | Depth to bottom of fresh water: 200 | |
| Other: | Depth to bottom of usable water: | |
| The common relativest information on fall- | Surface Pipe by Alternate: I XII | |
| f OWWO: old well information as follows: | Length of Surface Pipe Planned to be set: 20' | |
| Operator: | Length of Conductor Pipe (if any): | |
| Well Name: | Projected Total Depth: 700' | |
| Original Completion Date: Original Total Depth: | | |
| | Water Source for Drilling Operations: | |
| rectional, Deviated or Horizontal wellbore? | Well Farm Pond Other: | |
| Yes, true vertical depth: | DWR Permit #: | |
| ottom Hole Location: | (Note: Apply for Permit with DWR | |
| CC DKT#: | Will Cores be taken? | ∐Yes ⊠No |
| | If Yes, proposed zone: | |
| AFF | FIDAVIT | |
| he undersigned hereby affirms that the drilling, completion and eventual plu | | |
| is agreed that the following minimum requirements will be met: | | |
| - · · · · · · · · · · · · · · · · · · · | | |
| | | |
| Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each | h drilling rig: | |
| 2. A copy of the approved notice of intent to drill shall be posted on each | | set |
| A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the | by circulating cement to the top; in all cases surface pipe shall be underlying formation. | |
| A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the dist | by circulating cement to the top; in all cases surface pipe shall be e underlying formation. trict office on plug length and placement is necessary prior to plug | |
| A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the dist The appropriate district office will be notified before well is either plugg | by circulating cement to the top; in all cases surface pipe shall be to underlying formation. trict office on plug length and placement is necessary prior to plugged or production casing is cemented in; | gging; |
| A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the dist The appropriate district office will be notified before well is either plugg If an ALTERNATE II COMPLETION, production pipe shall be cemented | by circulating cement to the top; in all cases surface pipe shall be be underlying formation. trict office on plug length and placement is necessary prior to plugged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spuces. | gging; |
| A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the dist The appropriate district office will be notified before well is either plugg If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 | by circulating cement to the top; in all cases surface pipe shall be to underlying formation. trict office on plug length and placement is necessary prior to plugged or production casing is cemented in; and the plugged or production casing is cemented in; and the plugged from below any usable water to surface within 120 DAYS of spucifications. Which applies to the KCC District 3 area, alternate II ce | gging; I date. menting RECE |
| A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the dist The appropriate district office will be notified before well is either plugg If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be | by circulating cement to the top; in all cases surface pipe shall be underlying formation. trict office on plug length and placement is necessary prior to plugged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spuc 133,891-C, which applies to the KCC District 3 area, alternate If ce eplugged. In all cases, NOTIFY district office prior to any cemer | gging; I date. menting RECE |
| A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the dist The appropriate district office will be notified before well is either plugg If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 | by circulating cement to the top; in all cases surface pipe shall be underlying formation. trict office on plug length and placement is necessary prior to plugged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spuc 133,891-C, which applies to the KCC District 3 area, alternate If ce eplugged. In all cases, NOTIFY district office prior to any cemer | gging; I date. menting RECE |
| A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the dist The appropriate district office will be notified before well is either plugg If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be nereby certify that the statements made herein are true and to the best of mereby certify that the statements made herein are true and to the best of mereby certify that the statements made herein are true and to the best of mereby certify that the statements made herein are true and to the best of mereby certify that the statements made herein are true and to the best of mereby certify that the statements made herein are true and to the best of mereby certify that the statements made herein are true and to the best of mereby certify that the statements made herein are true and to the best of mereby certification. | by circulating cement to the top; in all cases surface pipe shall be the underlying formation. trict office on plug length and placement is necessary prior to plugged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spucifications. Which applies to the KCC District 3 area, alternate II cell to plugged. In all cases, NOTIFY district office prior to any cemer my knowledge and belief. | gging; I date. menting RECE |
| A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the dist The appropriate district office will be notified before well is either plugg If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be nereby certify that the statements made herein are true and to the best of m | by circulating cement to the top; in all cases surface pipe shall be the underlying formation. trict office on plug length and placement is necessary prior to plugged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spucifications of the surface within 120 DAYS of spucifications. Which applies to the KCC District 3 area, alternate If ce the plugged. In all cases, NOTIFY district office prior to any cement with the surface prior to any cement provided the surface prior to any cement prior to any ce | gging; I date. menting RECE |
| 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be nereby certify that the statements made herein are true and to the best of mate: 10-7-11 | by circulating cement to the top; in all cases surface pipe shall be the underlying formation. trict office on plug length and placement is necessary prior to plugged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spucifications of the surface within 120 DAYS of spucifications. Which applies to the KCC District 3 area, alternate It can be plugged. In all cases, NOTIFY district office prior to any cement with the surface and belief. Title: Agent Remember to: | aging; I date. menting RECE nting. OCT 17 |
| 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be nereby certify that the statements made herein are true and to the best of mate: 10-7-11 | by circulating cement to the top; in all cases surface pipe shall be the underlying formation. trict office on plug length and placement is necessary prior to plugged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spucifications of the surface within 120 DAYS of spucifications. The plugged of the surface within 120 DAYS of spucifications of the surface within 120 DAYS of spucification of the surface within 120 DAYS of spucification of the surface within 120 DAYS of spucification of the surface with the surface prior to any cement with the surface of the surface | aging; I date. menting RECE nting. OCT 17 |
| 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be nereby certify that the statements made herein are true and to the best of mate: 10-7-11 | by circulating cement to the top; in all cases surface pipe shall be be underlying formation. trict office on plug length and placement is necessary prior to plugged or production casing is cemented in; sed from below any usable water to surface within 120 DAYS of spucifications. On the case of the complete to the CCC District 3 area, alternate 11 celephaged. In all cases, NOTIFY district office prior to any cement with the case of t | gging; I date. menting RECE ting. OCT 17 |
| 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of materials. Signature of Operator or Agent: For KCC Use ONLY API # 15 - O91 - 236 79-00-00 | by circulating cement to the top; in all cases surface pipe shall be the underlying formation. It ict office on plug length and placement is necessary prior to plugged or production casing is cemented in; and placement below any usable water to surface within 120 DAYS of spucifications of the surface within 120 DAYS of spucifications of the surface within 120 DAYS of spucifications of the surface within 120 DAYS of spucifications. It is a surface prior to any cement with surface prior to | gging; I date. menting RECE ting. OCT 17 |
| 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be dereby certify that the statements made herein are true and to the best of mate: 10-7-11 | by circulating cement to the top; in all cases surface pipe shall be the underlying formation. It ict office on plug length and placement is necessary prior to plugged or production casing is cemented in; set from below any usable water to surface within 120 DAYS of spucifications of spucifications. Which applies to the KCC District 3 area, alternate If ce the plugged. In all cases, NOTIFY district office prior to any cement with the moving and belief. Agent Remember to: File Certification of Compliance with the Kansas Surface Owner Nact (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; | gging; I date. menting RECE ting. OCT 17 |
| 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be nereby certify that the statements made herein are true and to the best of mate: Signature of Operator or Agent: Por KCC Use ONLY API # 15 - O91 - 236 79 - OOOO | by circulating cement to the top; in all cases surface pipe shall be the underlying formation. It ict office on plug length and placement is necessary prior to plug ged or production casing is cemented in; set from below any usable water to surface within 120 DAYS of spucifications of spucifications. It is a plugged. In all cases, NOTIFY district office prior to any cement my knowledge and belief. Complete Completication of Compliance with the Kansas Surface Owner Nact (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; | gging; If date, RECE Inting, OCT 1; ACC WC Intification |
| 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be nereby certify that the statements made herein are true and to the best of mate: 10-7-11 Signature of Operator or Agent: For KCC Use ONLY API # 15 - O91 - 236 79-00-00 Conductor pipe required None feet per ALT. I I I I I I I I I I I I I I I I I I I | by circulating cement to the top; in all cases surface pipe shall be the underlying formation. It ict office on plug length and placement is necessary prior to plugged or production casing is cemented in; set from below any usable water to surface within 120 DAYS of spucifications of spucifications. Which applies to the KCC District 3 area, alternate If ce the plugged. In all cases, NOTIFY district office prior to any cement with the moving and belief. Agent Remember to: File Certification of Compliance with the Kansas Surface Owner Nact (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; | gging; I date. menting RECE nting. OCT 17 ACC WC otification 1 |
| 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be nereby certify that the statements made herein are true and to the best of mate: 10-7-11 Signature of Operator or Agent: For KCC Use ONLY API # 15 - O91 - 236 79-00-00 Conductor pipe required | by circulating cement to the top; in all cases surface pipe shall be the underlying formation. trict office on plug length and placement is necessary prior to plugged or production casing is cemented in; set from below any usable water to surface within 120 DAYS of spucifications of the surface plugged. In all cases, NOTIFY district office prior to any cemer my knowledge and belief. Title: Agent | gging; I date. menting RECE nting. OCT 1; KCC WC otification 1 |
| 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be nereby certify that the statements made herein are true and to the best of mate: 10-7-11 Signature of Operator or Agent: For KCC Use ONLY API # 15 - O91 - 236 79-00-00 Conductor pipe required None feet per ALT. I I I I I I I I I I I I I I I I I I I | by circulating cement to the top; in all cases surface pipe shall be the underlying formation. trict office on plug length and placement is necessary prior to plugged or production casing is cemented in; set from below any usable water to surface within 120 DAYS of spuct 133,891-C, which applies to the KCC District 3 area, alternate If cell to be plugged. In all cases, NOTIFY district office prior to any cemer my knowledge and belief. Title: Agent Remember to: File Certification of Compliance with the Kansas Surface Owner Nact (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-er-submit plugging report (CP-4) after plugging is completed (within 8). | gging; Id date. menting OCT 1 ACC WC otification 1 Antry; So days); cation date) |
| 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be nereby certify that the statements made herein are true and to the best of mate: 10-7-11 Signature of Operator or Agent: For KCC Use ONLY API # 15 - | by circulating cement to the top; in all cases surface pipe shall be the underlying formation. It ict office on plug length and placement is necessary prior to plugged or production casing is cemented in; sed from below any usable water to surface within 120 DAYS of spucifications of spucifications of spucifications. In all cases, NOTIFY district office prior to any cemer my knowledge and belief. Agent Agent | gging; Id date. menting OCT 1 ACC WC otification 1 Antry; So days); cation date) |
| 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be nereby certify that the statements made herein are true and to the best of mate: 10-7-11 Signature of Operator or Agent: For KCC Use ONLY API # 15 - O91 - 236 79-00-00 Conductor pipe required | by circulating cement to the top; in all cases surface pipe shall be the underlying formation. trict office on plug length and placement is necessary prior to plugged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spucifications of spucifications. In all cases, NOTIFY district office prior to any cemer my knowledge and belief. Agent Agent | gging; I date. menting RECE nting. OCT 17 ACC WC otification 11 ntry; 80 days); 22 |

For KCC Use ONLY
API # 15 - 091-23679-00-00

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

| Operator: Kansas Resource Exploration & Development, LLC | Location of Well: County: Joh | nnson | |
|--|--|---|--|
| Lease: Roberts | 384 | feet from N / X S Line of Section feet from X E / W Line of Section | |
| Well Number: KRI-1 | 3,872 | | |
| Field: Gardner | Sec. <u>11</u> Twp. <u>14</u> | S. R. ²² | |
| Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage: NW - SW - SE - SW | Is Section: X Regular or | Irregular | |
| | If Section is irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW | | |
| | | | |


PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

| | | | Sec | You ma | ay attach e | separate | plat if desire |
|--------|--------|-----------------------|-------|--------|-------------|------------------|----------------|
| | | | | | | : : : : | |
| ****** | : | | | | | | |
| | : | | | | | : | , |
| | : : | | | | | : : | : : |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | <i>∨</i> ₽ 1 1 | | | | | |
| | | KRI I | -y 32 | 772 | | | |
| П | | ¥384 | | | | | |

LEGEND

O Welf Location
Tank Battery Location
Pipeline Location
----- Electric Line Location
Lease Road Location



NOTE: In all cases locate the spot of the proposed drilling locaton.

KCC WICHITA

In plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

15-091-23679-0000

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

Form KSONA-1 July 2010 Form Must Be Typed Form must be Signed All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

| 34592 | Well Location: | |
|--|---|--|
| OPERATOR: License # 34592 Name: Kansas Resource Exploration & Development, LLC Address 1: 9393 W. 110th St., Suite 500 Address 2: KS = 66210 | NW SW SE SW Sec. 11 Twp. 14 | S R 22 X Fas West |
| Name: | County Johnson | |
| Address 1: | County: Johnson Lease Name: Roberts | Well #- KRI-1 |
| Address 2: City: Overland Park State: KS Zip: 66210 Contact Person: Brad Kramer Phone: ((913)) 669-2253 Fax: (913) 451-6750 Email Address: kramerbradley@yahoo.com | | |
| Contact Person: | _ | |
| Phone: (() + Ax: () + A | | |
| Email Address: Maintenance Control of the Control o | | |
| Surface Owner Information: Name: Wayne & Geraldine Roberts Trustee Address 1: 30340 W. 159th St. | When filing a Form T-1 involving multiple surf | face owners, attach an additional |
| Address 1: 30340 W. 159th St. | sheet listing all of the information to the left in owner information can be found in the record | is of the register of deeds for the |
| Address 2: | county, and in the real estate property tax rec | cords of the county treasurer. |
| | | |
| If this form is being submitted with a Form C-1 (Intent) or CB-1 (C the KCC with a plat showing the predicted locations of lease roads, | Cathodic Protection Borehole Intent), you must su , tank batteries, pipelines, and electrical lines. The | e locations shown on the plat |
| If this form is being submitted with a Form C-1 (Intent) or CB-1 (C the KCC with a plat showing the predicted locations of lease roads, are preliminary non-binding estimates. The locations may be enter Select one of the following: | Cathodic Protection Borehole-Intent), you must su , tank batteries, pipelines, and electrical lines. The red on the Form C-1 plat, Form CB-1 plat, or a sep ice Act (House Bill 2032), I have provided the fo | e locations shown on the plat parate plat may be submitted. bllowing to the surface |
| If this form is being submitted with a Form C-1 (Intent) or CB-1 (C the KCC with a plat showing the predicted locations of lease roads, are preliminary non-binding estimates. The locations may be enter Select one of the following: | Cathodic Protection Borehole-Intent), you must su, tank batteries, pipelines, and electrical lines. The red on the Form C-1 plat, Form CB-1 plat, or a septice Act (House Bill 2032), I have provided the form being filed is a Form C-1 or Form CB-1, the | e locations shown on the plat parate plat may be submitted. bllowing to the surface 3-1, Form T-1, or Form |
| If this form is being submitted with a Form C-1 (Intent) or CB-1 (C the KCC with a plat showing the predicted locations of lease roads, are preliminary non-binding estimates. The locations may be enter Select one of the following: | Cathodic Protection Borehole-Intent), you must support the form C-1 plat, Form CB-1 plat, or a separation of the Form C-1 plat, Form CB-1 plat, or a separation of the Form C-1, Form CB be located: 1) a copy of the Form C-1, Form CB form being filed is a Form C-1 or Form CB-1, the fax, and email address. (b) I acknowledge that, because I have not provide the owner(s). To mitigate the additional cost of the | e locations shown on the plat parate plat may be submitted. bollowing to the surface 3-1, Form T-1, or Form plat(s) required by this ed this information, the e KCC performing this |
| If this form is being submitted with a Form C-1 (Intent) or CB-1 (C the KCC with a plat showing the predicted locations of lease roads, are preliminary non-binding estimates. The locations may be enter Select one of the following: Certify that, pursuant to the Kansas Surface Owner Notion owner(s) of the land upon which the subject well is or will CP-1 that I am filing in connection with this form; 2) if the form; and 3) my operator name, address, phone number, form I have not provided this information to the surface owner(s) KCC will be required to send this information to the surface. | Cathodic Protection Borehole-Intent), you must sure, tank batteries, pipelines, and electrical lines. The red on the Form C-1 plat, Form CB-1 plat, or a septice Act (House Bill 2032), I have provided the form being filed is a Form C-1 or Form CB-1, the fax, and email address. 1). I acknowledge that, because I have not provide the owner(s). To mitigate the additional cost of the diling fee, payable to the KCC, which is enclosed adding fee with this form. If the fee is not received | e locations shown on the plat parate plat may be submitted. bllowing to the surface 3-1, Form T-1, or Form plat(s) required by this ed this information, the e KCC performing this with this form. |
| If this form is being submitted with a Form C-1 (Intent) or CB-1 (C the KCC with a plat showing the predicted locations of lease roads, are preliminary non-binding estimates. The locations may be enter Select one of the following: | Cathodic Protection Borehole-Intent), you must sure, tank batteries, pipelines, and electrical lines. The red on the Form C-1 plat, Form CB-1 plat, or a septice Act (House Bill 2032), I have provided the form being filed is a Form C-1 or Form CB-1, the fax, and email address. (a). I acknowledge that, because I have not provided the electromagnetic of the cowner(s). To mitigate the additional cost of the diling fee, payable to the KCC, which is enclosed adding fee with this form. If the fee is not received in CP-1 will be returned. | e locations shown on the plat parate plat may be submitted. bllowing to the surface 3-1, Form T-1, or Form plat(s) required by this ed this information, the e KCC performing this with this form. |

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

| | | | 24502 | | |
|---|-------------------------|--|---|--|--|
| Operator Name: Kansas Resource Exp | | ment, LLC | License Number: 34592 | | KS 66210 |
| Operator Address: 9393 W. 110th S | St., Suite 500 | | | ind Park K | (3 60210 |
| Contact Person: Brad Kramer | | Phone Number: (913) 669-2253 | | | |
| Lease Name & Well No.: Roberts | KRI | -1 | Pit Location (QQQQ): | | |
| Type of Pit: Emergency Pit Burn Pit Settling Pit X Drilling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled) Is the pit located in a Sensitive Ground Water Is the bottom below ground level? X Yes No Pit dimensions (all but working pits): | Pit is: X Proposed | Existing structed:(bbls) lo t) 10 pest point: | 3,872 Feet from X Johnson Chloride concentration: | 22 South South South South West | Line of Section Line of Section County mg/l ts only) Steel Pits |
| Distance to nearest water well within one-mile | | Depth to shall Source of info | | feet. | 236 |
| Emergency, Settling and Burn Pits ONLY: | | Type of mater Number of wo | ial utilized in drilling/workover: rking pits to be utilized: | Drilling Mud 2 dry and back aud date. | KFIII RECEIVED |
| I hereby certify that the above state 10-7-11 Date | ements are true and cor | BK | of my knowledge and belief. Signature of Applicant or Agent | | OCT 17 201 KCC WICHIT |
| Date Received: 10-17-1(Permit No | | OFFICE USE | ONLYLiner St mit Date:(Lea | teel Pit XRF | |



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Ward Loyd, Commissioner Thomas E. Wright, Commissioner

October 18, 2011

Kansas Resource Exploration & Development, LLC 9393 W. 110th St., Ste 500 Overland Park, KS 66210

RE: Drilling Pit Application

Roberts Lease Well No. KRI-1 SW/4 Sec. 11-14S-22E

Johnson County, Kansas

Dear Sir or Madam:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit immediately after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 432-2300 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill.

If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Kathy Haynes

Environmental Protection and Remediation Department

cc: File

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Ward Loyd, Commissioner Thomas E. Wright, Commissioner

NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in **K.A.R. 82-3-400 et seq** of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.