

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1061008

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 34170	API No. 1515-003-24893-00-00
Name:Sirius Energy Corp.	Spot Description:
Address 1: 526 COUNTRY PL, SOUTH	NE_NW_NW_SW Sec. 13 Twp. 21 S. R. 20 ▼ East West
Address 2:	2381 Feet from North / South Line of Section
City: ABILENE State: TX Zip: 79606 + 7032	4845 Feet from ✓ East / ☐ West Line of Section
Contact Person: Randy Teter	Footages Calculated from Nearest Outside Section Corner:
Phone: (785) 4488571	
CONTRACTOR: License # 32079	UNE UNW ✓SE USW County: Anderson
	Lease Name: West Van Winkle Well #: O-26
Name: Leis, John E. Wellsite Geologist: n/a	Field Name:
Purchaser:	Producing Formation: Squirrel sand
Designate Type of Completion:	Elevation: Ground: 1060 Kelly Bushing: 0
✓ New Well Re-Entry Workover	Total Depth: 742 Plug Back Total Depth:
	Amount of Surface Pipe Set and Cemented at: 21 Feet
	Multiple Stage Cementing Collar Used? ☐ Yes ☑ No
☐ OG ☐ GSW ☐ Temp. Abd. ☐ CM (Coal Bed Methane)	If yes, show depth set: Feet
	If Alternate II completion, cement circulated from: 21
Cathodic Other (Core, Expl., etc.):	feet depth to: 0 w/ 6 sx cmt.
If Workover/Re-entry: Old Well Info as follows:	
Operator:	Drilling Fluid Management Plan
Well Name:	(Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth:	
☐ Deepening ☐ Re-perf. ☐ Conv. to ENHR ☐ Conv. to SWD	Chloride content: 0 ppm Fluid volume: 120 bbls
Conv. to GSW	Dewatering method used: Evaporated
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Permit #:	
Dual Completion Permit #:	Operator Name:
SWD Permit #:	Lease Name: License #:
ENHR Permit #:	Quarter Sec TwpS. R East West
GSW Permit #:	County: Permit #:
06/09/2011 06/09/2011 06/09/2011	
Spud Date or Date Reached TD Completion Date or	
Recompletion Date Recompletion Date	•

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY					
Letter of Confidentiality Received					
Date:					
Confidential Release Date:					
✓ Wireline Log Received					
Geologist Report Received					
☐ UIC Distribution					
ALT I I II Approved by: Deanna Garrisor Date: 08/10/2011					

Side Two



Operator Name: Siriu	us Energy Corp.		Lease Nar	_{ne:} West Van W	/inkle	Well #:C	-26	
Sec. 13 Twp.21	s. R. 20	✓ East	t County: _/	Anderson				
NSTRUCTIONS: Sho ime tool open and clo ecovery, and flow rate ine Logs surveyed. At	sed, flowing and sh s if gas to surface t	ut-in pressures, whe est, along with final o	ther shut-in pressure	e reached static leve	el, hydrostatic pre	essures, bottom	hole temperature, flu	
Drill Stem Tests Taken ☐ Yes ☑ No (Attach Additional Sheets)		No	✓ Log Formation (Top), D		Depth and Datum Sam			
Samples Sent to Geological Survey		☐ Yes 🗸 N	اما	Name Squirrel sand		Тор 670	Datum gl	
Cores Taken Electric Log Run Electric Log Submitted (If no, Submit Copy)	Electronically	☐ Yes ☑ N ☑ Yes ☐ N ☑ Yes ☐ N	No l				•	
ist All E. Logs Run:								
Gamma Ray / Neutro	on / CCL							
			_	✓ New Used	ction etc			
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives	
Surface	9.875	7	20	21	Portland	6		
Production	5.625	2.875	6.5	738	owc	66	Kol seal 40%	
Annua		ADDITION	ONAL CEMENTING	/ COULTE DE COOR				
Purpose: —— Perforate —— Protect Casing —— Plug Back TD —— Plug Off Zone	Depth Top Bottom	Type of Cement		/ SQUEEZE RECORD Type and Percent Additives				
	-							
Shots Per Foot	PERFORATION RECORD - Bridge Plugs Se Specify Footage of Each Interval Perforate			Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)			rd Depth	
		:			- Annual Control of the Control of t			
				-				
UBING RECORD:	Size:	Set At:	Packer At:	Liner Run:	Yes N	0		
ate of First, Resumed P	roduction, SWD or EN	IHR. Producing	· · · · · · · · · · · · · · · · · · ·	Gas Lift	Other (Explain)			
stimated Production Per 24 Hours	Oil	Bbls. Gas	Mcf		Bbls.	Gas-Oil Ratio	Gravity	
DISPOSITION	N OF GAS:		METHOD OF COI	MPLETION:		PRODUCTI	ON INTERVAL:	
Vented Sold	Used on Lease	Other (Sassi	(Su		mmingled omit ACO-4)	······································		

GARNETT TRUE VALUE HOMECENTER

410 N Maple Garnett, KS 66032 {785} 448-7106 FAX {785} 448-7135

Merchant Copy INVOICE

THIS COPY MUST REMAIN AT MERCHANT AT ALL TIMES!

Page: 1			Invoice: 101	70890		
Special :		***************************************	Time:	08:29:32		
Instructions			Ship Date:	04/18/11		
;			Invoice Date:	04/18/11		
Sale rep #: MARILYN		Acct rep code:	Due Date:	05/08/11		
Solu To: SIRIUS ENERGY CORP	Ship To: SIRIUS ENERGY CORP					
526 COUNTRYPLACE SOUTH ABILENE, TX 79606-7032	(325) 665-	9152				
	(325) 665-	9152				
Customer #: 0001860	Customer PO:		Order Ric			

popimg01 ORDER SHIP L U/M ITEM# DESCRIPTION EXTENSION PRICE Alt Price/Uom 60.00 60.00 P. BAG CPFA FLY ASH MIX 80 LBS PER BAG 6.9900 BAG 6.9900 419.40 60.00 60.00 P BAG CPPC **PORTLAND CEMENT-94#** 9.4900 BAG 9.4900 569.40 FILLED BY CHECKED BY DATE SHIPPED \$988,80 Sales total Customer Pick up RECEIVED COMPLETE AND IN GOOD CONDITION Taxabie 988.80 Non-taxable 0.00 Sales tax 82.08 Tax#

1 - Merchant Copy

TOTAL \$1070.88