CRIGINAL

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 31280	API No. 15 - 031-22897-0000				
Name: Birk Petroleum	Spot Description:				
Address 1: _ 874 12th Rd SW	NE_SW_SE_SE_Sec14 Twp22 S. R16				
Address 2:	495 Feet from North / South Line of Section				
City: Burlington State: Ks Zip: 66839 +	825 Feet from Feet from Saturation Section				
Phone: (620) 364-1311	Footages Calculated from Nearest Outside Section Corner: NE NW SE SW				
	· · · · · · · · · · · · · · · · ·				
CONTRACTOR: License # 31280	County: Coffey Lease Name: Rolf Well #: 6				
Name: Birk Petroleum	i e e e e e e e e e e e e e e e e e e e				
Wellsite Geologist: None	Field Name: Neosho Falls-LeRoy				
Purchaser: Coffeyville Resources	Producing Formation: Squirrel				
Designate Type of Completion:	Elevation: Ground: 1046 est. Kelly Bushing:				
✓ New Well Re-Entry Workover	Total Depth: 1016 Plug Back Total Depth: 1016				
☑ Oil ☐ wsw ☐ swd ☐ slow	Amount of Surface Pipe Set and Cemented at: 42 Feet				
☐ Gas ☐ D&A ☐ ENHR ☐ SIGW	Multiple Stage Cementing Collar Used? Yes INo				
OG SSW Temp. Abd.	If yes, show depth set: Feet				
CM (Coel Bed Methane)	If Alternate II completion, cement circulated from: 1002				
Cathodic Other (Core, Expl., etc.):	feet depth to: surface w/ 120 sx cmt.				
If Workover/Re-entry: Old Well Info as follows:					
Operator:	Drilling Fluid Management Plan				
Well Name:	(Data must be collected from the Reserve Pit)				
Original Comp. Date: Original Total Depth:	Chloride content: ppm Fluid volume: bbls				
☐ Deepening ☐ Re-perf. ☐ Conv. to ENHR ☐ Conv. to SWD					
Conv. to GSW	Dewatering method used:				
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:				
Commingled Permit #:	Operator Name:				
Dual Completion Permit #:	Lease Name: License #:				
SWD Permit #:	Quarter Sec TwpS. R				
ENHR - Permit #:					
GSW Permit #:	County: Permit #:				
05/14/2011 05/16/2011 05/16/2011 05/16/2011	·				
Spud Date or Date Reached TD Completion Date or Recompletion Date					
Kansas 67202, within 120 days of the spud date, recompletion, workover or or of side two of this form will be held confidential for a period of 12 months if rec	the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information quested in writing and submitted with the form (see rule 82-3-107 for confidenell report shall be attached with this form. ALL CEMENTING TICKETS MUST rm with all temporarily abandoned wells.				
·	KCC Office Has ONLY				
AFFIDAVIT I am the affiant and I hereby certify that all requirements of the statutes, rules and	KCC Office Use ONLY				
lations promulgated to regulate the oil and gas industry have been fully complied	d with Letter of Confidentiality Received				
and the statements herein are complete and correct to the best of my knowledge					
toland then	☐ Confidential Release Date: RECEIVED				
Signature: VIII/(U.J. 97V()	Geologist Report Received				
Title: Agent Date: 08/08/2011	UIC Distribution				
	ALT I VII III Approved by:				

Side Two

Operator Name: Birl	k Petroleum		Lease Name:	Rolf		Well#:6	
Sec. <u>14</u> Twp. <u>22</u>		✓ East West	County: Cof		·		
time tool open and clo	osed, flowing and sh es if gas to surface t	nd base of formations per ut-in pressures, whether s est, along with final chart I well site report.	shut-in pressure re	ached static level	, hydrostatic pres	sures, bottom	hole temperature, fluid
Drill Stem Tests Taken			Log Formation	on (Top), Depth a	th and Datum		
Samples Sent to Geological Survey		☐ Yes ☑ No	Name Squirrel Sand			Top Datum 1007 +39	
Cores Taken Electric Log Run Electric Log Submitted Electronically (If no, Submit Copy)		☐ Yes	Yes ☑No Yes ☑No				
List All E. Logs Run:	e es manufactura de la companya e	ලංක විවිධ සම් සම් සම් සම් සම්		and the second s		And the second s	
		CASING Report all strings set-		New Used	tion etc		
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface Casing	9 7/8"	7"	17#	42'	Portland	15	Calcium
Long String	6 1/8"	2 7/8"	6.5#	1002'	Portland	120	
			<u> </u>				
Burnasa	7		L CEMENTING / SO	QUEEZE RECORD			
Purpose: Depth Type of Cement # Sack Top Bottom # Sack Perforate Protect Casing		# Sacks Used	Type and Percent Additives				
Plug Back TD Plug Off Zone							
Shots Per Foot		ION RECORD - Bridge Plue Footage of Each Interval Pe			acture, Shot, Cemer		ord Depth
None		letion 1002-1016'	norated				1002-1010
	2.27	12					
		*					
TUBING RECORD:	Size:	Set At:	Packer At:	Liner Run:	Yes N	0	I
Date of First, Resumed 06/23/2011	Production, SWD or E	NHR. Producing Met		Gas Lift	Other (Explain)		
Estimated Production Per 24 Hours	OII 1.5	Bbis. Gas	Mcf W	ater (3bls.	Gas-Oil Ratio	Gravity
DISPOSITI	ON OF GAS:		METHOD OF COMP	LETION:		PRODUCT	ION INTERVAL:
Vented Sol	Perf. Dua	Dually Comp. Commingled			RECEIVED		
	d Used on Lease	Other (Specify)	(Subm	it ACO-5) (Sui	bmit ACO-4)		LOLIVED
				-4 Doom 2079 1	M. L. W.	67202	AUG 1 0 2011

Mail to: KCC - Conservation Division 130 S Market - Room 2078 Wichita Kansas 67202

KCC WICHITA

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365:5588



CONDITIONS
Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings; trees, shrubbey, etc., which are at customer's risk. The maximum allotted lime for unloading trucks its 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.

NOTICE TO OWNER
Failure of this contract can result in the filling of a mechanic's lien on the property which is the subject of this contract.

SHIP TO: SOLD TO: Booi & B COOPERATIVE VENTURES & 49 COOPERATIVE VENTURES HWY 58 4TO LEROY W ON JESTS 900 S. FOURTH ST. (SHETLAND AD TOOK E MI DUT I TOWN TO ZIH RD JURN E IVE HI N OD' HOTH WELL HE SPOIT BUPLINGTON: KB. 66839 DRIVER/TRUCK PLANT/TRANSACTION'# YARDS ORDERED LOAD SIZE TIME X CAL DP % AIR 31 0.00 12,00 yd 0.00 i2.00 yd Ø2:51:46p TICKET NUMBER * YARDS DEL. BATCH# WATER TRIM SLUMP LOAD# 😁 DATE 84.00 yd o Date 24.80 vd 4.00 in Excessive Water is Detrimental to Concrete Performance PROPERTY DAMAGE RELEASE WARNING (TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE) H₂0 Added By Request/Authorized By IRRITATING TO THE SKIN AND EYES
Contains Porlland Cement: Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY Dear Customer-The driver of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property, if it places the material in this load where you desire it. It is Contains Portland Centerin, wear number Boots and Silves. Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water, If Irritation Persists, Get Medical Attention; KEEP-CHILDREN AWAY truck mey possibly cause damage to the premises and/or adjacant property. If it places the material in this load where you desire it is our within to help you'ln every way that we can, but in order to do this the driver is requesting that you stight the RELEASE Tibliowing-him, and this supplier from any responsibility from any-damage that may occur to the premises and/or adjacent-property, 'building's, stdeward, ordrewary, curbs, etc., by the deherby of the instantieral and that you also agree to help him remove mud-from the wheels of his vehicle ston, the understigned agrees to indemnify and hold harmless the officer of this truck and this supplier for any and all damage to the premises and/or adjacent property, which may be claimed by anyone to have arisin dut of delivery of this order. WEIGHMASTER CONCRETE IS & PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS. The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum. Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered. A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks Excess Delay Time Charged @ \$50/HR 180 EXTENDED PRICE QUANTITY CODE DESCRIPTION .: UNIT PRICE 76, 90 912.00 12.00 WELL (10 SACKS PER UNIT) 24,00 WELL DELAY EXPLANATION/CYLINDER TEST TAKEN TIME ALLOWED RETURNED TO PLANT LEFT JOB FINISH UNLOADING 912.00 SubTotal \$ JOB NOT READY SLOW POUR OR PUMP TRUCK AHEAD ON JOB CONTRACTOR BROKE D 7. ACCIDENT 8. CITATION Tax % 6.300 57.46 9. OTHER 969.46 Total \$ START UNLOADING TIME DUE ARRIVED JOB LEFT PLANT -2071,79 der t **ADDITIONAL CHARGE** DELAY TIME TOTAL AT JOB **UNLOADING TIME** TOTAL ROUND TRIP ADDITIONAL CHARGE 2

> RECEIVED AUG 1 0 2011 KCC WICHITA

GRAND TOTAL