## ORIGINAL

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1
June 2009
Form Must Be Typed
Form must be Signed
All blanks must be Filled

UIC Distribution

ALT | I | III | Approved by: Dic Date: 8 | 19 | 1 |

### WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 31280	API No. 15
Name: Birk Petroleum	Spot Description:
Address 1: 874 12th RD SW	NE_SW_NE_SE Sec. 14 Twp. 22 S. R. 16 ▼ East West
Address 2:	1,815 Feet from North / South Line of Section
City: Burlington State: ks Zip: 66839 + 9255	825 Feet from ▼ East / □ West Line of Section
Contact Person: Brian L. Birk	Footages Calculated from Nearest Outside Section Corner:
Phone: ( 620 ) 364-5875	□ NE □ NW ☑ SE □ SW
CONTRACTOR: License #_ 31280	County: Coffey
Name: Birk Petroleum	D-#
Wellsite Geologist: none	Field Name: Neosho Falls- Leroy
Purchaser: Coffeyville Resources	Producing Formation: Squirrel
Designate Type of Completion:	Elevation: Ground: 1057 est. Kelly Bushing:
✓ New Well Re-Entry Workover	Total Depth: 1026 Plug Back Total Depth: 1009
_	Amount of Surface Pipe Set and Cemented at: 42 Feet
☑ Oil ☐ WSW ☐ SWD ☐ SIOW ☐ Gas ☐ D&A ☐ ENHR ☐ SIGW	Multiple Stage Cementing Collar Used?  Yes No
GSW Temp. Abd.	If yes, show depth set: Feet
CM (Coal Bed Methane)	If Alternate II completion, cement circulated from: 1009
Cathodic Other (Core, Expl., etc.):	feet depth to: Surface w/ 120 . sx cmt.
If Workover/Re-entry: Old Well Info as follows:	м/ эх опт.
Operator:	D.W. El LIM.
Well Name:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth:	Chloride content:ppm Fluid volume:bbls
☐ Deepening ☐ Re-perf. ☐ Conv. to ENHR ☐ Conv. to SWD	Dewatering method used:
Conv. to GSW	
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Permit #:	Operator Name:
Dual Completion Permit #:	Lease Name: License #:
☐ SWD         Permit #:	Quarter Sec. Twp. S. R. East West
GSW Permit #:	County: Permit #:
6/2/2011 6/3/2011 6/3/2011	
Spud Date or Date Reached TD Completion Date or	
Recompletion Date Recompletion Date	
Kansas 67202, within 120 days of the spud date, recompletion, workover or of side two of this form will be held confidential for a period of 12 months if re	th the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information equested in writing and submitted with the form (see rule 82-3-107 for confidencell report shall be attached with this form. ALL CEMENTING TICKETS MUST form with all temporarily abandoned wells.
	V00 077 - 11 - 01111
AFFIDAVIT I am the affiant and I hereby certify that all requirements of the statutes, rules and	KCC Office Use ONLY
lations promulgated to regulate the oil and gas industry have been fully complie	d with Letter of Confidentiality Received
and the statements berein are complete and correct to the best of my knowled	dge. Date:AUG 1 5 2011
Jana ( Walk	Wireline Log Received
Signature: NALV (A VA/V)	Geologist Report Received KCC WICLITA

Date: 08/11/2011

Title: Agent

#### Side Two

Operator Name: Birk	Petroleum		Lease Nam	ne: Rolf		_Well #:22		
Sec. 14 Twp.22		✓ East   West	County: _C		· · · · · · · · · · · · · · · · · · ·			
time tool open and clos	ed, flowing and shu if gas to surface to	nd base of formations pen ut-in pressures, whether s est, along with final chart( I well site report.	hut-in pressure	reached static level	, hydrostatic pres	sures, bottom l	nole temperature, fluid	
Drill Stem Tests Taken				Log Formation	on (Top), Depth ar	oth and Datum		
·		☐ Yes 🔽 No		Name Squirrel Sand		Top 1009	Datum +48	
Samples Sent to Geological Survey  L Yes  Cores Taken  Yes		Yes No	☑ No			1009	140	
Electric Log Run Electric Log Submitted (If no, Submit Copy)	Electronically	Yes No		e de la companya della companya della companya de la companya della companya dell	, 			
List All E. Logs Run:					1		•	
			RECORD [	New Used	tion, etc.			
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives	
Surface Casing	9 7/8	7"	17#	42'	Portland	15	Calcium	
Longstring	6 1/8	2 7/8	6.5#	1009	Portland	120		
					<u></u>			
		ADDITIONAL	CEMENTING	SQUEEZE RECORD	)			
Purpose: Perforate Protect Casing	Depth Top Bottom	Type of Cement # Sac		ed .	Type and Percent Additives			
Plug Back TD Plug Off Zone								
	1							
Shots Per Foot	PERFORATION RECORD - Bridge Plugs Specify Footage of Each Interval Perfora				acture, Shot, Cemer Amount and Kind of M		rd Depth	
					ng ming man and a state of			
							PECENT	
							RECEIVED	
TUBING RECORD:	Size:	Set At:	Packer At:	Liner Run:	Yes No	)	AUG 1 5 2011	
Date of First, Resumed F 6/21/2011	Production, SWD or EN	NHR. Producing Met	hod:  ✓ Pumping	Gas Lift	Other (Explain)	K	CC WICHITA	
Estimated Production Per 24 Hours	Oil 1	Bbls. Gas	Mcf	Water I	Bbls.	Gas-Oil Ratio	Gravity	
DISPOSITIO	N OF GAS:		METHOD OF CO	MPLETION:		PRODUCT	ON INTERVAL:	
Vented Sold	Used on Lease	Open Hole			ommingled bmit ACO-4)			
(If vented, Subr	nit ACO-18.)	Other (Specify)	,,,,,			·		

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588 Payless Con

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction. under tidos sidm power. Due to derivery at owner's or intermediary's direction, seller assumes no responsibility for dranages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request NOTICE TO OWNER

Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

SOLD TO:

II) TR TO COUPERATIVE WENTURES HAY SE TO LEROY W ON F. ST SHETLAND RD) GO N 2 MI OUT OF JO 7TH RD TURN E 1/2 MI ROUSAUEND 1862 1855 L

			Commence of the commence of th				
TIME PARTY	FORMULA	LOAD SIZE	XYARDS ORDERED.		DRIVER/TRUCK		PLANT/TRANSACTION #
1		****	•	* UNI	DP	* 918	
\$1:04:5.7p	LIEL	12.00 yd .	12.(h).yd	<b>0.</b> 00	31	0.00	1
DATE: DAY	****	LOAD # N	YARDS DEL	BATCH#	WATER TRIM	SLUMP 👌 📳	TICKET NUMBER
	o Defic		. 36. M	yd			2
w6-03-11	oday		\$2.10V	yð ituli≙D .	Fred W.	- 30° in	42(30)

#### IRRITATING TO THE SKIN AND EYES

Contains Portland Cement: Wear Rubber Boots and Gloves: PROLONGED CONTACT MAY CAUSE BURNS? Avoid Contact With Eyes and Prolonged Contact With Skin; In Case of Contact With Skin; or Eyes, Flusht Thorologhy With Water, if Irritation Persists, Ger Medical Attention. KEEP CHILDREN AWAY.

CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks Excess Delay Time Charged @ \$50/HR.

PROPERTY DAMAGE RELEASE
(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

Dear Customer-The driver of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause during to the persistent and the opinion that the size and weight of his truck may possibly cause demaigs to the persistent and/or edipoemt property if it places the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this the other is requesting that you sign this RELEASE relievingh him and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks. driveways, curbs, etc., by the delivery of this material, and that you also agree to help him remove mud from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises use supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisin out of delivery of this order.

**Excessive Water is Detrimental to Concrete Performance** H<sub>2</sub>0 Added By Request/Authorized By

WEIGHMASTER

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.

QUANTITY DESCRIPTION

Title: : National

UNIT PRICE EXTENDED PRICE

12.00 2.50

C. Wi 76.00 P. 90 56.00

LEFT JOB FINISH UNLOADING RETURNED TO PLANT DELAY EXPLANATION/CYLINDER TEST TAKEN TIME ALLOWED 1037.00 1. JOB NOT READY 6. TRUCK BROKE DOWN 1318 65, 31 2. SLOW POUR OR PUMP 7. ACCIDENT 3. TRUCK AHEAD ON JOB 8. CITATION 4. CONTRACTOR BROKE DOWN 11000、2 LEFT PLANT ARRIVED JOB START UNLOADING TIME DUE 5 ADDED WATER **ADDITIONAL CHARGE 1** UNLOADING TIME TOTAL ROUND TRIP TOTAL AT JOB **DELAY TIME ADDITIONAL CHARGE 2** 

GRAND TOTAL 🔊