KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

Type Test:			(See Instruct	ions on Rev	erse Side)			
Open Flow			.				4.50	N 45	2	
Deliverabilty			Test Date 02/22/20					No. 15 3-20715 — (2000	
Company Petroleum Dev	elopment Co	rp			Lease Gemael	nlich	***************************************	•	ر 44-18	Well Number
County Location Cheyenne NESESE		Section 18				RNG (E	RNG (E/W) 41W		Acres Attributed	
Field Cherry Creek			Reservoir Niobrar		·····			hering Conne Eureka Gatl		.
Completion Date 05/11/2007			Plug Bac 1693'	k Total Dept	h		Packer S	Set at	•	
Casing Size Weight 4.5" 10.5#		Internal Diameter 4"		Set at 1719'		Perforations 1546'		т _о 1558'		
Tubing Size 2.375"	Weight 4.75#	· · · · · · · · · · · · · · · · · · ·	Internal E 2"	Diameter	Set at 1607		Perfo	rations	То	
Type Completion (I	Describe)		Type Flui Brine V	d Production	1		Pump U		Plunger? Yes	/ No
Producing Thru (Annulus	nnulus / Tubing)		% C	arbon Dioxid	de		% Nitrog		Gas Gra	avity - G _g
Vertical Depth(H)		•	.,,	Press	sure Taps		. 70		(Meter F	Run) (Prover) Size
Pressure Buildup:	Shut in 02/22	2	0_11_at_1	2:00pm	(AM) (PM)	Taken_2/	23	20	11 _{at} 12:20p	m (AM) (PM)
Well on Line:	Started	20	0 at		(AM) (PM)	Taken		20	at	(AM) (PM)
				OBSERVE	D SURFACE	DATA			Duration of Shut-i	n_24 Hours
Static / Orifice Dynamic Size Property (inches)	Orifice Circle one: Pressure Differential Flowing Temperature		Temperature t Wellhead Pressure (P _w) or (P _t) or (P _c)		Tubing Wellhead Pressure (P _w) or (P _t) or (P _c)		Duration (Hours)	Liquid Produced (Barrels)		
Shut-In	, , ,	2			psig 64	psia	psig	psia		
Flow								:		
	Circle one:			FLOW STR	EAM ATTRII	BUTES				1
Plate Coefficient (F _b) (F _p) Mcfd	Meter or rover Pressure psia	Press Extension ✓ P _m x h	Grav Fact F _g	or T	Flowing emperature Factor F _{ft}	Fa	iation ctor : pv	Metered Flow R (Mcfd)	(Cubic Fee Barrel)	Flowing Fluid Gravity G _m
			(005) 51			041 011				
$(P_c)^2 =$:	(P _w) ² =	:			ERABILITY) 6 (P		14.4 =	:		= 0.207
	(P _c) ² - (P _w) ²	1. P _c ² - P _d ² 2. P _c ² - P _d ²	LOG of formula 1. or 2. and divide	P _c ² - P _w ²	Backpress Slope	sure Curve = "n" or gned	n v	LOG	Antilog	Open Flow Deliverability Equals R x Antilog
	divi	ded by: $P_c^2 - P_w^2$	by:	'c 'w	Standa	'd Slope				(Mcfd)
						,				
Open Flow		Mcfd @ 14.6	65 psia		Deliverabil	ity			Mcfd @ 14.65 psia	a
The undersigned the facts stated there	•				•		o make th	·	rt and that he ha	s knowledge of
					-	9	M	sh		RECEIVED
	Witness (if an								отрану	AUG 0 2 2011

I declare under penalty of perjury under the laws of the state of Kansas that I am authorized to request								
exempt	status under Rule K.A.R. 82-3-304 on behalf of the operator Petroleum Development Corp							
and tha	t the foregoing pressure information and statements contained on this application form are true and							
correct	to the best of my knowledge and belief based upon available production summaries and lease records							
	oment installation and/or upon type of completion or upon use being made of the gas well herein named.							
l he	reby request a one-year exemption from open flow testing for theGemaehlich 44-18							
gas wel	Il on the grounds that said well:							
	(Check one)							
	is a coalbed methane producer							
	is cycled on plunger lift due to water							
	is a source of natural gas for injection into an oil reservoir undergoing ER							
	is on vacuum at the present time; KCC approval Docket No							
	is not capable of producing at a daily rate in excess of 250 mcf/D							
I fu	rther agree to supply to the best of my ability any and all supporting documents deemed by Commission							
staff as	necessary to corroborate this claim for exemption from testing.							
Date: 0	7/13/2011							
	. 4							
	. Signature:							
	Title: Sr. Engineering Tech							
	THIC.							

Instructions:

يستاني سماته

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under OBSERVED SURFACE DATA. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption IS denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results. RECEIVED

AUG 0 2 2011 KCC WICHITA