# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1
June 2009
Form Must Be Typed
Form must be Signed
All blanks must be Filled

### **WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE**

OPERATOR: License # 31280	API No. 15 - 031-22945-00-00
Name: Birk Petroleum	Spot Description:
Address 1: 874 12th RD SW	SW_SW_NE_NE_Sec30 Twp22 S. R17  Sest West
Address 2:	4,125 Feet from North / South Line of Section
City: Burlington State: Ks Zip: 66839 + 9255	1,155 Feet from Feet from West Line of Section
D.Com. I. Dist.	Footages Calculated from Nearest Outside Section Corner:
Phone: ( 620 ) 364-1311	
	☐ NE ☐ NW
CONTRACTOR: License #_31280	Lease Name: Parmely C Well #: 29
Name: Birk Petroleum	Lease Name: Well #:
Wellsite Geologist: None	Field Name: Parmely
Purchaser: Coffeyville Resources	Producing Formation: Squirrel
Designate Type of Completion:	Elevation: Ground: 1044 Est. Kelly Bushing:
✓ New Well Re-Entry Workover	Total Depth: 991 Plug Back Total Depth: 991
Oil WSW SWD SIOW	Amount of Surface Pipe Set and Cemented at: 40 Feet
☐ Gas ☐ D&A     ☑ ENHR    ☐ SIGW	Multiple Stage Cementing Collar Used? Yes INo
☐ OG ☐ GSW ☐ Temp. Abd.	If yes, show depth set:Feet
CM (Coal Bed Methane)	If Alternate II completion, cement circulated from: 979
Cathodic Other (Core, Expl., etc.):	feet depth to: Surface w/ 120 sx cmt.
if Workover/Re-entry: Old Well Info as follows:	
Operator:	Drilling Fluid Management Plan
Well Name:	(Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth:	Chloride-content:ppm Fluid volume:bbls
☐ Deepening ☐ Re-perf. ☐ Conv. to ENHR ☐ Conv. to SWD	Dewatering method used:
Conv. to GSW	
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Permit #:	Operator Name:
Dual Completion Permit #:	Lease Name: License #:
SWD Permit #:	QuarterSecTwpS. R East West
ENHR Permit #:	County: Permit #: RECEIVED
GSW Permit #:	
Spud Date or Date Reached TD Completion Date or	AUG 2 2 2011
Recompletion Date Recompletion Date	
of side two of this form will be held confidential for a period of 12 months if rec	conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information quested in writing and submitted with the form (see rule 82-3-107 for confidenell report shall be attached with this form. ALL CEMENTING TICKETS MUST
	/
AFFIDAVIT I am the affiant and I hereby certify that all requirements of the statutes, rules and	KCC Office Use ONLY
lations promulgated to regulate the oil and gas industry have been fully complied	d with Letter of Confidentiality Received
and the statements herein are complete and correct to the best of my knowledge	ge. Date:
	☐ Wireline Log Received
Signature: Signature:	Geologist Report Received
Title: Agent Date: 8/18/2011	ALT 1 VII Approved by: Doc Date: 8 26 LJ

#### Side Two

Operator Name: Birk	Petroleum		Lease Nam	e: Parmely C		_ Well #:29	<u> </u>		
	s. R. <u>17</u>	✓ East  West	County: C				<del></del>	<del></del>	
time tool open and clo	sed, flowing and shues if gas to surface to	nd base of formations per ut-in pressures, whether s est, along with final chart( al well site report.	sḥut-in pressure	reached static level	, hydrostatic pres	sures, bottom l	hole temp	erature, fluid	
Drill Stem Tests Taken (Attach Additional S		☐ Yes   ✓ No	]	Log Formation	on (Top), Depth a	nd Datum	<b>7</b> :	Sample	
Samples Sent to Geol	ogical Survey	∏Yes ☑ No		Name			Top 1		
Samples Sent to Geological Survey  Cores Taken  Electric Log Run  Electric Log Submitted Electronically  (If no, Submit Copy)  Yes  V No  Yes  No		30	Squirrel Sand		919				
List All E. Logs Run:	au. 🚅 🚊 💝	engagagaman Kiristopa (k. 1909)		the program to the second to	Associated and the residence of the second s		rentage ( et	and the second	
	,								
			RECORD	New Used , intermediate, produc	tion. etc.		,		
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used		and Percent Additives	
Surface Casing	9 7/8	7"	17#	40'	Portland	15			
Longstring	6 1/8	2 7/8	6.5#	979'	Portland	120			
Purpose:	Depth	1	1	SQUEEZE RECORE		5			
Perforate	Top Bottom	Type of Cement	# Sacks Use	o l	Type and Percent Additives				
Protect Casing Plug Back TD Plug Off Zone						· · · · · · · · · · · · · · · · · · ·			
		<u> </u>							
Shots Per Foot		TION RECORD - Bridge Plug Footage of Each Interval Pe		1	acture, Shot, Cemer Amount and Kind of M		rd	Depth	
None	Open hole comp	letion 979-991						·	
or or services									
					<u>,</u>				
		```						EIVED	
					-		AUG	2 2 2011 NICHITA	
TUBING RECORD:	Size:	Set At:	Packer At:	Liner Run:	Yes No	•	KCC I	$M \cap \square = \emptyset$	
Date of First, Resumed PENDING	Production, SWD or Ef	NHR. Producing Met	thod:	Gas Lift	Other (Explain)	-		<del></del>	
Estimated Production Per 24 Hours	Oil	Bbls. Gas	Mcf	Water I	3bis.	Gas-Oil Ratio		Gravity	
			METHOD OF COL	ADI ETION.		PROPLICATI	ONLINTED	A/A1 -	
USPOSITION Sold	ON OF GAS:  Used on Lease	[ ] Ones Help [		Qually Comp. Co	ommingled	PRODUCTI	ON INTER	VAL.	
(If vented, Sut	<b></b>	Other (Specify)	(Su	bmit ACO-5) (Su	bmit ACO-4)	•			

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588

SOLD TO:

# Payless Concrete Products. Inc.

CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road. under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manifer to sidewalks, seller assumes no responsionly for damages in any manner to stoewaiks, nadways, driveways, buildings, trees, shrubbery, etc., which are at clustonier's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.

NOTICE TO OWNER

Number of this contractor to pay those persons supplying material or services to complete this contract can result in the filling of a mechanic's flen on the property which is the subject of this contract.

SHIP TO:

	21.3			1		in the second of	And the same	<i>1.</i> 144.4
TIME (1)	FORMULA:	⊸LOAD SIZE ↓	YARDS ORDERED 🔧	1	A Section of	DRIVER/TRUCK		PLANT/TRANSACTION #
	100			П	in milit		为 hix # 1	
10:11:26a	VELT ON	12.00 yd	12.00 yq	1	9.0	34	0.00	corco:
DATE		LOAD #	YARDS DELL	H	BATCH#	WATER TRIM	SE CINIMOTE SE	TICKET NUMBER
	A TANK	LOAD # 3 E * S	L JAZ VY Y L	14	( s. DATOTITA	MAILE THE STATE	C. OFOIMITE SERVICE	PHOTO CENTINO INDENSES
Ø7:562-11 (	Inday	. 1	12.00 91		17655	500 -70.0	4.00 in	29656

## WARNING

ME COOPERATIVE VENT ECURTH ST.

IRRITATING TO THE SKIN AND EYES
Contains Portland Cement, Wear Rubber Boots and Gloves. PROLONGED CONTAC CAUSE BURNS. Avoid Contact With Syes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes Flush Thoroughly With Water, It Initiation Persists, Get Medical Attentions KEEP CHILDREN AWAY.

CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT-ANY-CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONEOUS the OFFICE DEFORE LOADING STARTS.

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks. Excess Delay Time Charged @ \$50/HR

### PROPERTY DAMAGE RELEASE TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

Dear Customer-The driver of this truds in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent properly if it places the material in the load where you desire it. It is our wish to help your in every way, they have an, but in order to do this the driver is requesting that you sign his RELEASE relieving him and his supplier your any responsibility top any damage that may occur to the premises and/or adjacent Topperly, buildings, sidewalks, driveways, cutse, etc. by the deflevely of this material, and that you also agree to help him remove must from the wheels of his vehicle so that he will not fitter the public steel: further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be daimed by anyone to have arisin out of delivery of this order. Dear Customer-The driver of this truck in presenting this RELEASE to

#### **Excessive Water is Detrimental to Concrete Performance** H<sub>2</sub>0 Added By Request/Authorized By

WEIGHMASTER

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED

UNIT PRICE EXTENDED PRICE

7000 QUANTITY DESCRIPTION WELL (18 SACK) DE LINITA 12.00 12.00 76,00 912.00 2.50 TRICKTOR, CHAPTE 2.50 TRUCKING 56,00 125.00

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED	ubTatal \$ 1037.00
	1		1. JOB NOT READY 6. TRUCK BROKE DOWN 2. SLOW POUR OR PUMP 7. ACCIDENT 3. TRUCKÁHEAD ON JOB 9. CITATION	Ţ	ax × 6.300 55.33 btal 4 1102.33
LEFT PLANT	ARRIVED JOB	START UNLOADING	4. CONTRACTOR BROKE DOWN	TIMEDIJE	rder t 1102.33
(x) 27	11741				ADDITIONAL CHARGE 1
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		DELAY TIME	
(000-1100)	TOTALALOOD	CITEDADING TIME		OLDAY TIME	ADDITIONAL CHARGE 2
	i i i i i i i i i i i i i i i i i i i			Stiller	GRAND TOTAL

RECEIVED AUG 2 2 2011

KCC WICHITA