## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1
June 2009
Form Must Be Typed
Form must be Signed
All blanks must be Filled

## WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 31280	API No. 15				
Name: Birk Petroleum	Spot Description:				
Address 1: 874 12th RD SW	NE_NW_NE_NE Sec. 30 Twp. 22 S. R. 17 Fast West				
Address 2:	5,115 Feet from North / South Line of Section				
City: Burlington State: Ks Zip: 66839 + 9255	825 Feet from ▼ East / West Line of Section				
Contact Person: _ Brian L. Birk	Footages Calculated from Nearest Outside Section Corner:				
Phone: ( 620 ) 364-1311	□NE □NW ☑SE □SW				
CONTRACTOR: License #31280	County: Coffey				
Name: Birk Petroleum	Lease Name: Parmely C Well #: 17				
Wellsite Geologist: None	Field Name: Parmely				
Purchaser: Coffeyville Resources	Producing Formation: Squirrel				
Designate Type of Completion:	Elevation: Ground: 1061 Est. Kelly Bushing:				
Morkover	Total Depth: 1010 Plug Back Total Depth: 1010				
	Amount of Surface Pipe Set and Cemented at: 40 Feet				
Oil WSW SWD SlOW	Multiple Stage Cementing Collar Used? Yes No				
☐ Gas ☐ D&A ☑ ENHR ☐ SIGW ☐ GSW ☐ Temp. Abd.					
OG GSW Temp. Abd.	If yes, show depth set: Feet				
Cathodic Other (Core, Expl., etc.):	If Alternate II completion, cement circulated from:				
If Workover/Re-entry: Old Well Info as follows:	feet depth to: Surface w/ 120 sx cmt.				
Operator:					
Well Name:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)				
Original Comp. Date: Original Total Depth:					
Deepening Re-perf. Conv. to ENHR \ Conv. to SWD	Chloride content: ppm Fluid volume: bbls				
Conv. to GSW	Dewatering method used:				
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:				
Commingled Permit #:	Operator Name:				
Dual Completion Permit #:	Lease Name: License #:				
SWD Permit #:					
ENHR Permit #:	QuarterSecTwpS. R East West				
GSW Permit #:	County: Permit #:				
<u>7/16/2011</u>					
Spud Date or Date Reached TD Completion Date or Recompletion Date					
Kansas 67202, within 120 days of the spud date, recompletion, workover or of side two of this form will be held confidential for a period of 12 months if re-	AUG 2 2 2044				
AFFIDAVIT	KCC Office Use ONLY				
I am the affiant and I hereby certify that all requirements of the statutes, rules and	regu- KCC WICLITA				
lations promulgated to regulate the oil and gas industry have been fully complie	5 William				
and the statements herein are complete and correct to the best of my knowled	ge. Confidential Release Date:				
(a)us ( Y)us	☐ Wireline Log Received				
	Wireline Log Received				
Signature:	Geologist Report Received  UIC Distribution				

## Side Two

Operator Name: Birl	k Petroleum	<u>(</u>	Lease Nam	ie: Parmely C		_ Well #: <u>1/</u>	
Sec. 30 Twp.22	s. R. <u>17</u>	✓ East	County: _C	offey	<del></del>	······································	·
time tool open and clo	osed, flowing and shu es if gas to surface to	nd base of formations pe ut-in pressures, whether est, along with final chard well site report.	shut-in pressure	reached static level,	hydrostatic pres	sures, bottom	hole temperature, fluid
Drill Stem Tests Taker		Yes No	[	Log Formatio	n (Top), Depth a	nd Datum	✓ Sample
		☐ Yes 🗸 No		Name		Тор	Datum
Cores Taken Electric Log Run Electric Log Submitte (If no, Submit Cop)	d Electronically	Yes No	So	quirrel Sand	·	994	+67
List All E. Logs Run:	an magana a sa <del>gas das</del> m	ar etter som ett etter en som et	. ·-·	* 11 magazini ni 11 mija		بست . غ <u>پی</u> ریست حسن .	Sign i njerove garajenje visjer
	**************************************		-	New Used	on, etc.		
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface Casing	9 7/8	7"	17#	40'	Portland	15	calcium
Longstring	6 1/8	2 7/8	6.5#	997'	Portland	120	
		ADDITIONA	L CEMENTING /	SQUEEZE RECORD			
Purpose: Depth Top Botton Perforate Protect Casing		Type of Cement # Sacks		Used Type and Percent Additives			
Plug Back TD Plug Off Zone	-						
Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Acid, Fracture, Shot, Cement Squeeze Record Specify Footage of Each Interval Perforated (Amount and Kind of Material Used) Dep						rd Depth
None	Open hole compl		ŧ				
	and the second s					· · · · · · · · · · · · · · · · · · ·	RECEIVED
	<del></del>						AUG 2 2 2011
TUBING RECORD:	Size:	Set At:	Packer At:	Liner Run:	Yes No	, K(	CC WICHITA
Date of First, Resumed PENDING	Production, SWD or EN	IHR. Producing Me	thod:	Gas Lift C	Other (Explain)		
Estimated Production Per 24 Hours	Oil	Bbls. Gas	Mcf	Water B	bls.	Gas-Oil Ratio	Gravity
DISPOSITIO	ON OF GAS:		METHOD OF COM			PRODUCTI	ON INTERVAL:
Vented Sold Used on Lease Open Hole Perf. Dually Comp. Commingled (Submit ACO-5) (Submit ACO-4)  Other (Specify)							

CONDITIONS CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength or the content of the 802 N. Industrial Rd. P.O. Box 664 Payless Concrete Products, Inc. Iola, Kansas 66749 Phone: (620) 365-5588 strength test when water is added at customer's request. NOTICE TO OWNER Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filling of a mechanic's lien on the property which is the subject of this contract. SOLD TO: SHIP TO: Migdeperative ventures BURLINGTON; FORMULA PLANT/TRANSACTION # LOAD SIZE YARDS ORDERED !\* DRIVER/TRUCK 7 1 P. JE x are 11:08:05a 30 M. Oak (4(4) 10.00 98 12. All or COPER DATE TO A STATE OF THE STATE OF LOAD# YARDS DEL BATCH# WATER TRIM SLUMP系統 TICKET NUMBER o Pat 100 14, 00 vd 12.00 vr **Excessive Water is Detrimental to Concrete Performance** PROPERTY DAM/GE RELEASE
(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE) **\*WARNING** H<sub>2</sub>0 Added By Request/Authorized By (TO BE SIGNED IF DELIVENT YOUR MADE INSIDE CURRELINE)

Dear Customer-The other of this trulk in presenting this RELEASE to you for your signature is of the opinifin that the size and weight of his hourk may possibly cause demange to the premises and/or adjacent property if it places the material in this load where you desire it. It is our wish to helpe you (it is every high we can but in order to do this the driver is requesting that you stort, this RELEASE retering him and his supplier from any responsibility finin any damage that may occur to the premises and/or adjacent property, buildings, sidewalls, drivewary, cuts, etc., by the delivery of this material, and that you also agree to help him remove must from the wheeks of his vehicle so that he will not fifte the quality street Enther as artificined consideration. IRRITATING TO THE SKIN AND EYES 3 GAL X CAUSE BURNS Avoid Contact With Eyes and Prolonged Contact With Skin In Case of Ca Contact With Skin or Eyes, Flush Thoroughly With Water, If Initiation Persists, Get Medical Attention KEEP CHILDREN AWAY. WEIGHMASTER CONTROL OF THE STATE OF THE STAT CONCRETE IS A PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS. also agree to help han remove mud gron the wheels or his venucle so that he will not filter the public street[Further, as additional consideration, the understigned agrees to inderhigh and hold harmless the offiner of this truck and this supplier for any rain all diamage to the premises and/or adjacent property which may be claimed by anyone to have arisin out of dethery of this order. 

SIGNED NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE. The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum. Not Responsible for Reactive Appreciate or Color Quality. No Claim Allowed Unless Made at Time 4 LOAD RECEIVED BY: A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks. Excess Delay Time Charged @ \$50/HR. QUANTITY CODE DESCRIPTION \* \* Age - UNIT PRICE EXTENDED PRICE 12:00 12.00 11/4 AUG 2 2 RECEIVE RETURNED TO PLANT LEFT JOB FINISH UNLOADING **DELAY EXPLANATION/CYLINDER TEST TAKEN** TIME ALLOWED Sublotal 1. JOB NOT READY 6. TRUCK BROKE DOWN 2 SLOW POLIR OR PLIMP 7. ACCIDENT 37.46 3. TRUCK AHEAD ON JOB 8. CITATION 4. CONTRACTOR BROKE DOWN 9. OTHER LEFT PLANT ARRIVED JOB START UNLOADING TIME DUE 5. ADDED WATER ADDITIONAL CHARGE

DELAY TIME

GRAND TOTAL

PRINTING

25 mg

TOTAL ROUND TRIP

TOTAL AT JOB

UNLOADING TIME