## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

ORIGINAL

June 2009 Form must be Signed All blanks must be Filled

## **WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE**

OPERATOR: License # 31280	API No. 15		
Name: Birk Petroleum	Spot Description:		
Address 1: _ 874 12th RD SW	NW_NW_NE_NE_Sec. 30 Twp. 22 S. R. 17 Fast West		
Address 2:	5,115 Feet from North / South Line of Section		
City: Burlington State: Ks Zip: 66839 + 9255	1,155 Feet from Feet from East / West Line of Section		
Contact Person: Brian L. Birk	Footages Calculated from Nearest Outside Section Corner:		
Phone: (620 ) 364-1311	□NE □NW ☑SE □SW		
CONTRACTOR: License #_31280	County: Coffey		
Name: Birk Petroleum	Lease Name: Parmely C Well #: 32		
Wellsite Geologist: None	Field Name: Parmely		
Durcheser: Coffeville Resources	Producing Formation: Squirrel		
Purchaser: Coffeyville Resources	Elevation: Ground: 1063 Est. Kelly Bushing:		
Designate Type of Completion.	Total Depth: 1016 Plug Back Total Depth: 1016		
New Well Re-Entry Workover	Amount of Surface Pipe Set and Cemented at: 40 Feet		
✓ oil			
Gas D&A ENHR SIGW	Multiple Stage Cementing Collar Used? Yes No		
☐ OG ☐ GSW ☐ Temp. Abd. ☐ CM (Coal Bed Methane)	If yes, show depth set:Feet		
Cathodic Other (Core, Expl., etc.):	If Alternate II completion, cement circulated from: 1003		
If Workover/Re-entry: Old Well Info as follows:	feet depth to: Surface w/ 120 sx cmt.		
Operator:			
Well Name:	Drilling Fluid Management Plan		
Original Comp. Date: Original Total Depth:	(Data must be collected from the Reserve Pit)		
Deepening Re-perf. Conv. to ENHR Conv. to SWD	Chloride content: ppm Fluid volume: bbls		
Conv. to GSW	Dewatering method used:		
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:		
Commingled Permit #:	Operator Name:		
Dual Completion Permit #:	Lease Name: License #:		
SWD Permit #:	Quarter Sec. Twp. S. R. East West		
ENHR Permit #:	-County:		
- GSW - Permit #: Transaction	County, Fermit #.		
7/15/2011 7/16/2011 7/16/2011  Spud Date or Date Reached TD Completion Date or			
Recompletion Date Recompletion Date			
INSTRUCTIONS: An original and two copies of this form shall be filed with Kansas 67202, within 120 days of the spud date, recompletion, workover or copy of side two of this form will be held confidential for a period of 12 months if requirality in excess of 12 months). One copy of all wireline logs and geologist we BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 for	onversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information quested in writing and submitted with the form (see rule 82-3-107 for confidential report shall be attached with this form. ALL CEMENTING TICKETS MUST		
	Alic 9 2 2004		
AFFIDAVIT	KCC Office Use ONLY AUG 2 2 2011		
I am the affiant and I hereby certify that all requirements of the statutes, rules and relations promulgated to requiate the oil and gas industry have been fully complied	with Letter of Confidentiality Received KCC WICHITA		
and the statements herein are complete and correct to the best of my knowledge	ge. Date:		
Tillen I Line	Wireline Log Received		
Signature: WWW GY/s	Geologist Report Received		

Date: 8/18/2011

Title: Agent

Geologist Report Received

UIC Distribution

ALT I III Approved by: Date: 8 26 11

UIC Distribution

## Side Two

perator Name: Birk	Petroleum		Lease Name	Parmely C		_Well #:32		*	
ec. 30 Twp.22	s. R. <u>17</u>	✓ East  West	County: Co	ffey					
me tool open and clos	ed, flowing and shus if gas to surface to	nd base of formations pe ut-in pressures, whether est, along with final char I well site report.	shut-in pressure r	eached static leve	<ul> <li>I, hydrostatic press</li> </ul>	sures, bottom I	nole tempe	erature, fluid	
rill Stern Tests Taken (Attach Additional SI	heets)	☐ Yes 🗸 No		Log Formation	on (Top), Depth ar	nd Datum	_	ample	
amples Sent to Geolo	ogical Survey	Yes No		ame iirrel Sand		Top 1003	+6	eatum 0	
Cores Taken Electric Log Run Electric Log Submitted (If no, Submit Copy)		Yes No Yes No Yes No						·	
ist All E. Logs Run:	· · · · · · · · · · · · · · · · · · ·	and the second of the second o	t service and the service	سبه پایاد دردی <del>د</del> م	ed Action	in a support			
		CACIA	G RECORD	New Used					
		•	et-conductor, surface,	• —	ction, etc.				
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used		and Percent dditives	
Surface Casing	9 7/8	7"	17#	40'	Portland	15	calciun	calcium	
Longstring	6 1/8	2 7/8	6.5#	1003'	Portland	120			
		ADDITION	AL CEMENTING / S	SQUEEZE RECOR	D .				
Purpose: Depth Type of Cement Top Bottom		# Sacks Used			Percent Additive	s			
Protect Casing Plug Back TD Plug Off Zone				,				4-14-14-14	
Shots Per Foot	PERFORAT Specify	TION RECORD - Bridge P Footage of Each Interval F	lugs Set/Type Perforated		racture, Shot, Cemer Amount and Kind of M		ord	Depth	
None	,	letion 1003-1016		Frac w/42	Sx	*		1003-1016	
	5 A T					Policy Statement			
		<u> </u>							
TUBING RECORD:	Size:	Set At:	Packer At:	Liner Run:	Yes No	0	R	ECEIVE	
Date of First, Resumed I	Production, SWD or E	NHR. Producing N	lethod:  Pumping	Gas Lift	Other (Explain)		Al	<del>JG 2 2 2</del> 0	
Estimated Production	Oil	Bbis. Gas	Mcf	Water	Bbls.	Gas-Oil Ratio	1100	Gravity	
Per 24 Hours	1						KU	WICH	
			METHOD OF COM	IPLETION:		PRODUCT	ION INTER		

Heigh

Payless Concrete Products, Inc.

802 N. Industrial Rd. Phone: (620) 365-5588

SOLD TO:

Iola. Kansas 66749

P.O. Box 664

8

ATTING - IOLA KS 66749

IOLA REGISTER PRIN

use Bendique hat ive ventures TOP-G: FOURTH ST.

BURLINGTON K

Failure of this contract of to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract. DWA'FIREED A

TIME TAKE	FORMULA	LOAD SIZE	YARDS ORDERED	A	DRIVER/TRUCK		PLANT/TRANSACTION #
			(A)	× 04	· 4	× AIR	
09:11:26a	VELL:	12:00 vd 4	12.00 <b>v</b> d	<b>19</b> , Av. 3		A. Wa	Conson 4
L DATE	2000年1月27日	LOAD#	YARDS DEL	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER :
	o Date	ti /	132.00 yd			* 12	
07-16-11	Today	1 1	12.00 vd	17370	6/vd -7000	4. Milling	P9607

## WARNING:

IRRITATING TO THE SKIN AND EYES
Contains Portland Cement: Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY

CAUSE BURNS Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water, If Imitation Persists, Get Medical Attention KEEP CHILDREN AWAY

CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' tees, incurred in coloring sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum. Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks Excess Delay Time Charged @ \$50/HR.

PROPERTY DAMAGE RELEASE
(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

Dear Customer The driver of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck imay possibly cause damage to the premises and/or adjacent property if it places the material in this load where you desire it. It is you what ho help you in-every way, that we can, but in order to do this the driver is requesting that you skip this RELEASE relieving him and mis supplier from any responsitionly imore may dranage that may occur to the premises and/or adjacent property. Duffings, sidewalks, driveways, curbs, etc., by the definery of this material, and that you also agree to help him remove must from the wheels of his vehicle so that he will not titter the public street Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any; and all damage to the premises and/or ediacent property which may, be claimed by anyone to have arisin out of delivery of this order. Dear Customer The driver of this truck in presenting this RELEASE to

**Excessive Water is Detrimental to Concrete Performance** H<sub>2</sub>0 Added By Request/Authorized By

CONDITIONS Concrete to be delivered to the nearest accessible point over passable road,

Concrete to be delivered to the nearest accessible point over passable road, under truck's own powe, Due to delivery at owner's or intermediary's direction, seller's assumes; no responsibility for damages in any manner to sidewalks, noadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum alloted time for unloading trucks is 5 minutes per yard. A charge will be made to holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.

NOTICE TO CWINER.

GAL X

WEIGHMASTER

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE

QUANTITY CODE DESCRIPTION

TRUCKING

12.90 2.50

Will (10 SACKS PER UNIT 排码注题

THICKING

12,00

**DELAY TIME** 

76, 60 SW.

50元、随位 127.00

EXTENDED PRICE

		+	
RETURNED TO PLANT	ŲĘFT JOB <sup>™</sup> ∕	FINISH UNLOADING	Γ
	1131		
LEFT PLANT	ARRIVED JOB	START UNLOADING	
95	1012	į.	L
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME	Γ
		,	Γ

ì	DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED			
	1. JOB NOT READY 6. TRUCK BROKE DOWN 2. SLOW POUR OR PUMP 7. ACCIDENT 3. TRUCK AHEAD ON JOB 8. CITATION 4. CONTRACTOR BROKE DOWN 9. OTHER 5. ADDED WATER	TIME DUE			
1					

	ADDITIONAL CHARGE 2	
Q	್ದೇಣ್ ∳ ADDITIONAL CHARGE 1	1102.33
	36 H 1 4 -	1102.33
) fame	ax x Eligon	65. 33 .
ξņ	uhlotal r	1037.00
		· ·

GRAND TOTAL