

KANSAS CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION

**ORIGINAL**

Form ACO-1  
June 2009

Form Must Be Typed  
Form must be Signed  
All blanks must be Filled

**WELL COMPLETION FORM**  
**WELL HISTORY - DESCRIPTION OF WELL & LEASE**

OPERATOR: License # 31280  
Name: Birk Petroleum  
Address 1: 874 12th RD SW  
Address 2: \_\_\_\_\_  
City: Burlington State: ks Zip: 66839 + 9255  
Contact Person: Brian L. Birk  
Phone: (620) 364-1311  
CONTRACTOR: License # 31280  
Name: Birk Petroleum  
Wellsite Geologist: none  
Purchaser: Coffeyville Resources

Designate Type of Completion:

- New Well     Re-Entry     Workover
- Oil     WSW     SWD     SIOW  
 Gas     D&A     ENHR     SIGW  
 OG     GSW     Temp. Abd.  
 CM (Coal Bed Methane)  
 Cathodic     Other (Core, Expl., etc.): \_\_\_\_\_

If Workover/Re-entry: Old Well Info as follows:

Operator: \_\_\_\_\_  
Well Name: \_\_\_\_\_  
Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_  
 Deepening     Re-perf.     Conv. to ENHR     Conv. to SWD  
 Conv. to GSW  
 Plug Back: \_\_\_\_\_ Plug Back Total Depth \_\_\_\_\_  
 Commingled    Permit #: \_\_\_\_\_  
 Dual Completion    Permit #: \_\_\_\_\_  
 SWD    Permit #: \_\_\_\_\_  
 ENHR    Permit #: \_\_\_\_\_  
 GSW    Permit #: \_\_\_\_\_

6/13/2011	6/14/2011	6/14/2011
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No. 15 - 031-22934-00-00  
Spot Description: \_\_\_\_\_  
NE NE NE SE Sec. 14 Twp. 22 S. R. 16  East  West  
2,475 Feet from  North /  South Line of Section  
165 Feet from  East /  West Line of Section  
Footages Calculated from Nearest Outside Section Corner:  
 NE  NW  SE  SW  
County: Coffey  
Lease Name: Rolf Well #: 32  
Field Name: Neosho Falls- Ieroy  
Producing Formation: Squirrel  
Elevation: Ground: 1051 est. Kelly Bushing: \_\_\_\_\_  
Total Depth: 1027 Plug Back Total Depth: 1027  
Amount of Surface Pipe Set and Cemented at: 40 Feet  
Multiple Stage Cementing Collar Used?  Yes  No  
If yes, show depth set: \_\_\_\_\_ Feet  
If Alternate II completion, cement circulated from: 1008  
feet depth to: Surface w/ 120 sx cmt.

**Drilling Fluid Management Plan**

(Data must be collected from the Reserve Pit)

Chloride content: \_\_\_\_\_ ppm Fluid volume: \_\_\_\_\_ bbls  
Dewatering method used: \_\_\_\_\_  
Location of fluid disposal if hauled offsite: \_\_\_\_\_  
Operator Name: \_\_\_\_\_  
Lease Name: \_\_\_\_\_ License #: \_\_\_\_\_  
Quarter \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West  
County: \_\_\_\_\_ Permit #: \_\_\_\_\_

**INSTRUCTIONS:** An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

**AFFIDAVIT**

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: [Signature]

Title: Agent Date: 8/15/2011

**KCC Office Use ONLY**

- Letter of Confidentiality Received  
Date: \_\_\_\_\_  
 Confidential Release Date: \_\_\_\_\_  
 Wireline Log Received  
 Geologist Report Received  
 UIC Distribution  
ALT  I  II  III Approved by: [Signature]

**RECEIVED**  
**AUG 16 2011**  
8/26/11  
**KCC WICHITA**

Operator Name: Birk Petroleum Lease Name: Rolf Well #: 32  
 Sec. 14 Twp. 22 S. R. 16  East  West County: Coffey

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach complete copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(Attach Additional Sheets)</i>  Samples Sent to Geological Survey <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No  Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Submitted Electronically <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(If no, Submit Copy)</i>  List All E. Logs Run:	<input type="checkbox"/> Log Formation (Top), Depth and Datum <input checked="" type="checkbox"/> Sample  <table style="width:100%; border-collapse: collapse;"> <tr> <td style="width:60%;">Name</td> <td style="width:20%;">Top</td> <td style="width:20%;">Datum</td> </tr> <tr> <td>Squirrel Sand</td> <td>1009</td> <td>+42</td> </tr> </table>	Name	Top	Datum	Squirrel Sand	1009	+42
Name	Top	Datum					
Squirrel Sand	1009	+42					

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface Casing	9 7/8	7"	17#	40'	Portland	15	Calcium
Longstring	6 1/8	2 7/8	6.5#	1008'	Portland	120	

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>	Depth
none	Open hole completion 1008-1027	Frac w/42 Sx Sand	1008-1027

TUBING RECORD: Size: _____ Set At: _____ Packer At: _____		Liner Run: <input type="checkbox"/> Yes <input type="checkbox"/> No	
Date of First, Resumed Production, SWD or ENHR. _____		Producing Method: <input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain) _____	
Estimated Production Per 24 Hours	Oil Bbls. 1	Gas Mcf	Water Bbls. Gas-Oil Ratio Gravity

DISPOSITION OF GAS: <input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i>	METHOD OF COMPLETION: <input type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <i>(Submit ACO-5)</i> <i>(Submit ACO-4)</i> <input type="checkbox"/> Other (Specify) _____	PRODUCTION INTERVAL: <div style="border: 1px solid black; padding: 5px; display: inline-block;">                     RECEIVED                      AUG 16 2011                 </div>
---	---	--

802 N. Industrial Rd.  
 P.O. Box 664  
 Iola, Kansas 66749  
 Phone: (620) 364-5588



# Payless Concrete Products, Inc.

**CONDITIONS:**  
 Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery of owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water content for strength or mix indicated. We do not assume responsibility for strength if water is added at customer's request.  
**NOTICE TO OWNER:**  
 Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

SOLD TO:

COOPERATIVE VENTURE  
 1500 N. W. 10TH ST  
 BURLINGTON, KS  
 66839

SHIP TO:  
 COOPERATIVE VENTURE  
 1500 N. W. 10TH ST  
 BURLINGTON, KS  
 66839

RECEIVED  
 AUG 16 2011

KCC WICHITA

TIME	FORMULA	LOAD SIZE	YARDS ORDERED	YARDS DEL	BATCH #	WATER TRIM	SLUMP	TICKET NUMBER
10:34 AM	WELL	12.00	12.00 yd	12.00 yd	1710	5/yd	4.00 in	29730
DATE	LOAD #	YARDS DEL	BATCH #	WATER TRIM	SLUMP	TICKET NUMBER		
08-15-11	1	12.00 yd	1710	5/yd	4.00 in	29730		

**WARNING**  
**IRRITATING TO THE SKIN AND EYES**  
 Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water. If Irritation Persists, Get Medical Attention. KEEP CHILDREN AWAY.  
 CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.  
 The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed.  
 All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.  
 Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.  
 A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks.  
 Excess Delay Time Charged @ \$50/HR.

**PROPERTY DAMAGE RELEASE**  
 (TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)  
 Dear Customer-The driver of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if it places the material in this load where you desire it. It is our wish to help you in every way that we can. In order to do this the driver is requesting that you sign this RELEASE relieving him and this supplier from any responsibility for any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, driveways, curbs, etc., by the delivery of its material, and that you also agree to help him remove mud from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisen out of delivery of this order.  
 SIGNED \_\_\_\_\_  
 X

**Excessive Water is Detrimental to Concrete Performance**  
**H<sub>2</sub>O Added by Request/Authorized By**  
 GAL X  
 WEIGHMASTER \_\_\_\_\_  
 NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.  
 LOAD RECEIVED BY: \_\_\_\_\_  
 X

QUANTITY	CODE	DESCRIPTION	UNIT PRICE	EXTENDED PRICE
12.00		WELL (10 SACKS PER UNIT)	12.00	144.00
		TRUCKING CHARGE	2.50	30.00

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED
	ARRIVED JOB	START UNLOADING	1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB 4. CONTRACTOR BROKE DOWN 5. ADDED WATER 6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION 9. OTHER	
	TOTAL	UNLOADING TIME		

Total \$	1037.00
Tax @ 5.50%	55.20
Total \$	1102.20
Order \$	1102.20
ADDITIONAL CHARGE 1	
ADDITIONAL CHARGE 2	
<b>GRAND TOTAL</b>	