KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION
Form Must Be Typed
Form must be Signed
All blanks must be Filled

## **WELL HISTORY - DESCRIPTION OF WELL & LEASE**

OPERATOR: License # 31280	API No. 15 - 031-22920-00-00
Name: Birk Petroleum	Spot Description:
Address 1: 874 12th RD SW	SW_SE_NE_SE_Sec. 14 Twp. 22 S. R. 16 FEast West
Address 2:	1,485 Feet from North / South Line of Section
City: Burlington State: ks Zip: 66839 + 9255	495 Feet from 🗸 East / 🗌 West Line of Section
Contact Person: Brian L. Birk	Footages Calculated from Nearest Outside Section Corner:
Phone: ( 620 ) 364-5875	□ NE □ NW ☑ SE □ SW
	County: Coffey
CONTRACTOR: License # 31280  Name Birk Petroleum	Lease Name: Well #:
	Field Name: Neosho Falls- Leroy
Wellsite Geologist: none  *Purchaser: • Coffeyville Resources	
,	
Designate Type of Completion:	Elevation: Ground: 1050 est. Kelly Bushing:
✓ New Well Re-Entry Workover	Total Depth: 1024 Plug Back Total Depth: 999
☑ Oil □ wsw □ swd □ slow	Amount of Surface Pipe Set and Cemented at: 42 Feet
Gas D&A ENHR SIGW	Multiple Stage Cementing Collar Used? Yes No
OG GSW Temp. Abd.	If yes, show depth set: Feet
CM (Coal Bed Methane)	If Alternate II completion, cement circulated from:
Cathodic Other (Core, Expl., etc.):	feet depth to: Surface w/ 120 sx cmt.
If Workover/Re-entry: Old Well Info as follows:	
Operator:	Drilling Fluid Management Plan
Well Name:	(Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth:	Chloride content:ppm Fluid volume:bbls
☐ Deepening ☐ Re-perf. ☐ Conv. to ENHR ☐ Conv. to SWD	Dewatering method used:
Conv. to GSW	Location of fluid disposal if hauled offsite:
Plug Back: Plug Back Total Depth	Location of multi disposal in natiled offsite.
Commingled Permit #:	Operator Name:
SWD Permit #:	Lease Name: License #:
ENHP :Permit #:	Quarter Sec. Twp. S. R. East West
GSW Permit #:	County: Permit #:
6/21/2011 6/22/2011 6/22/2011	
Spud Date or Date Reached TD Completion Date or Recompletion Date	
Kansas 67202, within 120 days of the spud date, recompletion, workover or confidential for a period of 12 months if recompletions are confidential for a period of 12 months if recompletions.	the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, onversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information quested in writing and submitted with the form (see rule 82-3-107 for confidenell report shall be attached with this form. ALL CEMENTING TICKETS MUST rm with all temporarily abandoned wells.
AFFIDAVIT	KCC Office Use ONLY
I am the affiant and I hereby certify that all requirements of the statutes, rules and	Letter of Confidentiality Deceived
lations promulgated to regulate the oil and gas industry have been fully complied and the statements herein are complete and correct to the best of my knowled	1 Widi
$(\Omega \cup \Omega \cup I)$	Confidential Release Date:
Signature: 1800	☐ Wireline Log Received ☐ Geologist Report Received KCC WICHITA
Title: Agent Date: 08/11/2011	UIC Distribution  ALT
	· ···· · · · · · · · · · · · · · · · ·

## Side Two

Operator Name: Birk	Petroleum		Lease Name	. Rolf		_ Well #:19	
Sec. 14 Twp.22	s. r. <u>16</u>		County: Co		· · · · · · · · · · · · · · · · · · ·		
time tool open and clos	sed, flowing and shus if gas to surface to	nd base of formations pen ut-in pressures, whether s est, along with final chart( well site report.	hut-in pressure	eached static level	, hydrostatic pres	sures, bottom	hole temperature, fluid
(Attach Additional Sheets)  Samples Sent to Geological Survey		☐ Yes ✓ No	Log Formation (Top), De  Name  Squirrel Sand		on (Top), Depth a	nd Datum	✓ Sample
		Yes No			Тор 1006		Datum +44
		Yes No					T-4-4
Electric Log Run Electric Log Submitted (If no, Submit Copy)	•	☐ Yes ☑ No ☐ Yes ☑ No					
List All E. Logs Run: 💂	o e e		. Design		್ಯಾಣ್ಯವಾಗಿಕೆ ಜನ	<b>*</b> ******	
and the second of the second o		CASING	RECORD	New Used			
		Report all strings set-	conductor, surface,	intermediate, produc	tion, etc.		
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface Casing	9 7/8	7"	17#	42'	Portland	15	Calcium
Longstring	6 1/8	2 7/8	605#	999'	Portland	120	
					<u> </u>		
		ADDITIONAL	CEMENTING / S	SQUEEZE RECORD	)		
Purpose: Depth Top Bottom Perforate Protect Casing		Type of Cement # Sacks Used		d Type and Percent Additives			
Plug Back TD Plug Off Zone							
Shots Per Foot		· · · · · · · · · · · · · · · · · · ·			acture, Shot, Cemer Amount and Kind of M	Cement Squeeze Record d of Material Used) Depth	
* / *** u	Trust Truster Truster	ay 1 ye dan in displayere historiae		The second secon			
			· · · · · · · · · · · · · · · · · · ·		·		
TUBING RECORD:	Size:	Set At:	Packer At:	Liner Run:	Yes No	)	1
Date of First, Resumed I 7/6/2011	Production, SWD or EN	NHR. Producing Meta	hod:  ✓ Pumping	Gas Lift	Other (Explain)		
Estimated Production Per 24 Hours	Oil 1	Bbls. Gas	Mcf	Water E	3bls.	Gas-Oil Ratio	Gravity
DISPOSITIO	ON OF GAS:		METHOD OF COM	PLETION:		PRODUCT	RECEIVED
Vented Sold	Used on Lease	Open Hole	Perf. D	ually Comp. Co	mmingled		
(If vented, Sub		Other (Specifid	(Sub	mit ACO-5) (Sui	bmit ACO-4)		AUG 1 6 2011

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588



CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.

NOTICE TO OWNER

Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

SHIP TO:

SOLD TO:

FINDING

FINING

FINDING

FINDING

FINDING

FINDING

FINING

ETANO THE A B COMPERATION OF STATES HUT JOHN TO LEADY WOMEN TO SHETLAMO ROW SHOW I SHILL OUT TO TOWN TO THE SECOND ENTER NO.

LOAD SIZE YARDS ORDERED	⊋DRI\	VER/TRUCK	PLANT/TRANSACTION #
	% CAL	DP % MIR	7
12.00 yd 12.00 yar	- 0. DU	31 0.00	Loren
LOAD# YARDS DEL	BATCH# / WA	ATER TRIM SLUMP	. F. TICKET NUMBER
15 174,00 yd			
2 24.00 dd	7.7211 67Vd	d -76.0 A. OO in	29345
1000	18.00 yd 12.00 yd 18.00 yd 18.	10.00 yd 12.00 yd 0.00 LOAD# YARDS DEL BATCH# W/	10.00 yd 12.00 yd 0.00 31 0.00 10.00 LOAD# YARDS DEL BATCH# WATER TRIM SLUMP

## WARNING IRRITATING TO THE SKIN AND EYES

Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin or Eyes, Flush Thoroughty With Water, If Irritation Persists, Get Medical

CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks. Excess Delay Time Charged @ \$50/HR.

PROPERTY DAMAGE RELEASE

(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

Dear Customer-The driver of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent properly if it places the material in this load where you desire it. It is our wish to help your in every wey that we can, but in order to do this the driver is requesting that you sign this RELEASE relieving him and his supplier from any responsibility from any damage that arey occur to the premises, and/or adjacent properly, buildings, sidewalks, cuts, etc., by the delivery of this meterial, and that you also agree to help him remove mud from the wheels of his vehicle so that he will not little the public street. Further, as additional consolidation, the undersigned agrees to indemnify and hold harmless the driver of this huck an supplier for any and all damage to the premises and/or adjacent, properly which may be claimed by anyone to have arising out of delivery of this order.

Excessive Water is Detrimental to Concrete Performance H<sub>2</sub>0 Added By Request/Authorized By

GAL X

WEIGHMASTER

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.

LOAD RECENTS BY

QUANTITY CODE DESCRIPTION DESC

<u> </u>			THE STATE OF THE S		-
RETURNED TO PDANT	20 LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED	
<b>≥</b> 3	E 1,00		1. JOB NOT READY 6. TRUCK BROKE DOWN 2. SLOW POUR OR PUMP 7. ACCIDENT 3. TRUCK ÁHEAD ON JOB 8. CITATION	118-1	oblotal s
LEFTPLANT	■ ARRIVED JOB	START UNLOADING	CONTRÀCTOR BROKE DOWN 9. OTHER     S. ADDED WATER	TIME DUE	ptal \$ 1102.33
250-1201	歌:58			Ö	der 8 2204.66
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME	1	DELAY TIME	ADDITIONAL CHARGE 2
					GRAND TOTAL

aaaa

AHA

LSU-N AS