KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

ORIGINAL

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

AUG 1 6 2011

Geologist Report Received

ALT I VII III Approved b

☐ UIC Distribution

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 31280	API No. 15
Name: Birk Petroleum	Spot Description:
Address 1: 874 12th Rd Sw	SW_NE_NE_SE_Sec. 14 Twp. 22 S. R. 16 V East West
Address 2:	2,145 Feet from North / South Line of Section
City: Burlington State: Ks Zip: 66839 +	Feet from ✓ East / West Line of Section
Contact Person: Brian L Birk	Footages Calculated from Nearest Outside Section Corner:
Phone: (620) 364-1311	□ne □nw ☑se □sw
CONTRACTOR: License # 31280	County: Coffey
Name: Birk Petroleum	Lease Name: Rolf Well #: 27
Wellsite Geologist: None	Field Name: Neosho Falls-LeRoy
	Producing Formation: Squirrel
Purchaser: Coffeyville Resources Designate Type of Completion:	Elevation: Ground: 1057 est Kelly Bushing:
✓ New Well Re-Entry Workover	Total Depth: 1030' Plug Back Total Depth: 1030'
	Amount of Surface Pipe Set and Cemented at: 43 Feet
☑ Oil ☐ WSW ☐ SWD ☐ SIOW (☐ Gas ☐ D&A ☐ ENHR ☐ SIGW	Multiple Stage Cementing Collar Used? ☐ Yes ☑ No
GSW Temp. Abd.	If yes, show depth set: Feet
CM (Coal Bed Methane)	If Alternate II completion, cement circulated from: 1006
Cathodic Other (Core, Expl., etc.):	feet depth to: surface w/_ 120 sx cmt.
If Workover/Re-entry: Old Well Info as follows:	leet depth to sx cm.
Operator:	
Well Name:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth:	
Deepening Re-perf. Conv. to ENHR Conv. to SWD	Chloride content: ppm Fluid volume: bbls
Conv. to GSW	Dewatering method used:
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Permit #:	Operator Name:
Dual Completion Permit #:	Lease Name: License #:
SWD Permit #:	QuarterSecTwpS. R East West
ENHR Permit #:	County: Permit #:
GSW Permit #:	CountyFerning#
06/14/2011 06/15/2011 06/16/11 Spud Date or Date Reached TD Completion Date or	
Spud Date or Date Reached TD Completion Date or Recompletion Date Recompletion Date	•
INSTRUCTIONS: An original and two copies of this form shall be filed with Kansas 67202, within 120 days of the spud date, recompletion, workover or or of side two of this form will be held confidential for a period of 12 months if requiality in excess of 12 months). One copy of all wireline logs and geologist we BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 for	onversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information luested in writing and submitted with the form (see rule 82-3-107 for confidential report shall be attached with this form. ALL CEMENTING TICKETS MUST
AFFIDAVIT	KCC Office Use ONLY
I am the affiant and I hereby certify that all requirements of the statutes, rules and relations promulgated to regulate the oil and gas industry have been fully complied	
and the statements herein are complete and correct to the best of my knowledge	pe. Date: DECENTED
Carra COUN	☐ Confidential Release Date:

Date: 08/15/2011

Signature:

Title: Agent

Side Two

Operator Name: Birk Petroleum				Lease	Lease Name: Rolf			Well #:		
Sec. 14 Twp.22	Sec. 14 Twp.22 S. R. 16			Coun	ty: Coffe	Э У				
INSTRUCTIONS: She time tool open and clo recovery, and flow rate line Logs surveyed. A	sed, flowing and shutes if gas to surface tes	in pressu t, along v	res, whether si vith final chart(s	hut-in pre	ssure rea	ched static level	, hydrostatic į	pressures, bot	tom hole tem	perature, fluid
Drill Stem Tests Taken (Attach Additional S		☐ Ye	es 🗸 No			og Formatio	n (Top), Dep	th and Datum		Sample
Samples Sent to Geological Survey Cores Taken Electric Log Run			☐ Yes			Name Squirrel Sand		-		Datum 42
List All E. Logs Run:										
•	• • • •		· %				ga war.	~	- .	₹ *
			CASING	RECORD	N	ew 🗸 Used				
						ermediate, product				
Purpose of String	Size Hole Drilled		e Casing (In O.D.)		eight s. / Ft.	Setting Depth	Type of Cemen			and Percent Additives
Surface	9 7/8"	7"		17#		43'	Portland	16	Calciu	ım
Long String	6 1/8"	2 7/8"	· · · · · · · · · · · · · · · · · · ·	6.5#		1006'	Portland	120		,
			ADDITIONAL	CEMEN	TING (SOI	ICCZC DECORD				
Purpose:	Depth Top Bottom	Туре	of Cement		ks Used	JEEZE RECORD		and Percent Ad	ditives	
Protect Casing Plug Back TD Plug Off Zone										
						I			· · · · · · · · · · · · · · · · · · ·	T
Shots Per Foot			D - Bridge Plug Each Interval Per		e 			ement Squeeze of Material Used		Depth
None	Open hole 1006-1	030'			t	Frac w/42 s	x sand			1006-1030
										
	·····				<u> </u>					
), , , , , , , , , , , , , , , , , , ,		······································					<u> </u>		
TUBING RECORD:	Size:	Set At:		Packer	At:	Liner Run:	Yes [No		
Date of First, Resumed 07/06/2011	Production, SWD or ENH	IR.	Producing Meth	hod:	olng	Gas Lift (Other (Explain)			
Estimated Production Per 24 Hours	Oil B	bis.	Gas	Mcf	Wat	er B	Bbis.	Gas-Oil Ra	tio	Gravity
DIODOCITIE	ON OF CAR.	T		VETPOD (OF COMPLI	ETION:		DDOD	UCTION INTER	
Vented Sold	ON OF GAS:		_	Perf.	Dually [] Dually Submit	Comp. Co	mmingled mit ACO-4)	- FROD		
(if vented, Sul	bmlt ACO-18.)		Other (Specify)		(Submit	(Sub	ACC-4)		REU	EIVED

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588



CONDITIONS
Concrete to be delivered to the nearest accessible point over passable road, Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediarry's direction, seller assumes no responsibility for damages in any manner to sidewalls, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains corned water contents for strength est when water is added at customer's request.

NOTICE TO OWNER

Faither of this contractor to pay those persons sunniviron material or services to

Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filling of a mechanic's lien on the property which is the subject of this contract.

SOLD TO:

SHIP TO:

IV SOBE COURSE TO LIVE DEVISIONS HAY SE TO BE DIVERSING STAKE (SIETCHIE ROS OF SIMPLOUT OF CUNTTO STREET THROUGH TVE MIST, P.

N SD SHOLE WELL WAS AS THE

TIME	FORMULA:		YARDS ORDERED	Company of the Compan			
We:SE:58a	E.L.	12.00 yd	ie. Wiyd	7 UST. 0,00	- 10P 31	% ATR 0.00	(1970) (1970)
ুর DATE - র ুটু		i,∮	YARDS DEL 4	Ø BATCH#	WATER TRIM	SLUMP. S. Vir	TICKET NUMBER
Ø6-15-11	oday		actor was ver act, with yet	17121	6/yd 70.0	4.20 in	29236

WARNING

IRRITATING TO THE SKIN AND EYES Contains Portland Cement. Wear Rubber Boots and Gloves, PROLONGED CONTACT MAY

CAUSE BURNS, Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water, if Imfation Persists, Get Medical Attention. KEEP CHILDREN AWAY

CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks. Excess Delay Time Charged @ \$50/HR.

PROPERTY DAMAGE RELEASE

(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

Dear Customer-The driver of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if it places the material in this load where you desire it. It is properly in it please the meantain lines sead where you beset it it. is a our wish to help you in every way that we can, but in order to do this the other is requesting that you sign this RELEASE reflering this and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent, properly, buildings, sidewalks, which, etc. by the delivery of this material, and that you also agree to help him remove mud from the wheels of his vehicle so that he will not litter the public street. Further, as additional considerathat lie will not take up pouts used. That lies a subunital to the finite that distinct and the supplier for any and all damage to the premises and/or adjacent properly which may be claimed by anyone to have arisin out of delivery of this order.

Excessive Water is Detrimental to Concrete Performance H₂0 Added By Request/Authorized By

GAL X

WEIGHMASTER

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.

					the the the terms of the terms	
QUANTITY	CODE 4: 6	DESCRIPTION	STATE OF THE STATE		UNIT PRICE: 4 EXTEND	ED PRICE
12: 98 2: 58	MELL C	TENDER CHARGE	er inter	12.90		2.00 5.00
	ZHC	/ED 2011	•		4	

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED	Marial 1	1.75% 1.700
			JOB NOT READY G. TRUCK BROKE DOWN SLOW POUR OR PUMP T. ACCIDENT TRUCK AHEAD ON JOB G. TRUCK BROKE DOWN T. ACCIDENT TRUCK AHEAD ON JOB G. TRUCK BROKE DOWN T. ACCIDENT T. ACCIDENT	ĵ	otal t	65. 33 1102. 33
LEFT PLANT	ARRIVED JOB	START UNLOADING	4. CONTRACTOR BROKE DOWN 9. OTHER 5. ADDED WATER	: TIME DITE	rder f	1102.33
9:07	9:42			,	ADDITIONAL CHARGE 1	8 1 42 5 4 .242
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		DELAY TIME	ADDITIONAL CHARGE 2	
					GRAND TOTAL	