KANSAS CORPORATION COMMISSION CRIGINAL OIL & GAS CONSERVATION DIVISION

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 31751	API No. 15 - 205-27955-00-00
Name:JV Oil LLC	Spot Description:
Address 1: PO Box 151	NE_SE_NW_NE_Sec. 24 Twp. 28 S. R. 15 FEast West
Address 2:	4,292 Feet from North / South Line of Section
City: Chanute State: KS Zip: 66720 +	1,340 Feet from East / West Line of Section
Contact Person: John E Galemore	
	Footages Calculated from Nearest Outside Section Corner:
Phone: (918) 629-1776	□ NE □ NW ☑ SE □ SW
CONTRACTOR: License # 31751	County: Wilson
Name: Company Tools	Lease Name: Morton Well #: 17-H
Wellsite Geologist:	Field Name: Benedict
Purchaser: Coffeyville Resources	Producing Formation: Bartlesville
Designate Type of Completion:	Elevation: Ground: 888 est Kelly Bushing:
✓ New Well Re-Entry Workover	Total Depth: 994 Plug Back Total Depth:
□oil □wsw □swb □slow	Amount of Surface Pipe Set and Cemented at: 20 Feet
✓ Gas D&A ENHR SIGW	Multiple Stage Cementing Collar Used? Yes No
☐ OG ☐ GSW ☐ Temp. Abd.	If yes, show depth set:Feet
CM (Coal Bed Methane)	If Alternate II completion, cement circulated from: 996
Cathodic Other (Core, Expl., etc.):	feet depth to: surface w/ 140 sx cmt.
If Workover/Re-entry: Old Well Info as follows:	teet depth to:w/ sx cmt.
Operator:	
Well Name:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth:	*
Deepening Re-perf. Conv. to ENHR Conv. to SWD	Chloride content:ppm Fluid volume: RECEIVED
Conv. to GSW	Dewatering method used:
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite: AUG 2 6 2011
Commingled Permit #:	
Dual Completion Permit #:	operator Name: KCC WICHITA
SWD Permit #:	Lease Name: License #:
ENHR Permit #:	Quarter Sec TwpS. R
GSW Permit #:	County: Permit #:
7-26-11 7-27-11 7-28-11	
Spud Date or Date Reached TD Completion Date or Recompletion Date	
INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas 67202, within 120 days of the spud date, recompletion, workover or confusive two of this form will be held confidential for a period of 12 months if requitiality in excess of 12 months). One copy of all wireline logs and geologist well BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form	Inversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information uested in writing and submitted with the form (see rule 82-3-107 for confiden- Il report shall be attached with this form. ALL CEMENTING TICKETS MUST
AFFIDAVIT	KCC Office Use ONLY
I am the affiant and I hereby certify that all requirements of the statutes, rules and re	egu
lations promulgated to regulate the oil and gas industry have been fully complied	
and the statements herein are complete and correct to the best of my knowledge	e. Confidential Release Date:
Aluh Mallana	Wireline Log Received
Title: CD SWWW Date: 8-24 1)	Geologist Report Received
Title: CO BUNW Date: 8-24 1)	UIC Distribution ALT

Operator Name: JV	Oil LLC		Lease	Name: _	Morton		Well #:17	-H	
Sec. 24 Twp.28	8 s. r. <u>15</u>	✓ East		y: Wilso					
time tool open and cl	osed, flowing and shu tes if gas to surface to	nd base of formations pe ut-in pressures, whether est, along with final chart I well site report.	shut-in pres	ssure rea	ched static level	, hydrostatic pressi	ures, bottom l	hole temp	perature, fluid
Drill Stem Tests Taken (Attach Additional Sheets) Samples Sent to Geological Survey Yes No				og Formatio	on (Top), Depth and	oth and Datum		Sample	
		Yes No		Nam	е		Тор		Datum
Cores Taken Electric Log Run Electric Log Submitte (If no, Submit Cop	•	Yes No Yes No Yes No							
List All E. Logs Run:									
			 						
		CASING Report all strings set	RECORD -conductor, s	☐ Ne surface, inte	-	tion, etc.			
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	We	ight . / Ft.	Setting Depth	Type of Cement	# Sacks Used		
surface	13"	8-5/8"			20	Portland	6	0	
casing	5-3/4" 2-7/8"				996	Porthand	140	0	
· · · · · · · · · · · · · · · · · · ·		ADDITIONA	L CEMENT	ING / SQL	JEEZE RECORD)			
Purpose: —— Perforate —— Protect Casing —— Plug Back TD	Depth Top Bottom	Type of Cement	# Sacks Used		Type and Percent Additives				
Plug Off Zone									
Shots Per Foot PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated					Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth				
2 949-958				not completed				RECEIVED	
			···				AU	G 2 6	2011
			······································				-KCC	: WIC	HITA
TUBING RECORD:	Size: 2-7/8"	Set At:	Packer /	At:	Liner Run:	Yes No			
Date of First, Resumed	d Production, SWD or EN	NHR. Producing Me	thod:	ng 🗍	Gas Lift	Other (Explain)			
Estimated Production Per 24 Hours	Oil	Bbls. Gas	Mcf	Wat	er E	Bbls. G	as-Oil Ratio		Gravity
DISPOSIT	ION OF GAS:		METHOD O	F COMPLI	ETION:		PRODUCTI	ON INTER	WAL:
Vented Sol			Perf.		Comp. Co	ommingled bmit ACO-4)			
(If vented, Su	ıbmit ACO-18.)	Other (Specify)		,	, ,				

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588



The State of the State of the		2.0			•		State 100		
SOLD TO: CAMPAY CAST!						CANUTE Kalar			
					zanacija 16. jugarija 19. grafija	ninger ad Nave	<u>iantaransaction</u> ₩		
ATTENDED	TE FORMULA SE PRE	/ File/Abisiz 11/1/1/	YAROS ORDERED	LAL.	A PANJERAHUEK	7. AIR			
12:37 : 50p	ELL	14.00 yd	14.00 yd	0.00	32	O.OO	Eatigket Number ///		
A CARACTER STATE		Mana (Coap will be de	ANNAROS DEL ANTE	######################################	ZAT WATERURING	and the second second	29718		
07-68-11	oday	1	14.00 yd	17753	G/yd -70.0	4,00 in			
WARNING			AND WE SHOWED IS DELIVERY	MAGE RELEASE TO BE MADE INSIDE CURB LINE)	Excessive Water is Detrimental to Concrete Performance H ₂ 0 Added By Request/Authorized By				
ATTENTATION	ng ng kanan	DEYES	Dear Customer The driver of this you for your signature is of the or	truck in presenting this RELEASE to binion that the size and weight of his in to the coremises and/or adjacent	GAL X .	State of the State	San Marie Mari		
CAUSE BURNS AVOID DON	men Wilh Eves and Prolenged Cont Fligh Thoroughly Wilh Water, I limb	MIWIH Skin income of the light light for the light income of the l	properly if it places the material our wish to help you in 5730, WE	n this load where you deale it it is that we can hor in older to do this son this RELEASE relaying him and	WEIGHING STEP	The state of the s			
CONCRETE IS A PERISHABLE O	COMMODITY and SECOMES the PROPERTIANCES OR CANCELLATION of ORIGINA SEFORE LOADING STATES.	TY of the PURCHASER UPON L INSTRUCTIONS MUST be	this supplier from any responsible to the premises and/or adjac dit/ev/eve, curbs, etc., by the dif	tick in presenting the RELEASE to infront that the exte and weight of his is to exter promises and/or adjacent in this footier progress and/or adjacent in this footier progress and to add the second that we can form the day of the second that the control of the second that the control of the second that the property buildings, sidewick, silvery of this meteral, and that thou add them the wheels of his validae so			TAL WADNING		
The undersigned promises to p	ANGES OF COMMO STARTS. Day all costs, including reasonable attorney		that he will not litter the public of	teet. Further, as adoptional considera- compility and hold harmless the driver	NOTICE: MY SIGNATURE BELO NOTICE AND SUPPLIER WILL WHEN DELIVERING INSIDE CUP	W INDICATES THAT I HAVE RE . NOT BE RESPONSIBLE FO IR LINE.	AD THE BEALTH WARMING R ANY DAMAGE CAUSED		
eny suma owed.	ays of delivery will beer interest at the rate of Aggregate of Colds Quelity. No Claim Al	24% per annum.	end/or adjacent property which arisin out of delivery of this order	any and ell damage to the premises may be claimed by anyone to have	LOAD RECEIVED BY:		M		
	as of the Cash Discourit will be collected		X		X	1/11/10	AUEXTENDED PRICE!		
Excess Detay Time Charged @ 1	ssohr ************************************	MANAGESCALPTION AND A				(TAPONT PAIGES AND A	A CANADA CAN		
14.00	WELL.	WELL (10 Se	ACKE PER UN	(T)	14.00	79.00 50.00	1106.00		
3.00	TRUCKING	TRUCKING CH	HARGE	14	न्युक्त सामा	Carlot As as			
	1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	11105		A / WT	alor Thomas		ija ring pagaraha sishirti		
and the second problems of the second	DOCK	60	The second of th	All Manusking and age	· magazina				
	10			TOT TAKEN	TIME ALLOWED S	ubTotal \$	1256.00		
RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION 1. JOB NOT READY	O. TRUCK BROKE DOWN	1 1	ax % 6.300	79.13		
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		Wings.	2. SLOW POUR OR FUMP 2. TRUCK AHEAD ON JOB	7. ACCIDENT 6. CITATION		stal \$	1335. 13 1335. 13		
LEFT PLANT	ARRIVED JOB	START UNLOADING	4. CONTRACTOR BROKE DO 5. ADDED WATER	Will be a second	TIME DOL.	ADDITIONAL CHARGE			
TOU				3.4	DELAY TIME	4			
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME			DECAT TIME	ADDITIONAL CHARGE			
						GRAND TOTAL			

RECEIVED AUG 2 6 2011 KCC WICHITA