

6 080096

API NUMBER 15-199-20,063-00-00

To: STATE CORPORATION COMMISSION
CONSERVATION DIVISION - PLUGGING SECTION
200 COLORADO DERBY BUILDING
WICHITA, KANSAS 67202

SW SE SW, SEC. 32, T 15 S, R 42 W

330 feet from S section line

3630 feet from E section line

TECHNICIAN'S PLUGGING REPORT

Operator License # 5171

Lease Name Bergqvist Well #1 'A' #1

Operator: TXO Prod. Corp.

County Wallace

Name & Address 1800 Lincoln Center Bldg.

Well Total Depth _____ feet

Denver, Colo 80264

Conductor Pipe: Size _____ feet _____

303 861 4246

Surface Casing: Size 8 5/8 feet 384

Abandoned Oil Well _____ Gas Well _____ Input Well _____ SWD Well _____ D&A X

Other well as hereinafter indicated _____

Plugging Contractor Murfin Drlg - Halliburton License Number _____

Address Wichita

Company to plug at: Hour: _____ Day: _____ Month: _____ Year: 19 _____

Plugging proposal received from See below

(company name) _____ (phone) _____

were: After complete research it appears that TXO plugged this well without receiving plugging authority from the Hays or Dodge City district office. The well however seems to be properly plugged.

Plugging Proposal Received by _____ (TECHNICIAN)

Plugging Operations attended by Agent?: All _____ Part _____ None X

Operations Completed: Hour: 3:21 P Day: 3 Month: Jan Year: 19 86

ACTUAL PLUGGING REPORT ANHY - 2770' - 50 SX

Chey - 1600' - 50 SX

Greenbarn - 760' - 40 SX

S.P. - 420' - 40 SX

Aluv - 40' - 10 SX on solid bridge

5-Rat - 5-Mouse

Remarks: (If additional description is necessary, use BACK of this form.)

I (did did not) observe this plugging.

Signed Don Butcher (TECHNICIAN) 10-10-86

CC - Don Ubel

OCT 14

KANSAS CORPORATION COMMISSION
CONSERVATION DIVISION

M E M O

TO: Marion DATE: 10/1/86

FROM: Don B

RE: 15-199-20, 063-0000 Wellcare
SW SE SW 32-15-42 W.

This well was plugged on
1/3/86 - by Rig 21 - Terry McRae
who rec'd plugging orders from
TXO. I was on the phone
on 1/3 but have no record
or memory of such a plug.

You were on the phone on
1/2/86 - but you would not
have given orders like these.

I think they came from Dodge
City - (they did not)

Mr Frank Tsuru of TXO
does not know who he got
the orders from.

I'll check with Don Ubel

CARD MUST BE TYPED

15-199-20063-00 00

E.D. Need plugging report on this well Talk to Don or me

TO BE SIGNED
Collector

Production string to Starting Date

OPERATOR: License #
Name TXO Product
Address 1800 Lincoln
City/State/Zip Denver, CO
Contact Person Frank J
Phone (303) 861-4

CONTRACTOR: License #
Name Unknown
City/State

Well Drilled For:

Oil SWD
 Gas Inj
 OWFO Expl

If OWFO: add well info as follows

Operator
Well Name
Comp Date

Plugged 11/3/86 Halliburton 384 S.P. 1-1-86

- (Terry McRae) 50-2770*
- 50-1600*
- 40-760 (384 S.P.)*
- 40-420 (384 S.P.)*
- 10-40 Hall Plug*
- 5-Rat*
- 5-Mouse*

12/20/85

Rig 21 Terry McRae

PLUGGING PROPOSAL IF ABOVE IS D & A

Tsuru

This plugging proposal will be reviewed and approved or revised at the time the district office is called prior to setting surface casing (call 7 a.m. to 5 p.m. workdays).

1st plug @	feet depth with	sxs of
2nd plug @	feet depth with	sxs of
3rd plug @	feet depth with	sxs of
4th plug @	feet depth with	sxs of
5th plug @	feet depth with	sxs of
(2) Rathole with	sxs	(b) Mouschole with sxs

SURV

Out

NOTE: Agreement between operator and district office on plug placement and the amount of cement to be used is necessary prior to plugging. Important: Call district office after well is either plugged or production casing is cemented in.

(Call 7 a.m. to 5 p.m. workdays)

District office use only:

API #15- Legal T S, R
Surface casing of feet set with sxs at hours, 19
Alternate 1 _____ or 2 _____ surface pipe was used.
Alternate 2 cementing was completed @ ft. depth with sxs on 19
Hole plugged 19 agent

M Tsuru does not have a record of who gave plugging orders

CARD MUST BE TYPED

BE SIGNED
Collector

(see rules on reverse side)

Production string to be cemented immediately from below the useable water to surface.

Starting Date *Low* 9.15.85 month day year

API Number 15-~~2970~~ *199-20,063-00-08*
SE SE SW Sec. 32 Twp. 15 S. Rg. 42 Well

OPERATOR: License # 5171
Name TXO Production Corp.
Address 1800 Lincoln Center Bldg.
City/State/Zip Denver, Colorado 80264
Contact Person Frank D. Tsuru
Phone (303) 861-4246

330' Ft. from South Line of Section
2970' 36.50' Ft. from East Line of Section
(Note: Locate well on Section Plat on reverse side)

CONTRACTOR: License #
Name Unknown
City/State

Nearest lease or unit boundary line 330' feet
County ~~Weld~~ *Weld*
Lease Name Bergquist "A" Well # 1
Ground surface elevation TBD feet MSL

Well Drilled For: Well Class: Type Equipment:
 Oil SWD Infield Mud Rotary
 Gas Inj Pool Ext Air Rotary
 OWWO Expl Wildcat Cable

Domestic well within 330 feet: yes no
Municipal well within one mile: yes no
Surface pipe by Alternate: 1 2

If OWWO, old well info as follows:
Operator
Well Name
Camp Date
Old Well Depth

Depth to bottom of fresh water 300'
Depth to bottom of usable water 1700'
Surface pipe planned to be set 350'
Projected Total Depth 5300' feet
Formation Morrow

Signature of Operator or Agent *Frank D. Tsuru* Title *DRG. & Prod. Engineer.*
Frank D. Tsuru Title *DRG. & Prod. Engineer.*

feet Minimum Surface Pipe Required *9:10:85* per Ah. 1

12/20/85
Rig 21 Terry McRae
Frank Tsuru
PLUGGING PROPOSAL IF ABOVE IS D & A

This plugging proposal will be reviewed and approved or revised at the time the district office is called prior to setting surface casing (call 7 a.m. to 5 p.m. workdays).

1st plug @ feet depth with SXS of
2nd plug @ feet depth with SXS of
3rd plug @ feet depth with SXS of
4th plug @ feet depth with SXS of
5th plug @ feet depth with SXS of
(2) Rathole with SXS
(b) Mouschhole with SXS

NOTE: Agreement between operator and district office on plug placement and the amount of cement to be used is necessary prior to plugging.
Important: Call district office after well is either plugged or production casing is cemented in.
(Call 7 a.m. to 5 p.m. workdays)

District office use only:
API #15- Legal T S, R
Surface casing of feet set with SXS at hours, 19
Alternate 1 _____ or 2 _____ surface pipe was used.
Alternate 2 cementing was completed @ ft. depth with SXS on 19
Hole plugged 19 agent

M. Tsuru does not have a record of who gave plugging orders