

071  
20712-0000

ORIGINAL

STATE CORPORATION COMMISSION OF KANSAS  
OIL & GAS CONSERVATION DIVISION  
WELL COMPLETION FORM  
ACO-1 WELL HISTORY  
DESCRIPTION OF WELL AND LEASE

Operator: License # 03581

Name: Red Oak Energy, Inc.

Address: 7701 E. Kellogg, Suite 710

City/State/Zip: Wichita, KS 67207

Purchaser: \_\_\_\_\_

Operator Contact Person: Kevin C. Davis

Phone: (316) 652-7373

Contractor: Name: Murfin Drilling Company

License: 30606

Wellsite Geologist: Scott Banks

Designate Type of Completion  
 New Well  Re-Entry  Workover

Oil  SVD  SIOW  Test  Abd  
 Gas  ENHR  SIGW  
 Dry  Other (Core, VSV, Expl., Cathodic, etc.)

If Workover/Re-Entry: old well info as follows:

Operator: \_\_\_\_\_

Well Name: \_\_\_\_\_

Comp. Date \_\_\_\_\_ Old Total Depth \_\_\_\_\_

Deepening  Re-perf.  Conv. to Inj/SVD  
 Plug Back  PBD  
 Commingled  Docket No. \_\_\_\_\_  
 Dual Completion  Docket No. \_\_\_\_\_  
 Other (SVD or Inj?)  Docket No. \_\_\_\_\_

10/18/99 10/22/99 10/22/99  
Spud Date Date Reached TD Completion Date

APR NO. 15-071 20712-0000  
County Greeley  
NE - NW - NW - Sec. 26 Twp. 16 Rge. 42  E  W

330 Feet from S (circle one) Line of Section  
1130 Feet from E (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:  
NE, SE, NW or SW (circle one)

Lease Name Kriss Well # 3-26

Field Name Kriss

Producing Formation NONE

Elevation: Ground 3801 KS 3811

Total Depth 2638 PBD \_\_\_\_\_

Amount of Surface Pipe Set and Cemented at 366 Feet

Multiple Stage Cementing Collar Used?  Yes  No

\_\_\_\_\_, show depth set \_\_\_\_\_ Feet

Alternate II completion, cement circulated from \_\_\_\_\_

\_\_\_\_\_, set depth to \_\_\_\_\_ w/ \_\_\_\_\_ sz cat.

Drilling Fluid Management Plan P4A, 5-18-00/1c  
Data must be collected from the Reserve Pit

Chloride content \_\_\_\_\_ ppm Fluid volume \_\_\_\_\_ bbls

Dewatering method used \_\_\_\_\_

Location of fluid disposal if hauled offsite: \_\_\_\_\_

Operator Name \_\_\_\_\_

Lease Name \_\_\_\_\_ License No. \_\_\_\_\_

\_\_\_\_\_, Quarter Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S Rng. \_\_\_\_\_ E/W

County \_\_\_\_\_ Docket No. \_\_\_\_\_

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 200 Colorado Derby Building, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information on side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature Kevin C. Davis

Title President Date 2/3/00

Subscribed and sworn to before me this 3rd day of February, 2000

Notary Public Victoria Davis

Date Commission Expires October 21, 2001

K.C.C. OFFICE USE ONLY  
F  Letter of Confidentiality Attached  
C  Wireline Log Received  
C  Geologist Report Received  
Distribution  
 KCC  SVD/Rep  NGPA  
 KGS  Plug  Other  
(Specify)

VICTORIA DAVIS  
NOTARY PUBLIC  
STATE OF KANSAS  
My Appt. Exp. 10/21/01

Operator Name Red Oak Energy, Inc.

Lease Name Kriss

Well # 3

Sec. 26 Twp. 16 Rge. 42

East  
 West

County Greeley

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all drill stem tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface during test. Attach extra sheet if more space is needed. Attach copy of log.

Drill Stem Tests Taken  Yes  No  
(Attach Additional Sheets.)

Samples Sent to Geological Survey  Yes  No

Cores Taken  Yes  No

Electric Log Run  Yes  No  
(Submit Copy.)

List All E.Logs Run:

Log Formation (Top), Depth and Datum  Sample  
Name Top Datum

CASING RECORD

New  Used

Report all strings set-conductor, surface, intermediate, production, etc.

Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs./Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface		8 5/8"	24	366'	60/40 poz	275	2%ael, 3%cc

ADDITIONAL CEMENTING/SQUEEZE RECORD

Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate				
<input type="checkbox"/> Protect Casing				
<input type="checkbox"/> Plug Back TD				
<input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth

TUBING RECORD	Size	Set At	Packer At	Liner Run <input type="checkbox"/> Yes <input type="checkbox"/> No

Date of First, Resumed Production, SWD or Inj. P+A Producing Method  Flowing  Pumping  Gas Lift  Other (Explain)

Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity
	<u>N-A</u>				

Disposition of Gas:

Vented  Sold  Used on Lease  
(If vented, submit ACO-18.)

METHOD OF COMPLETION

Open Hole  Perf.  Dually Comp.  Commingled  
 Other (Specify)

Production Interval

# ALLIED CEMENTING CO., INC.

1073

Federal Tax I.D.#

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:

Oakley

DATE <u>10-19-99</u>	SEC <u>26</u>	TWP <u>16 S</u>	RANGE <u>42 W</u>	CALLED OUT	ON LOCATION <u>1100 hrs</u>	JOB START	JOB FINISH <u>AM 4:30</u>
LEASE <u>K 455</u>	WELL # <u>3-26</u>	LOCATION <u>OKTwin Falls, Dist 116 &amp; 62</u>	COUNTY <u>Decatur</u>	STATE <u>Kan</u>			
OLD OR NEW (Circle one)							

CONTRACTOR Mix Fin Dels Co, #14  
 TYPE OF JOB Surface  
 HOLE SIZE 12 1/4 T.D. 367'  
 CASING SIZE 8 5/8 DEPTH 366'  
 TUBING SIZE DEPTH  
 DRILL PIPE DEPTH  
 TOOL DEPTH  
 PRES. MAX MINIMUM  
 MEAS. LINE SHOE JOINT 37.83'  
 CEMENT LEFT IN CSG. 37.83'  
 PERFS.  
 DISPLACEMENT

OWNER Same  
 CEMENT AMOUNT ORDERED 275 sks 60/40 per  
3% acc - 2% lat  
 COMMON 165 sks @ 7.35 1,245.75  
 POZMIX 110 sks @ 3.25 357.50  
 GEL. 5 sks @ 9.50 47.50  
 CHLORIDE 9 sks @ 28.00 252.00  
 TOTAL 2906.50

EQUIPMENT  
 PUMP TRUCK CEMENTER Walt  
 # 191 HELPER Dean  
 BULK TRUCK # 303 DRIVER Terry  
 BULK TRUCK DRIVER

HANDLING 275 sks @ 1.00 288.75  
 MILEAGE 44 per/skl/mb 715.00  
 TOTAL 2906.50

### REMARKS:

### SERVICE

Cement Did Cure  
(Cement in Collar)  
Chad

DEPTH OF JOB 366  
 PUMP TRUCK CHARGE 470.00  
 EXTRA FOOTAGE @  
 MILEAGE 65-miles @ 2.85 185.25  
 PLUG 8 5/8 Surface @ 45.00  
 TOTAL 515.00

CHARGE TO: Red Oak Energy, Inc.  
 STREET  
 CITY STATE ZIP

### FLOAT EQUIPMENT

8 5/8  
 1- Buffer Plate @ 75.00  
 1- Center lines @ 30.00  
 TOTAL 105.00

To Allied Cementing Co., Inc.  
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX  
 TOTAL CHARGE  
 DISCOUNT IF PAID IN 30 DAYS

SIGNATURE Gus Schwartz

GUS SCHWARTZ  
 PRINTED NAME

# ALLIED CEMENTING CO., INC.

Federal Tax I.D.#

1627  
ORIGINAL

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:  
Oakley

DATE <u>10-22-99</u>	SEC. <u>26</u>	TWP. <u>16<sup>s</sup></u>	RANGE <u>42<sup>w</sup></u>	CALLED OUT	ON LOCATION <u>4:30<sup>PM</sup></u>	JOB START <u>8:00<sup>PM</sup></u>	JOB FINISH <u>11:30<sup>PM</sup></u>
LEASE <u>Kriss</u>	WELL # <u>3-26</u>	LOCATION <u>Qortown Feedlars 8W-15-E.S</u>	COUNTY <u>Greeley</u>		STATE <u>Kan</u>		
OLD OR NEW (Circle one)							

CONTRACTOR MurFin Drls Co #14

TYPE OF JOB hoist Circ

HOLE SIZE 7 1/8 T.D. 2718'

CASING SIZE 8 5/8 DEPTH

TUBING SIZE DEPTH

DRILL PIPE 4 1/2 xH DEPTH 2610'

TOOL DEPTH

PRES. MAX MINIMUM

MEAS. LINE SHOE JOINT

CEMENT LEFT IN CSG.

PERFS.

DISPLACEMENT

OWNER Same

CEMENT

AMOUNT ORDERED 150 SKs ASC, 1/2 # Flo-Seal  
2% CC,

COMMON @

POZMIX @

GEL @

CHLORIDE 3 SKs @ 28<sup>00</sup> 84<sup>00</sup>

ASC, 150 SKs @ 9<sup>05</sup> 1,357<sup>50</sup>

Flo-Seal 75# @ 1<sup>15</sup> 86<sup>25</sup>

@

@

HANDLING 150 SKs @ 1<sup>05</sup> 157<sup>50</sup>

MILEAGE 44 per SK/mile 390<sup>00</sup>

TOTAL 2,075<sup>25</sup>

EQUIPMENT

PUMP TRUCK CEMENTER Walt

# 102 HELPER

BULK TRUCK

# 260 DRIVER Jim W.

BULK TRUCK

# DRIVER

REMARKS:

SERVICE

Pumptruck on loc 2 4:30<sup>PM</sup>, Bulktruck  
on loc 2 7:00<sup>PM</sup>  
8:00<sup>PM</sup> mixed 75 SKs ASC, Displaced  
37 BBL, Pulled Drl Pipe

11:00<sup>PM</sup> mixed 75 SKs ASC, Displaced  
37 BBL, Pulled Drl Pipe

DEPTH OF JOB 2610'

PUMP TRUCK CHARGE 580<sup>00</sup>

EXTRA FOOTAGE @

MILEAGE 65 miles @ 2<sup>05</sup> NIC

PLUG @

@

@

TOTAL 580<sup>00</sup>

CHARGE TO: Red Oak Energy, Inc

STREET \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

FLOAT EQUIPMENT

@

@

@

@

@

To Allied Cementing Co., Inc.  
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TOTAL \_\_\_\_\_

TAX \_\_\_\_\_

TOTAL CHARGE \_\_\_\_\_

DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

SIGNATURE Gus Schwartz

GUS SCHWARTZ  
PRINTED NAME

RECEIVED  
STATE CORPORATION COMMISSION

MAR - 3 2000

CONSERVATION DIVISION  
Wichita, Kansas

# ALLIED CEMENTING CO., INC.

Federal Tax I.D.#

1590 ORIGINAL

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:

OAKLEY

DATE <u>10-23-99</u>	SEC. <u>26</u>	TWP. <u>16S</u>	RANGE <u>42W</u>	CALLED OUT	ON LOCATION <u>6:45 PM</u>	JOB START <u>8:00 PM</u>	JOB FINISH <u>11:00 PM</u>
LEASE <u>KRESS</u>	WELL # <u>3-26</u>	LOCATION <u>TREBUNE 12N-10W-15</u>			COUNTY <u>Greeley</u>	STATE <u>KS</u>	
OLD OR <u>NEW</u> (Circle one)							

CONTRACTOR <u>MURFIN DRILL. AEL # 14</u>	OWNER <u>SAME</u>
TYPE OF JOB <u>LOST CIRC.</u>	
HOLE SIZE <u>7 1/8"</u>	T.D. <u>2718'</u>
CASING SIZE	DEPTH
TUBING SIZE	DEPTH
DRILL PIPE <u>4 1/2"</u>	DEPTH <u>2678'</u>
TOOL	DEPTH
PRES. MAX	MINIMUM
MEAS. LINE	SHOE JOINT
CEMENT LEFT IN CSG.	
PERFS.	
DISPLACEMENT	

CEMENT	AMOUNT ORDERED	<u>150 SKS ASC 1/2" Flo-SEAL</u>	
		<u>390 CC</u>	
COMMON	@		
POZMIX	@		
GEL	@		
CHLORIDE	@	<u>5 - SKS</u>	<u>28.00</u>
	@	<u>ASC - 150 SKS</u>	<u>9.05</u>
	@	<u>Flo-Seal 75 SKS</u>	<u>1.15</u>
	@		
	@		
	@		
HANDLING	@	<u>150 SKS</u>	<u>1.05</u>
MILEAGE	@	<u>40 px SK/mile</u>	<u>3.90</u>
			TOTAL <u>2,131.25</u>

EQUIPMENT	
PUMP TRUCK	CEMENTER <u>TERRY</u>
# <u>300</u>	HELPER <u>WAYNE</u>
BULK TRUCK	
# <u>222</u>	DRIVER <u>JIM</u>
BULK TRUCK	
#	DRIVER

REMARKS:

SERVICE

Pump truck on loc 5:00 pm, Bulk truck on loc. 6:45 pm, mix 75 SKS ASC 390CC  
1/2" Flo-SEAL + DISPLACE WITH 3700L  
WAIT 2 HRS + MIX 75 SKS ASC 390CC  
1/2" Flo-SEAL + DISPLACE WITH 3700L

DEPTH OF JOB	<u>2678'</u>	
PUMP TRUCK CHARGE		<u>580.00</u>
EXTRA FOOTAGE	@	
MILEAGE	@	<u>65 miles</u>
PLUG	@	
	@	
	@	
TOTAL <u>580.00</u>		

THANK YOU

CHARGE TO: RED OAK ENERGY

STREET \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

FLOAT EQUIPMENT

To Allied Cementing Co., Inc.  
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE Gus Schwartz

RECEIVED  
STATE CORPORATION COMMISSION

GUS SCHWARTZ

PRINTED NAME

MAR - 3 2000

CONSERVATION DIVISION  
Wichita, Kansas

TAX \_\_\_\_\_

TOTAL CHARGE \_\_\_\_\_

DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

TOTAL \_\_\_\_\_

# ALLIED CEMENTING CO., INC

Federal Tax I.D.#

1591 ORIGINAL

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:  
OAKLEY

DATE <u>10-24-99</u>	SEC. <u>26</u>	TWP. <u>16S</u>	RANGE <u>42W</u>	CALLED OUT	ON LOCATION <u>12:00 PM</u>	JOB START <u>1:00 PM</u>	JOB FINISH <u>5:00 PM</u>
LEASE <u>KRISS</u>	WELL # <u>3-2L</u>	LOCATION <u>TRIBUNE 12N-10W-15</u>			COUNTY <u>GREELEY</u>	STATE <u>KS</u>	

OLD OR NEW (Circle one)

CONTRACTOR MURFIN DRILLING REG #14 OWNER SAME

TYPE OF JOB PTA  
 HOLE SIZE 7 7/8" T.D. 2718'  
 CASING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_  
 TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_  
 DRILL PIPE 4 1/2" DEPTH 2600'  
 TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_  
 PRES. MAX \_\_\_\_\_ MINIMUM \_\_\_\_\_  
 MEAS. LINE \_\_\_\_\_ SHOE JOINT \_\_\_\_\_  
 CEMENT LEFT IN CSG. \_\_\_\_\_  
 PERFS. \_\_\_\_\_  
 DISPLACEMENT \_\_\_\_\_

CEMENT  
 AMOUNT ORDERED 255 SKS 60/40 P2 3% CC 2% GEL  
150 SKS ASC + 250 SKS ASC 2% CC 1/2" FLO-SEAL  
 USED 210 SKS 60/40 P2 3% CC 2% GEL + 150 SKS ASC  
 USED 175 SKS ASC 2% CC 1/2" FLO-SEAL

COMMON	<u>126 SKS</u>	@	<u>7.55</u>	<u>951.30</u>
POZMIX	<u>84 SKS</u>	@	<u>3.25</u>	<u>273.00</u>
GEL	<u>4 SKS</u>	@	<u>9.00</u>	<u>38.00</u>
CHLORIDE	<u>11 SKS</u>	@	<u>28.00</u>	<u>308.00</u>
ASC	<u>325 SKS</u>	@	<u>9.05</u>	<u>2,941.25</u>
Flo-Seal	<u>88#</u>	@	<u>1.15</u>	<u>101.20</u>
		@		
		@		
		@		
HANDLING	<u>655 SKS</u>	@	<u>1.05</u>	<u>687.75</u>
MILEAGE	<u>4¢ per SK/mile</u>			<u>1,703.00</u>
				TOTAL <u>7,003.20</u>

EQUIPMENT

PUMP TRUCK CEMENTER TERRY  
 # 300 HELPER WAYNE  
 BULK TRUCK  
 # 218 DRIVER LONNIE  
 BULK TRUCK  
 # 282 DRIVER DEAN

REMARKS:

50 SKS AT 2600'  
150 SKS AT 1880'  
50 SKS AT 1200'  
40 SKS AT 390'  
10 SKS AT HO  
15 SKS RAT HOLE  
10 SKS MOUSE HOLE  
THANK YOU

SERVICE

DEPTH OF JOB 2600'  
 PUMP TRUCK CHARGE 580.00  
 EXTRA FOOTAGE @ \_\_\_\_\_  
 MILEAGE 65 miles @ 2.85 NIC  
 PLUG @ \_\_\_\_\_  
2nd Day Pump Chg @ \_\_\_\_\_ 580.00  
 @ \_\_\_\_\_  
 TOTAL 1,160.00

CHARGE TO: RED OAK ENERGY  
 STREET \_\_\_\_\_  
 CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

FLOAT EQUIPMENT

_____	@	_____
_____	@	_____
_____	@	_____
_____	@	_____
_____	@	_____

To Allied Cementing Co., Inc.  
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TOTAL \_\_\_\_\_  
 TAX \_\_\_\_\_  
 TOTAL CHARGE \_\_\_\_\_  
 DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

SIGNATURE Gus Schwartz

GUS SCHWARTZ  
 PRINTED NAME

RECEIVED  
 STATE CORPORATION COMMISSION

MAR - 3 2000

CONSERVATION DIVISION  
 Wichita, Kansas