

Kansas Corporation Commission Oil & Gas Conservation Division

1063855

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #5447	API No. 15 - 15-129-21801-00-01
Name:OXY USA Inc.	Spot Description:
Address 1: _ 5 E GREENWAY PLZ	SE_SE_SW Sec. 9 Twp. 33 S. R. 42 East
Address 2:PO BOX 27570	330 Feet from North / South Line of Section
City: HOUSTON State: TX Zip: 77227 + 7570	2310 Feet from East / West Line of Section
Contact Person: LAURA BETH HICKERT	Footages Calculated from Nearest Outside Section Corner:
Phone: (620) 629-4253	□ NE □ NW □ SE ☑ SW
CONTRACTOR: License #_34602	County: Morton
Name: Key Energy Services, LLC	Lease Name: AUSTIN A Well #: 6
Wellsite Geologist: N/A	Field Name: MUSTANG EAST
Purchaser:	Producing Formation: WABAUNSEE, TOPEKA, TORONTO
Designate Type of Completion:	Elevation: Ground: 3506 Kelly Bushing: 3518
New Well Re-Entry ✓ Workover	Total Depth: 5150 Plug Back Total Depth: 4850
Oil WSW SWD SIOW	Amount of Surface Pipe Set and Cemented at: 1749 Feet
☑ Gàs ☐ D&A ☐ ENHR ☐ SIGW	Multiple Stage Cementing Collar Used? ✓ Yes No
☐ OG ☐ GSW ☐ Temp. Abd.	3286
CM (Coal Bed Methane)	
Cathodic Other (Core, Expl., etc.):	If Alternate II completion, cement circulated from:
If Workover/Re-entry: Old Well Info as follows:	feet depth to:w/sx cmt.
Operator: OXY USA, INC	
Well Name: AUSTIN A-6	Drilling Fluid Management Plan
Original Comp. Date: 08/15/2007 Original Total Depth: 5150	(Data must be collected from the Reserve Pit)
☐ Deepening	Chloride content: ppm Fluid volume: bbls
Conv. to GSW	Dewatering method used:
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Permit #:	,
Dual Completion Permit #:	Operator Name:
SWD Permit #:	Lease Name: License #:
ENHR Permit #:	QuarterSecTwpS. R East West
GSW Permit #:	County: Permit #:
05/18/2011 06/24/2011	
Spud Date or Date Reached TD Completion Date or Recompletion Date	

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Letter of Confidentiality Received
Date:
Confidential Release Date:
Wireline Log Received
Geologist Report Received
UIC Distribution
ALT I II Approved by: Deanna Garrisor Date: 09/26/2011

Side Tw

ð



1063855

Operator Name: OX	/ USA Inc.		Lease Name	AUSTIN A		_ Well #: _6	
Sec. 9 Twp. 33	s. R. <u>42</u>	☐ East 🗸 West	County: Mo	rton	1777		7 8 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4
time tool open and clos	sed, flowing and shus is if gas to surface to	nd base of formations pen ut-in pressures, whether s est, along with final chart(I well site report.	hut-in pressure r	eached static level	, hydrostatic pres	sures, bottom	hole temperature, fluid
Drill Stem Tests Taken (Attach Additional S.	heets)	☐ Yes 🗸 No		Log Formatio	on (Top), Depth a	nd Datum	Sample
Samples Sent to Geological Survey			ame E ORIGINAL ACO		Тор	Datum	
Cores Taken Electric Log Run Electric Log Submitted (If no, Submit Copy)	•	Yes No Yes No	350	ORIGINAL ACO	r- I		·
List All E. Logs Run:							
	······································	CASING	RECORD 🗸	New Used			
	1 2	Report all strings set-			T		· · · · · · · · · · · · · · · · · · ·
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
CONDUCTOR	17.5	13.375	48	645	С	810	SEE ORIGINAL
SURFACE	12.25	8.625	24	1749	С	425	SEE ORIGINAL
PRODUCTION	7.875	5.5	17	5120	С	475	SEE ORIGINAL
		ADDITIONAL	CEMENTING / S	QUEEZE RECORD		_	
Purpose: —— Perforate —— Protect Casing —— Plug Back TD —— Plug Off Zone	Depth Top Bottom	Type of Cement	# Sacks Used		Type and	Percent Additives	
					·		
Shots Per Foot		ON RECORD - Bridge Plug Footage of Each Interval Perl			cture, Shot, Cemer mount and Kind of M		rd Depth
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	SEE ATTACHED						
		-			-		
TUBING RECORD:	Size:	Set At: 4615	Packer At:	Liner Run:	Yes ✓ No		
Date of First, Resumed P 06/29/2011			od: Pumping [Gas Lift (Other (Explain)		
Estimated Production Per 24 Hours	Oil O	Bbls. Gas 277	Mcf W			Gas-Oil Ratio	Gravity
DISPOSITIO	Used on Lease			ally Comp. 📝 Cor	mit ACO-4)	PRODUCTION	

Attachment to Austin A-6 (API # 15-129-21801)

Addition Cemen	Cementing/Squeeze Record				
Purpose	Depth	Type of Cement	# of Sacks	Type & Percent Additives	

				•	

SPF	Perforation Record	Acid, Frac, Shot, Cement Squeeze	Depth
		CIBP w/ 2 sks cmt	477
4	3234-3244 Toronto	40 bbl 2% KCI	3151-324
	3217-3225, 3207-3213, 3175-3203,	Acid: 5000 gal 17% DS FeHCI	3151-324
	3151-3169 Topeka	Flush: 2% KCI	3131-324
4	3029-3059 Topeka	Acid: 48 bbls 17% DS FeHCI	3029-305
		Flush: 16 bbl 2% KCI	5025 505
4	2960-2970, 2939-2949, 2899-2905 Topeka	al 37 bbl 2% KCl w/ Biocide	2869-297
	2869-2879 Wabaunsee	Acid: 3000 gal 17% DS FeHcl	2869-297
		Flush: 16 bbl 2% KCl	2000 201
4	2728-2738, 2700-2706, 2672-2688	Acid: 72 bbl 17% DS FeHCl	2672-273
		Flush: 14 bbl 2% KCl	
		Frac: 31400# 12/20 Brady Sand	2672-270
		7633 gal LFrac30, 180140 scf N2	
		44.4	
_			
·			
	 		
		i	1