

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1063758

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

# WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15
Name:Laymon Oil II, LLC	Spot Description:
Address 1: 1998 SQUIRREL RD	NE_SE_SE_Sec. 17 Twp. 24 S. R. 16 🗸 East West
Address 2:	485 Feet from North / South Line of Section
City: NEOSHO FALLS State: KS Zip: 66758 + 7124	165 Feet from Feet from East / West Line of Section
Contact Person: Michael Laymon	Footages Calculated from Nearest Outside Section Corner:
Phone: ( 620 ) 963-2495	□NE □NW ☑SE □SW
CONTRACTOR: License #32710	County: Woodson
Name: Laymon Oil II, LLC	Lease Name: Shepard Well #: 7-11
Wellsite Geologist: None	Field Name:
Purchaser:	Producing Formation: Squirrel
Designate Type of Completion:	Elevation: Ground: 1072 Kelly Bushing: 1077
✓ New Well Re-Entry Workover	Total Depth: 1120 Plug Back Total Depth:
☑ oil ☐ wsw ☐ swb ☐ slow	Amount of Surface Pipe Set and Cemented at: 40 Feet
Gas D&A ENHR SIGW	Multiple Stage Cementing Collar Used? Yes No
☐ OG ☐ GSW ☐ Temp. Abd.	If yes, show depth set:Feet
CM (Coal Bed Methane)	If Alternate II completion, cement circulated from: 40
Cathodic Other (Core, Expl., etc.):	
If Workover/Re-entry: Old Well Info as follows:	feet depth to: 0 w/ 10 sx cmt.
Operator:	
Well Name:	Drilling Fluid Management Plan
Original Comp. Date: Original Total Depth:	(Data must be collected from the Reserve Pit)
☐ Deepening ☐ Re-perf. ☐ Conv. to ENHR ☐ Conv. to SWD	Chloride content: 0 ppm Fluid volume: 80 bbls
Conv. to GSW	Dewatering method used: Evaporated
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Permit #:	·
Dual Completion Permit #:	Operator Name:
☐ SWD Permit #:	Lease Name: License #:
ENHR Permit #:	Quarter Sec TwpS. R
GSW Permit #:	County: Permit #:
07/29/2011 07/31/2011 08/15/2011	
Spud Date or Date Reached TD Completion Date or	;

#### **AFFIDAVIT**

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

**Submitted Electronically** 

	KCC Office Use ONLY
	Letter of Confidentiality Received
-	Date:
	Confidential Release Date:
	☑ Wireline Log Received
	Geologist Report Received
	UIC Distribution
1	ALT I I II Approved by: Deanna Garrisor Date: 09/26/2011
	The state of the s

Side Two

1063758

Operator Name: Laymon Oil II, LLC  Sec. 17 Twp.24 S. R. 16 V East West					Name:	Shepard		Well #:			
					County: Woodson						
INSTRUCTIONS: S time tool open and corecovery, and flow ra line Logs surveyed.	tes if gas to surface	test, along	with final char	enetrated. E shut-in pres t(s). Attach	Detail all ssure re extra st	cores. Report a ached static leve neet if more space	all final copies of el, hydrostatic pr ce is needed. At	drill stems tests essures, bottom tach complete co	giving interval tested, hole temperature, flui opy of all Electric Wire		
Drill Stem Tests Take (Attach Additional			Yes ✓ No			Log Formati	on (Top), Depth	and Datum	Sample		
Samples Sent to Geo	logical Survey		res ☑ No		Nai	-		Тор	Datum		
Cores Taken Electric Log Run			Yes No Yes No Yes No			hed		Attached	Attached		
List All E. Logs Run:						•					
Gamma Ray Neutro	on	•									
		Rep		RECORD	✓ N	ew Used ermediate, produc	***				
Purpose of String	Size Hole Drilled	Si	ze Casing t (In O.D.)	Weig	ght	Setting	Type of	# Sacks	Type and Percent		
Surface	10.2500	8.6250	· (III O.B.)	Lbs. /	rt.	Depth 40	Cement	Used	Additives		
Production	6.1250	2.8750		6.7			portland	10			
		2.0700	-	0.7		1110	common	150			
			ADDITIONAL	CEMENTIN	IG / SOI	JEEZE RECORD					
Purpose:  Perforate Protect Casing	Depth Top Bottom	Туре	e of Cement # Sacks Use			Type and Percent Additives					
Plug Back TD Plug Off Zone	-				****				*		
11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	-										
Shots Per Foot	PERFORATION Specify F	ON RECOR Footage of E	D - Bridge Plugs ach Interval Perf	s Set/Type orated		Acid, Frac	cture, Shot, Cemer	nt Squeeze Record laterial Used)	Depth		
				1810							
			···								
								· · · · · · · · · · · · · · · · · · ·			
	-			·							
TUBING RECORD:	Size:	Set At:	-	Packer At:		Liner Run:	Yes No				
Date of First, Resumed P	roduction, SWD or ENH	IR.	Producing Metho	od:		Gas Lift O	her (Explain)	} :			
Estimated Production Per 24 Hours	Oil B	bls.	Gas N	/lcf	Wate			Gas-Oil Ratio	Gravity		
DISPOSITION  Vented Sold  (If vented, Subm	Used on Lease			ETHOD OF C	OMPLET  Dually ( Submit A)	Comp. Com	mingled it ACO-4)	PRODUCTION	INTERVAL:		

Form	ACO1 - Well Completion	
Operator	Laymon Oil II, LLC	
Well Name	Shepard 7-11	
Doc ID	1063758	

### Tops

Mamo	Top	Datum
Soil	0	17
Lime & Shale	17	609
Black Shale	609	612
Lime	612	680
Big Shale	680	830
Lime & Shale	830	956
Black Shale	956	962
Lime & Shale	962	998
Black Shale	998	1004
5' Lime	1004	1009
Shale	1009	1013
Upper Squirrel Sand	1013	1018
Shale	1018	1049
Cap Rock	1049	1050
Shale	1050	1053
Cap Rock	1053	1054
ower Squirrel Sand	1054	1065
Shale	1065	1120

## THE NEW KLEIN LUMBER CO., INC.

<i>ж</i>	MADISON & WALNUT IOLA, KANSAS,		7-23	20	. 1
LD TQ	laymon Oil IOLA, KANSAS,				
livered To	Loaded By	<u> </u>	uled By		
)UANTITY	DESCRIPTION	FEET	PRICE	TOTAL	
SION	Sarlo Atland Cement	200	945	1890	01
			<b>6</b> \	10	60
				2n51	lel
CEIVED ABO	VE IN GOOD ORDER				Ravin

Shepard 5-11-10 Dacks

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588 Payless Concrete Products, Inc.

CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road, under fluck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalfs, noadways, chriveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum albotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.

NOTICE TO OWNER

Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filling of a mechanic's lien on the property which is the subject of this contract.

TIME FORMULA LOAD SIZE	YARDS ORDERED	DRIVER/TRUCK PLANT/TRANSACTION #
DATE LOAD #	YARDS DEL. BATCH#	WATER TRIM SLUMP TICKET NUMBER
TATALON AND THE SECOND CO.		OFFICE TOWNS TO THE TOWNS TO THE TRUMPS TO T

### WARNING

IRRITATING TO THE SKIN AND EYES
Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY
CAUSE BURNS. Avoid Contact With Eyes and Protonged Contact With Skin or Eyes, Flush Throughly With Water, if Inflation Persists, Get Medical
Attention, REEP CHUDREN AWAY.

CONCRETE IS A PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT, ANY CHANGES ON CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to be OFFICE BEFORE LOADING STARTS.

The criteralgried promises to pay all costs, including reasonable attorneys lifes, incurred in collecting

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

Not Responsible for Reactive Apprepate or Color Quality. No Claim Allowed Unless Made at Time

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks Excess Delay Time Charged @ \$50/HR.

PROPERTY DAMAGE RELEASE (TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

TO BE SIGNED FIDELYCRY TO BE MADE INSIDE CURB LINE) be an Oxistomer The driver of this thruck to presenting this RELEASE to you be your signature is of the options that the size and weight of his truck may possibly cases damage to the premises andor against property if it places the material in this load where you desire. It his cur wish to help you in every way that we can but in order to do this he driver is requesting that you son the RELEASE entering him and this supplier from any responsibility, from any earnage that may count to the premises and/or adjacent property. billifeing, sidewake, driveways, buths, six, by the othersy of this material, and that ly as a part of the property of the property of the second consideration. The understanding and the property and the will not little the property enter the property and held harmless the driver of this uncertainty and held harmless the driver of this uncertainty and held harmless the driver of this uncertainty.

Excessive Water is Detrimental to Concrete Performance H<sub>2</sub>0 Added By Request/Authorized By

WEIGHMASTER

QUAN	ΙΤΊΤΥ		*	COD	Ē,	Ď	ESCRI	PTION		1						7	Š
i.													1.20		K		
	art.				- 100 m									'n,			
6				Alai.							A.						
		South								$\mathcal{M}$		10			kar.		

	AND THE STREET STREET,			
RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED
			1. JOB NOT READY 6. TRUCK BROKE DOWN 2. SLOW POUR OR POMP 7. ACCIDENT 3. TRUCKAHEAD ON JOB 6. CITATION 6.	
LEFT PLANT	ARRIVED JOB	START UNLOADING	4 CONTRACTOR BROKE DOWN 9; OTHER 5. ADDED WATER	TIME DUE
				Ž. Ž. Š.
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		DELAYTIME
		Wastell		

EXTENDED PRICE

ADDITIONAL CHARGE **ADDITIONAL CHARGE 2** 

**GRAND TOTAL**