

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

063819

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #32/10	API No. 15
Name:Laymon Oil II, LLC	Spot Description:
Address 1:1998 SQUIRREL RD	SW_SE_SW_SE_Sec. 17 Twp. 24 S. R. 16 ▼ East West
Address 2:	
City: NEOSHO FALLS State: KS Zip: 66758 + 7124	165 Feet from North / South Line of Section
Contact Person: Michael Laymon	1815 Feet from ▼ East / West Line of Section
Phone: (620) 963-2495	Footages Calculated from Nearest Outside Section Corner:
CONTRACTOR: License #32710	□ NE □ NW ☑ SE □ SW County: Woodson
Name: Laymon Oil II, LLC	Lease Name: Shepard Well #: 13-11
Wolleite Contract None	
Purchaser:	Field Name:
Designate Type of Completion:	Producing Formation: Squirrel
	Elevation: Ground: 1071 Kelly Bushing: 1076
✓ New Well Re-Entry Workover	Total Depth: 1120 Plug Back Total Depth:
☑ Oil ☐ wsw ☐ swd ☐ slow	Amount of Surface Pipe Set and Cemented at: 40 Feet
☐ Gas ☐ D&A ☐ ENHR ☐ SIGW	Multiple Stage Cementing Collar Used? ☐ Yes ☑ No
☐ OG ☐ GSW ☐ Temp. Abd.	If yes, show depth set:Feet
CM (Coal Bed Methane)	If Alternate II completion, cement circulated from:
Cathodic Other (Core, Expl., etc.):	
If Workover/Re-entry: Old Well Info as follows:	feet depth to: 40 w/ 10 sx cmt.
Operator:	
Well Name:	Drilling Fluid Management Plan
Original Comp. Date: Original Total Depth:	(Data must be collected from the Reserve Pit)
☐ Deepening ☐ Re-perf. ☐ Conv. to ENHR ☐ Conv. to SWD	Chloride content: 0 ppm Fluid volume: 80 bbls
Conv. to GSW	Dewatering method used: Evaporated
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Permit #:	
Dual Completion Permit #:	Operator Name:
SWD Permit #:	Lease Name: License #:
ENHR Permit #:	QuarterSecTwpS. R East West
GSW Permit #:	County: Permit #:
08/09/2011 08/10/2011 08/16/2011	
Spud Date or Date Reached TD Completion Date or Recompletion Date	

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY				
Letter of Confidentiality Received				
Date:				
Confidential Release Date:				
✓ Wireline Log Received				
Geologist Report Received				
UIC Distribution				
ALT I I II Approved by: Deanna Garrison Date: 109/26/2011				

Side Two

1063819

Operator Name: La	ymon Oil II, LLC	;		Leas	e Name: _	Shepard		Well #:13	-11	
Sec. 17 Twp. 24	4 S. R. 16	_	st West		nty: Woo					
time tool open and c	losed, flowing and s tes if gas to surface	nut-in pres test, along	sures, whether: with final chart	shut-in pro	essure rea	ached static leve	I hydrostatic pre	ssures hottom I	giving interval tested, nole temperature, fluid py of all Electric Wire-	
Drill Stem Tests Take (Attach Additional			Yes ☑ No			.og Formati	on (Top), Depth a	and Datum	Sample	
Samples Sent to Geo	ological Survey		Yes ☑ No		Nan Attacl			Top	Datum	
Cores Taken Electric Log Run Electric Log Submitte (If no, Submit Cop	•		Yes ☑ No Yes ☐ No		Allaci	lea		Attached	Attached	
List All E. Logs Run:										
Gamma Ray Neutro	on									
			CASING	RECORD	V V No	ew Used				
			oort all strings set-	conductor,		_	tion, etc.			
Purpose of String	Size Hote Drilled		ize Casing et (In O.D.)		eight s. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives	
Surface	10.2500	8.6250		24		40	Portland	10		
Production	6.1250	2.8750		6.7		1110	common	150		
								,		
Purpose:	Depth	Tvo	e of Cement			JEEZE RECORD				
Perforate Protect Casing	Top Bottom	1,76		# Sacks Used		Type and Percent Additives				
Plug Back TD Plug Off Zone	-									
	-									
Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set Specify Footage of Each Interval Perforated			s Set/Type forated				ement Squeeze Record of Material Used) Depth		
	***************************************	······································	- 10 to 10 t							
	-									
										
TUBING RECORD:	Size: .000	Set At 988		Packer A	At:	Liner Run:	Yes No			
Date of First, Resumed	Production, SWD or El	NHR.	Producing Meth	nod: Pumpii	ng 🗀	Gas Lift 🔲 C	Other (Explain)			
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Wate	er B	bls.	Gas-Oil Ratio	Gravity	
DISPOSITIO	ON OF GAS:		M	IETHOD OI	COMPLE	TION:		PRODUCTION	NINTEDVAL:	
Vented Sold	Used on Lease		Open Hole	Perf.	Dually (Submit A	Comp. Cor	nmingled mit ACO-4)	FRODUCTIO	Y DVIERVAL:	
Other (Specify)										

Form	ACO1 - Well Completion	
Operator	Laymon Oil II, LLC	
Well Name	Shepard 13-11	
Doc ID	1063819	

Tops

Raine	Top 4 - 4 - 4 - 4	Dawn
Soil	0	17
Shale & Lime	17	485
Black Shale	485	490
Shale & Lime	490	660
Big Shale	660	840
Shale & Lime	840	970
Black Shale	970	974
Shale	974	990
Black Shale	990	993
5' Lime	993	996
Black Shale	996	998
Upper Squirrel Sand	998	1015
Shale	1015	1045
Cap Rock	1045	1046
Shale	1046	1048
Cap Rock	1048	1049
Lower Squirrel Sand	1049	1058
Shale	1058	1120

THE NEW KLEIN LUMBER CO., INC.

O#	MADISON & WALNUT		フーフス		1 /
OLD TO.	aymon Out BILLING ADDRESS			, 20	
elivered To	C Loaded By	H _i	auled By		
QUANTITY	DESCRIPTION	FEET	PRICE	TOTAL	
210V	Sourcho Portland Cement	<u> </u>	948	1890	OC
			(0/-	161	60
				2051	42
ECEIVED ABOV	E IN GOOD ORDER				Ravin 3
Monas	rd 5-11 - 10 Aacks				
	1.7-11 -10 Oncks				
Shepari	L. 7-11 - 10 Oncks				
Aboute	rd 9-11-10 Dacker				
or ceper.	1 3 11 - 11 Dach				

Shepard 7-11 - 10 Dacks
Shepard 8-11 - 10 Dacks
Chepard 8-11 - 10 Dacks
Chepard 10-11 - 10 Dacks
Shepard 11-11 10 Dacks
Shepard 12-11 10 Dacks
Shepard 12-11 10 Dacks

802 N. Industrial Rd P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588



CONDITIONS

CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any menner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customers risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.

NOTICE TO OWNER

Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

SHIP YOL

Sec. 2012 (1972) 1973 (1972) 1984 (1984) 1985 (1984) 1985 (1985) 1		光文学 200 元十二十二十二十二十二十二十二十二十二十二十二十二十二十二十二十二十二十二十二
TIME FORMULA LOAD SIZE YARDS ORDERED		. 40 March 1987 - 1987 - 1987 - 1987 - 1987 - 1987 - 1987 - 1987 - 1987 - 1987 - 1987 - 1987 - 1987 - 1987 - 1
IME FORMULA LOAD SIZE YARDS ORDERED	DRIVER/TRUCK PLANT/T	A PER
The state of the s	UNIVERSITION I I PLANTA	TRANSACTION #
For Street to Track the Latter to the cold	La contraction of the contractio	THE PIONS OF THE PROPERTY OF THE
		A TOTAL CONTRACTOR STATE OF THE PARTY OF THE
	。」"你们,你一场的。"	八菱铅石的复数 多洲人士
医大胆囊结膜性坏疽 计数据记录器 经收益帐 经证证 计自己的 医阿尔特氏 医克勒氏征 【1、1、2.25),但是他就能从一个人说明是他,不知识明是一定,是是一个	1、211、2000 (1.38%) 2000 (1.50) 1、1、1、1、1、1、1、1、1、1、1、1、1、1、1、1、1、1、1、	・企業を行ったとします。
1 - 1888年 - 1887年 - 1887年 - 1888年 - 1888 - 1888 - 1888 - 1888 - 1888 - 1888 - 1888 - 1888 - 1888 - 1888 - 1888	- 1987 - Cal (2012年) - 1987 - 1987 - 1987 - 1987 - 1987 - 1987 - 1987 - 1988 - 1988 - 1988 - 1988 - 1988 - 198	少性测量化等性 医线上 人名巴里
	""(2) - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	
	生产"(A): A): A)	A : 66346.01527-552 - 4016
		J 39-11 Jacob 1878 - 189
DATE LOAD 4 VADDO DEL		
DATE VARDS DEL	BATCH# WATER TRIM SLUMP TICK	CHARLES TO NAME OF THE OWNER,
INTIDODEC.	BATCH# WATER TRIM SLUMP TICK	ET NUMBER
TO SECURE AND A SECURE OF SECURITIES AND A SECURITIES AND ASSESSMENT OF SE	1	LIMOMOTH "
그는 그는 하는 경기에 가는 그는 그 사람이 취임하는 유명이 그 경기에 가는 하는 이 생활이다. 그는 사람들은 그래프리아 전혀 가장 하는 것이 그를 가게 했다. 그 그 가장 생각이		200000000000000000000000000000000000000
ニードション・ディング こうさん 刺激 (人類) 大学 2007 ニー・アン・ドレー・アン・アン・アン・発音法 発音法 本土 こうまきゅう (世界) 多くさん	虽没会上。"\$P\$1、"马克····································	8 THE R. P. LEWIS CO., LANSING, MICH.
	。"她说道:"这一一一大大大孩子,那么没有的人,一个老孩的身边的大孩子。"她的第三人称:"我这个人的感觉,只像这样一个 小 女女女	42 No. 1944 - 23 West Art 1 1 1 1
	2000 2 200 200 200 200 200 C 1000 200 1000 10	20 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
- Commission Photography and Commission Comm	and the strategy of the control of t	. 3000 971 8 TO 4978 9 DOM: UTA 4

WARNING IRRITATING TO THE SKIN AND EYES

Contains Portland Cement, Wear Rubbe Boots and Gloves, PROLEONED CONTACT, MAY CAUSE, BURNS, Avoid Contact With Eyes and Prolonged Contact With Skin, In Case of Contact With Skin, In Case of Contact With Skin, In Case of Contact With Skin or Eyes, Rush, Proroughly With Water, if Imitation Persists, Get Medical Attention, KEEP CHILDREN AWAY.

CONCRETE IS A PERISHABLE COMMODITY, and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT, ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, suducing reasonable atombys' fees, incurred in collecting

All accounts not paid within 30 days of detvery will beer priorest at the rate of 24% per annum. Not Responsible for Readilve Aggregate of Color Quality. No Claim Allowed Unless Made at Time Material & Delivered

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks. Excess Delay Time Charged @ \$50/HR.

CODE

PROPERTY DAMAGE BEI EASE

TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE! TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINES Dear Classmen the driver of this fluck, is presenting this RELEASE to you for your syndrom is of the opinion that the size and weight of instruck, may possibly cause dramage to the premises landor adjacent property in I please the material in this load where you desire it, it is our want to help you in every way that we can, but in order to do this he driver, is requesting that you sign this RELEASE releaving that any door he driver, is requesting that you sign this RELEASE releaving that may count to the premises; and/or adjacent property butdings, storages, diversorys, curies, etc. by, ine, delivery of this material, and that you can be also agree to help him amone must from his wheels do that he will not little the public crost. Further, as additional considerasea in we have the purce trace. In these, as additional considera-for, the understand agrees to indemnity and had harmless the differ-of his truck and this supplies for any and all clanage to the promises and/or additional property which may be claimed by amore to, have easien out of deferry of this order. SIGNED.

Excessive Water is Detrimental to Concrete Performance H₂0 Added By Request/Authorized By

WEIGHMASTER

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.

LOAD RECEIVED BY:

UNIT PRICE

EXTENDED PRICE

RETURNED TO PLANT LEFT JOB FINISH UNLOADING DELAY EXPLANATION/CYLINDER TEST TAKEN TIME ALLOWED JCB NOT READY 6 TRUCK BROKE DOWN 2. SLOW POUR OR PUMP 7. ACCIDENT 3. TRUCK AHEAD ON JOB S. CITATION LEFT PLANT ARRIVED JOB 4. CONTRACTOR BROKE DOWN START UNLOADING 9. OTHER 5. ADDED WATER TIME DUE TOTAL ROUND TRIP TOTAL AT JOB UNLOADING TIME **DELAY TIME**

170,40 ADDITIONAL CHARGE

ADDITIONAL CHARGE 2

GRAND TOTAL