

STATE CORPORATION COMMISSION OF KANSAS
OIL & GAS CONSERVATION DIVISION
WELL COMPLETION FORM
ACO-1 WELL HISTORY
DESCRIPTION OF WELL AND LEASE

Operator: License # 3581

Name: Red Oak Energy, Inc.

Address 200 W. Douglas, Suite 510

City/State/Zip Wichita, KS 67202

Purchaser: _____

Operator Contact Person: Kevin Davis

Phone (316.) 265-9925

Contractor: Name: Murfin Drilling Company, Inc.

License: 30606

Wellsite Geologist: _____

Designate Type of completion
 New Well Re-Entry Workover

Oil SWD SLOW Temp. Abd.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-Entry: old well info as follows:

Operator: _____

Well Name: _____

Comp. Date _____ Old Total Depth _____

Deepening Re-perf. Conv. to Inj/SWD
 Plug Back PBDT
 Commingled Docket No. _____
 Dual Completion Docket No. _____
 Other (SWD or Inj?) Docket No. _____

10-12-95 10-21-95 10-22-95
Spud Date Date Reached TD Completion Date

API NO. 15- 199202310000

County Wallace

NW-NE- NW Sec. 30 Twp. 15S Rge. 41 W ^E

330 Feet from (S)N (circle one) Line of Section

1656 Feet from (E)W (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:
NE, SE, NW or SW (circle one)

Lease Name Phelps Well # 1

Field Name Wildcat

Producing Formation D & A

Elevation: Ground 3835 KB 3845

Total Depth 5250' PBDT _____

Amount of Surface Pipe Set and Cemented at 351 Feet

Multiple Stage Cementing Collar Used? Yes No

If yes, show depth set _____ Feet

If Alternate II completion, cement circulated from _____

feet depth to _____ w/ _____ sx cmt.

Drilling Fluid Management Plan D & A 4-1-96
(Data must be collected from the Reserve Pit) RU

Chloride content NA ppm Fluid volume 660 bbls

Dewatering method used Evaporation

Location of fluid disposal if hauled offsite: _____

Operator Name _____ DEC 20 1995

Lease Name _____ License No. _____

6 Quarter Sec. _____ Twp. S Wichita, KS W

County _____ Docket No. _____

FROM CONFIDENTIAL

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 200 Colorado Derby Building, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information on side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.


Signature W. C. Davis

Title President Date 12/15/95

Subscribed and sworn to before me this 15 day of December 1995.

Notary Public Victoria Davis

Date Commission Expires October 21, 1997



K.C.C. OFFICE USE ONLY
F Letter of Confidentiality Attached
C Wireline Log Received
C Geologist Report Received
Distribution
 KCC SWD/Rep NGPA
 KGS Plug Other (Specify)

ORIGINAL

SIDE TWO

CONFIDENTIAL

Operator name Red Oak Energy, Inc

Lease Name Phelps Well # 1

Sec. 30 Twp. 15S Rge. 41

East

County Wallace

West

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all drill stem tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface during test. Attach extra sheet if more space is needed. Attach copy of log.

Drill Stem Tests Taken (Attach Additional Sheets.)	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input checked="" type="checkbox"/> Log Formation (Top), Depth and Datums	<input type="checkbox"/> Sample	
Samples Sent to Geological Survey	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	Name	Top	Datum
Cores Taken	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	Base Anhy	2799	+1046
Electric Log Run (Submit Copy.)	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	Topeka	3986	- 141
List All E.Logs Run:	Dual Induction CNL - CDL		Lansing	4255	- 410
			Marmaton	4572	- 727
			Cherokee	4768	- 923
			Morrow Sh.	5016	-1171
			Morrow Lime	5110	-1265
			Miss.	5184	-1339

CASING RECORD <u> </u> New <u> </u> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs./Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12 1/4"	8 5/8"	28#	351	60/40 Poz, 3% CC, 2% Gel	250 340	

ADDITIONAL CEMENTING/SQUEEZE RECORD				
Purpose: _ Perforate _ Protect Csg _ Plug Back TD _ Plug Off Zone	Depth Top/Btm	Type of Cement	# Sacks Used	Type and Percent Additives

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated		Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)		Depth

TUBING RECORD Size Set At Packer At Liner Run Yes No

Date of First, Resumed Production, SWD or Inj. Producing Method
 Flowing Pumping Gas Lift Other

Estimated Production Per 24 Hours Oil Bbls Gas Mcf Water Bbls. Gas-Oil Ratio Gravity

Disposition of Gas: **METHOD OF COMPLETION** Production Interval

Vented Sold Used on Lease Open Hole Perf. Dually Comp. Commingled

(If vented, submit ACO-18.) Other (Specify) _____

ALLIED CEMENTING CO., INC.

15-199-20231-00-00

4023

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

ORIGINAL

SERVICE POINT: Oakley

DATE <u>10-13-95</u>	SEC. <u>30</u>	TWP. <u>15</u>	RANGE <u>41</u>	CALLED OUT	ON LOCATION <u>4:00 AM</u>	JOB START <u>9:00 AM</u>	JOB FINISH <u>1:30 PM</u>
LEASE <u>Phelps</u>	WELL # <u>1-30</u>	LOCATION <u>Was Kan 10 S 2 E S.S.</u>	COUNTY <u>Wallace</u>	STATE <u>Kan</u>	CONFIDENTIAL		

CONTRACTOR Murfin Drlg Co #14

TYPE OF JOB Surface

HOLE SIZE 12 1/4 T.D. 352'

CASING SIZE 8 5/8 DEPTH 351'

TUBING SIZE _____ DEPTH _____

DRILL PIPE _____ DEPTH _____

TOOL _____ DEPTH _____

PRES. MAX _____ MINIMUM _____

MEAS. LINE _____ SHOE JOINT _____

CEMENT LEFT IN CSG. 15'

PERFS. _____

OWNER Same

CEMENT

AMOUNT ORDERED 250 sks 60/40 por

3% cc - 2% Gel

(Used 90 more sks on Tap side)

(Total of 340 sks)

COMMON	<u>204</u>	sk	@	<u>7.20</u>	<u>1,468.80</u>
POZMIX	<u>136</u>	sk	@	<u>3.15</u>	<u>428.40</u>
GEL	<u>6</u>	sk	@	<u>9.50</u>	<u>57.00</u>
CHLORIDE	<u>11</u>	sk	@	<u>28.00</u>	<u>308.00</u>

EQUIPMENT

RELEASED FEB 6 1997

PUMP TRUCK CEMENTER Walt

191 HELPER Wayne

BULK TRUCK DRIVER Don

218

BULK TRUCK DRIVER _____

HANDLING 340 sks @ 1.05 357.00

MILEAGE 44 per sk/mile

RECEIVED

KANSAS CORPORATION

TOTAL 3,627.60

REMARKS:

SERVICE

DEC 20 1995

Cement Did not Circ

Can 50' 1" Taped Cement

mixed 90 sks Till Circ to Surface

Thank You

CHARGE TO: Red Oak Energy

STREET 200 W. Douglas # 510

CITY Wichita STATE Kansas ZIP 67202

DEPTH OF JOB 351'

PUMP TRUCK CHARGE 445.00

EXTRA FOOTAGE 50' @ 4.14 20.70

MILEAGE 7.4 - miles @ 2.35 173.90

PLUG 8 5/8 Surface @ 45.00

TOTAL 648.60

69904

10/13/95

7/1/95

FLOAT EQUIPMENT

Vendor Number	GL Number	Property Number	STAT	Cost Class	Investor Number	Type	H	Amount
<u>ALLIED</u>	<u>040000</u>	<u>PHE01</u>	<u>1</u>	<u>02</u>				<u>3448.00</u>
		<u>Surface Cement</u>						
TOTAL								

To Allied Cementing Co., Inc.

You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX _____

TOTAL CHARGE _____

DISCOUNT _____ IF PAID IN 30 DAYS

SIGNATURE James P. ...

ALLIED CEMENTING CO., INC.

15-199-20231-00-00

3593

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

ORIGINAL

SERVICE POINT:

OAKLEY, KS

DATE <u>10-22-95</u>	SEC. <u>30</u>	TWP. <u>15S</u>	RANGE <u>41W</u>	CALLED OUT	ON LOCATION <u>1:00 AM</u>	JOB START <u>3:00 AM</u>	JOB FINISH <u>6:15 AM</u>
LEASE <u>PHELPS</u>	WELL # <u>1-30</u>	LOCATION <u>WESKAN 105-2E</u>			COUNTY <u>WALLACE</u>	STATE <u>KS</u>	

OLD OR NEW (Circle one)

CONTRACTOR <u>MURFEN DRIG. RIG #14</u>	OWNER <u>SAME</u>
TYPE OF JOB <u>PTA</u>	<u>CONFIDENTIAL</u>
HOLE SIZE <u>7 1/4"</u>	T.D. <u>5250'</u>
CASING SIZE	DEPTH
TUBING SIZE	DEPTH
DRILL PIPE <u>4 1/2"</u>	DEPTH <u>2800'</u>
TOOL	DEPTH
PRES. MAX	MINIMUM
MEAS. LINE	SHOE JOINT
CEMENT LEFT IN CSG.	
PERFS.	

OWNER SAME CONFIDENTIAL
CEMENT CONFIDENTIAL

EQUIPMENT	
PUMP TRUCK	CEMENTER <u>TERRY</u>
# <u>300</u>	HELPER <u>WAYNE</u>
BULK TRUCK	
# <u>305</u>	DRIVER <u>DON</u>
BULK TRUCK	
#	DRIVER

AMOUNT ORDERED <u>200 SKS 60/40 P&26 P&6EL</u>	
<u>1/4" Flo-SEAL</u>	
COMMON <u>120 SKS</u>	@ <u>7.20</u> <u>864.00</u>
POZMIX <u>80 SKS</u>	@ <u>3.15</u> <u>252.00</u>
GEL <u>10 SKS</u>	@ <u>9.50</u> <u>95.00</u>
CHLORIDE	@
<u>Flo-Seal 50#</u>	@ <u>1.15</u> <u>57.50</u>
	@
	@
	@
	@
	@
HANDLING <u>200 SKS</u>	@ <u>1.05</u> <u>210.00</u>
MILEAGE <u>40 per SK/mile</u>	<u>592.00</u>

RELEASED

FEB 6 1997

TOTAL 2,070.50

FROM CONFIDENTIAL

REMARKS:

SERVICE

<u>25 SKS AT 2800'</u>
<u>100 SKS AT 1750'</u>
<u>40 SKS AT 400'</u>
<u>10 SKS AT 40'</u>
<u>10 SKS MOUSE HOLE</u>
<u>15 SKS RAT HOLE</u>

DEPTH OF JOB <u>2800'</u>	
PUMP TRUCK CHARGE	<u>550.00</u>
EXTRA FOOTAGE	@
MILEAGE <u>74-miles</u>	@ <u>2.35</u> <u>173.90</u>
PLUG <u>8" DRY HOLE</u>	@ <u>23.00</u>
	@
	@

TOTAL 746.90

CHARGE TO: REO OAK
STREET 200 W. Douglas 510
CITY Wichita STATE Kansas ZIP 67202

FLOAT EQUIPMENT

	@	
	@	
	@	
	@	
	@	

TOTAL

TAX	
TOTAL CHARGE	
DISCOUNT	IF PAID IN 30 DAYS

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE Bernard Meyer