

STATE CORPORATION COMMISSION OF KANSAS  
OIL & GAS CONSERVATION DIVISION  
WELL COMPLETION FORM  
ACO-1 WELL HISTORY  
DESCRIPTION OF WELL AND LEASE

Operator: License # 3581

Name: Red Oak Energy, Inc.

Address 200 W. Douglas, Suite 510

City/State/Zip Wichita, KS 67202

Purchaser: \_\_\_\_\_

Operator Contact Person: Kevin C. Davis

Phone (316) 265-9925

Contractor: Name: Murfin Drilling Company, Inc.

License: 30606

Wellsite Geologist: \_\_\_\_\_

Designate Type of completion  
 New Well  Re-Entry  Workover

Oil  SWD  SIOW  Temp. Abd.

Gas  ENHR  SIGW

Dry  Other (Core, WSW, Expl., Cathodic Protection)

If Workover/Re-Entry: old well info as follows:

Operator: KCC DEC 16 1997

Well Name: DEC 16

Comp. Date DEC 16 Old Total Depth \_\_\_\_\_ WICHITA, KS

Deepening  Re-perf.  Conv. to Inj/SWD

Plug Back  PBTD

Commingled  Docket No. \_\_\_\_\_

Dual Completion  Docket No. \_\_\_\_\_

Other (SWD or Inj?)  Docket No. \_\_\_\_\_

11-13-97 11-23-97 11-23-97  
Spud Date Date Reached TD Completion Date

API NO. 15- 071-206780000

County Greeley

NE - NW - NW - Sec. 21 Twp. 16S Rge. 42 X E

330 Feet from S/N (circle one) Line of Section

990 Feet from E/W (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:  
NE, SE, NW or SW (circle one)

Lease Name Beck Well # 1-21

Field Name Wildcat

Producing Formation \_\_\_\_\_

Elevation: Ground 3843 KB \_\_\_\_\_

Total Depth 5250' PBTD \_\_\_\_\_

Amount of Surface Pipe Set and Cemented at 369 Feet

Multiple Stage Cementing Collar Used?  Yes  No

If yes, show depth set \_\_\_\_\_ Feet

If Alternate II completion, cement circulated from \_\_\_\_\_

feet depth to \_\_\_\_\_ w/ \_\_\_\_\_ sx cmt.

Drilling Fluid Management Plan FAA, 9-24-98 U.C.  
(Data must be collected from the Reserve Pit)

Chloride content N/A ppm Fluid volume 500 bbls

Dewatering method used Evaporation

Location of fluid disposal if hauled offsite: \_\_\_\_\_

Operator Name \_\_\_\_\_

Lease Name \_\_\_\_\_ License No. \_\_\_\_\_

\_\_\_\_ Quarter Sec. \_\_\_\_ Twp. \_\_\_\_ S Rng. \_\_\_\_ E/W

County \_\_\_\_\_ Docket No. \_\_\_\_\_

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 200 Colorado Derby Building, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information on side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature Kevin C. Davis


Title Pres Date 12/16/97

Subscribed and sworn to before me this 16th day of December 1997.

Notary Public Victoria Davis

Date Commission Expires October 21, 2001

K.C.C. OFFICE USE ONLY  
F  Letter of Confidentiality Attached  
C  Wireline Log Received  
C  Geologist Report Received  
Distribution  
 KCC  SWD/Rep  NGPA  
 KGS  Plug  Other  
(Specify)



SIDE TWO

Operator name Red Oak Energy, Inc.

Lease Name Beck Well # 1-21

Sec. 21 Twp. 16S Rge. 42

East  
 West

County Greeley

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all drill stem tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface during test. Attach extra sheet if more space is needed. Attach copy of log.

Drill Stem Tests Taken (Attach Additional Sheets.)	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> Log Formation (Top), Depth and Datums <input type="checkbox"/> Sample (Name) <u>S VAL</u> Top Datum FROM COMPLETION WORK
Samples Sent to Geological Survey	<input type="checkbox"/> Yes	<input type="checkbox"/> No	
Cores Taken	<input type="checkbox"/> Yes	<input type="checkbox"/> No	
Electric Log Run (Submit Copy.)	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	

List All E.Logs Run:  
*Dual Induction Log,*  
*Compensated Density Neutron Log.*

CASING RECORD <u>  </u> New <u>  </u> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs./Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12 1/4"	8 5/8"		369'	60/40 Poz, 3% CC, 2& gel	275	

ADDITIONAL CEMENTING/SQUEEZE RECORD				
Purpose: _ Perforate _ Protect Csg _ Plug Back TD _ Plug Off Zone	Depth Top/Btm	Type of Cement	# Sacks Used	Type and Percent Additives

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth

TUBING RECORD Size Set At Packer At Liner Run    Yes    No

Date of First, Resumed Production, SWD or Inj. D&A Producing Method    Flowing    Pumping    Gas Lift    Other

Estimated Production Per 24 Hours Oil N-A Bbls Gas Mcf Water Bbls Gas-Oil Ratio Gravity

Disposition of Gas: **METHOD OF COMPLETION** Production Interval  
 Vented  Sold  Used on Lease  Open Hole  Perf.  Dually Comp.  Commingled

# ALLIED CEMENTING CO., INC.

8574

Federal Tax I.D.

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

## ORIGINAL

SERVICE POINT:

Oakley

DATE <u>11-14-97</u>	SEC. <u>21</u>	TWP. <u>16s</u>	RANGE <u>42W</u>	CALLED OUT	ON LOCATION <u>8:30 AM</u>	JOB START <u>2:00 PM</u>	JOB FINISH <u>2:30 PM</u>
LEASE <u>Beck</u>		WELL # <u>1-21</u>	LOCATION <u>Tribune 12 N 12 W</u>		COUNTY <u>Greeley</u>	STATE <u>KS</u>	
OLD OR <input checked="checked" type="radio"/> NEW (Circle one)					RELEASED		

CONTRACTOR <u>Murfin Drlg Co Rig 14</u>	OWNER <u>Same</u>	JAN 29 1999
TYPE OF JOB <u>Surface</u>		
HOLE SIZE <u>12 1/4</u>	T.D. <u>375'</u>	CEMENT
CASING SIZE <u>9 5/8</u>	DEPTH <u>374'</u>	AMOUNT ORDERED <u>275 SKS 60/40P02</u>
TUBING SIZE	DEPTH	<u>3% E.C. 2% GEL</u>
DRILL PIPE	DEPTH	CONFIDENTIAL
TOOL	DEPTH	
PRES. MAX	MINIMUM	
MEAS. LINE	SHOE JOINT <u>27.68'</u>	COMMON <u>165 SKS @ 755</u> <u>1,245.75</u>
CEMENT LEFT IN CSG. <u>45'</u>		POZMIX <u>110 SKS @ 325</u> <u>357.50</u>
PERFS.		GEL <u>5 SKS @ 950</u> <u>475.00</u>
DISPLACEMENT		CHLORIDE <u>9 SKS @ 28.00</u> <u>252.00</u>
EQUIPMENT	DEC 16	
PUMP TRUCK CEMENTER <u>Dean</u>	<u>CONFIDENTIAL</u>	HANDLING <u>275 SKS @ 105</u> <u>288.75</u>
# <u>102</u> HELPER <u>Walt</u>		MILEAGE <u>44 P.S. SKS/MI</u> <u>902.00</u>
BULK TRUCK DRIVER <u>Jeff</u>	RECEIVED KANSAS CORPORATION COMMISSION	
# <u>218</u>		TOTAL <u>3,093.50</u>
BULK TRUCK DRIVER	DEC 16 1997	

REMARKS:	CONSERVATION DIVISION WICHITA, KS	SERVICE
<u>Cement did circulate ✓</u>	DEPTH OF JOB <u>374'</u>	
	PUMP TRUCK CHARGE	<u>470.00</u>
	EXTRA FOOTAGE <u>74'</u>	@ <u>43¢</u> <u>31.82</u>
	MILEAGE <u>82 miles</u>	@ <u>2.85</u> <u>233.70</u>
	PLUG <u>Surface</u>	@ <u>45.00</u>
<u>Thank you</u>		@
		@
		TOTAL <u>780.52</u>

CHARGE TO: Red Oak Energy  
 STREET 200 W Douglas #510  
 CITY Wichita STATE Kansas ZIP 67202

FLOAT EQUIPMENT

<u>2 Centralizers</u>	@	<u>122.00</u>
<u>Baffle Plate</u>	@	<u>135.00</u>
<u>Box Baker Lock</u>	@	<u>30.00</u>
	@	
	@	
	@	
	@	
		TOTAL <u>287.00</u>

To Allied Cementing Co., Inc.

You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX \_\_\_\_\_  
 TOTAL CHARGE \_\_\_\_\_  
 DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

SIGNATURE James R. Reader

JAMES READER  
 PRINTED NAME

# ALLIED CEMENTING CO., INC. 945

Federal Tax I.D.

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

## ORIGINAL

SERVICE POINT: Oakley

DATE <u>11-23-97</u>	SEC. <u>21</u>	TWP. <u>16</u>	RANGE <u>42</u>	CALLED OUT	ON LOCATION <u>6:30 AM</u>	JOB START	JOB FINISH <u>10:00 AM</u>
LEASE <u>Beck</u>		WELL # <u>1-21</u>		LOCATION <u>OxTown Feeders 124-S.S.</u>		COUNTY <u>Greeley</u>	STATE <u>Kan</u>
OLD OR <u>NEW</u> (Circle one)				<b>RELEASED</b>			

CONTRACTOR MurFin Drly Co #14

TYPE OF JOB PTA

HOLE SIZE	T.D. <u>5250'</u>
CASING SIZE	DEPTH
TUBING SIZE	DEPTH
DRILL PIPE <u>4 1/2 x 4</u>	DEPTH <u>2530'</u>
TOOL	DEPTH
PRES. MAX	MINIMUM
MEAS. LINE	SHOE JOINT
CEMENT LEFT IN CSG.	
PERFS.	
DISPLACEMENT	

OWNER JAN 29 1999 Same

CEMENT AMOUNT ORDERED 255 SKS 60% POZ  
6% Gel, 1/4" Flo-Seal

COMMON	<u>153 SKS</u>	@	<u>7.55</u>	<u>1155.15</u>
POZMIX	<u>102 SKS</u>	@	<u>3.25</u>	<u>331.50</u>
GEL	<u>13 SKS</u>	@	<u>9.50</u>	<u>123.50</u>
CHLORIDE		@		
<u>Flo-Seal</u>	<u>64#</u>	@	<u>1.15</u>	<u>73.60</u>
		@		
		@		
		@		
		@		
HANDLING	<u>255 SKS</u>	@	<u>1.00</u>	<u>267.75</u>
MILEAGE				<u>836.40</u>
<b>TOTAL</b>				<u>2,787.90</u>

**EQUIPMENT**

PUMP TRUCK # <u>191</u>	CEMENTER <u>Walt</u>
	HELPER <u>JEFF</u>
BULK TRUCK # <u>218</u>	DRIVER <u>Robert</u>
BULK TRUCK # _____	DRIVER _____

RECEIVED  
KANSAS CORPORATION COMMISSION

DEC 16 1997

REMARKS:

SERVICE

CONSERVATION DIVISION  
WICHITA, KS

<u>50 SKS</u>	<u>2530'</u>
<u>80 SKS</u>	<u>1840'</u>
<u>40 SKS</u>	<u>900'</u>
<u>50 SKS</u>	<u>400'</u>
<u>10 SKS</u>	<u>40'</u>
<u>15 SKS in Rib</u>	
<u>10 SKS in Mt.</u>	

DEPTH OF JOB	<u>2530'</u>
PUMP TRUCK CHARGE	<u>580.00</u>
EXTRA FOOTAGE	@
MILEAGE <u>82 miles</u>	@ <u>2.85</u> <u>233.70</u>
PLUG <u>8 5/8 D.H Plug</u>	@ <u>28.00</u>
	@
	@
<b>TOTAL</b> <u>836.70</u>	

CHARGE TO: Red Oak Energy

STREET 200 W Douglas, ST. #510

CITY Wichita STATE Kan ZIP 67202

FLOAT EQUIPMENT

	@	
	@	
	@	
	@	
	@	

TOTAL \_\_\_\_\_

To Allied Cementing Co., Inc.  
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX \_\_\_\_\_

TOTAL CHARGE \_\_\_\_\_

DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

SIGNATURE James Penner

JAMES PENNER  
PRINTED NAME