## Kansas Corporation Commission, Oil & Gas Conservation Division

## WELL COMPLETION FORM WELL HISRORY FOR SCRIPTION OF WELL & LEASE

· 🔨	
0.	Form ACO-1
UDI-	June 2009
	Form Must Be Typed
'Y/A/,	Form must be Signed
· VA	if blanks must be Filled
= ~~//	•

\*\*

WELL HISKOWY	SCRIPTION OF WELL & LEASE
OPERATOR: License # 7383	API No. 15 - 009-25568-00-00
Name: Grady Bolding Corporation	Spot Description:
Address 1: 114 N. Main KCC WICH	Spot Description:  Sec. 21 Twp. 17 S. R. 11 East West
Address 2: P.O. Box 486	Feet from  North / South Line of Section
City: Ellinwood State: KS Zip: 67526 + 0486	Feet from ☐ East / ✓ West Line of Section
Contact Person: Grady Bolding	Footages Calculated from Nearest Outside Section Corner:
Phone: ( <u>620 )</u> 564-2240	NE ☑NW ☐SE ☐SW
CONTRACTOR: License #_33350	a Rarton
Name: Southwind Drilling Inc.	Lease Name: Radenberg Well #: 1
Wellsite Geologist: James C. Musgrove	Kroft Pruga
Purchaser: n/a	
	Elevation: Ground: 1802' Kelly Bushing:
Designate Type of Completion:	
New Well Re-Entry Workover	Total Depth: 3280 Plug Back Total Depth:
Oil WSW SWD SIOW	Amount of Surface Pipe Set and Cemented at: 338 Fee
☐ Gas ´ ✔ D&A ☐ ENHR ☐ SIGW	Multiple Stage Cementing Collar Used? ☐ Yes ☑ No
☐ OG ☐ GSW ☐ Temp. Abo	d. If yes, show depth set: Fee
CM (Coal Bed Methane)	If Alternate II completion, cement circulated from:
Cathodic Other (Core, Expl., etc.):	feet depth to:w/sx cm
f Workover/Re-entry: Old Well Info as follows:	
Operator:	Drilling Fluid Management Plan
Well Name:	
Original Comp. Date: Original Total Depth:	Chloride content: 10000 ppm Fluid volume: 1500 bbl
Deepening Re-perf. Conv. to ENHR Conv. to S	num.
Conv. to GSW	Dewatering method used: natural separation in pit
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Permit #:	Operator Name:
Dual Completion Permit #:	Lease Name: License #:
SWD Permit #:	
ENHR Permit #:	QuarterSecTwpS. R East Wes
GSW Permit #:	County: Permit #:
7/26/11 8/3/11 8/3/11	
Spud Date or Date Reached TD Completion Date or Recompletion Date Recompletion Date	
Kansas 67202, within 120 days of the spud date, recompletion, workow of side two of this form will be held confidential for a period of 12 mont	ed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, ver or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information as if requested in writing and submitted with the form (see rule 82-3-107 for confidency is well report shall be attached with this form. ALL CEMENTING TICKETS MUST-111 form with all temporarily abandoned wells.
	V00 0// 11 0/11/
AFFIDAVIT  I am the affiant and I hereby certify that all requirements of the statutes, rul	KCC Office Use ONLY
ations promulgated to regulate the oil and gas industry have been fully c	omplied with Letter of Confidentiality Received
and the statements herein are complete and correct to the best of my ki	nowledge. Date:
	☐ Wireline Log Received
Signature: Kungu M Murra	Geologist Report Received
alath manager alorely	UIC Distribution
Title: Oppice records Date: 1005 11	ALT VI III Approved by: Date: [0] 7[[]

Operator Name: Gra	dy Bolding Co	rporation	1	Lease	Name: _	Radenberg		Well #:1_		
Sec. 21 Twp. 17					: Bart		and the second second			
INSTRUCTIONS: Shot time tool open and clos recovery, and flow rate line Logs surveyed. At	sed, flowing and shu s if gas to surface to	ıt-in pressui est, along w	res, whether s ith final chart(	hut-in pres	sure rea	ched static level	, hydrostatic press	ures, bottom h	nole temp	erature, fluid
Drill Stem Tests Taken (Attach Additional S	heets)	✓ Ye	s 🗌 No			og Formatio	n (Top), Depth and			Sample
Samples Sent to Geological Survey			Name see attached			Top Datum				
	es Taken Yes V No									
List All E. Logs Run: see attached										
		Renor		RECORD	Ne urface inte	ew Used  Brownediate, product	ion etc			
Purpose of String	Size Hole Drilled	Size	Casing (In O.D.)	Wei	ght	Setting Depth	Type of Cement	# Sacks Used		and Percent
surface	12 1/4	8 5/8		20		338	60/40 common	185	3%сс,	, 2%gel
										·
Purpose:	Depth	Type				JEEZE RECORD		ercent Additives		
Perforate Protect Casing Plug Back TD Plug Off Zone	Top Bottom Type of Sentent Typ				Type and T	Joen Addition				
		<u></u>				<u> </u>				
Shots Per Foot			O - Bridge Plug ach Interval Per		Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)  Dep				Depth	
						:		<del></del>		
					······································		6	··-		
			34,11				. <u></u>	RI	ECEIV	<b>E</b> D
				<del></del>			,			
TUBING RECORD:	Size:	Set At:		Packer A	xt:	Liner Run:	Yes No			2011 HITA .
Date of First, Resumed I	Production, SWD or Ef	NHR.	Producing Met	hod: Pumpir	ng 🗀	Gas Lift (	Other (Explain)	KCC	WIC	HITA.
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Wat	er E	Bbls. G	ias-Oil Ratio		Gravity
DISPOSITIO			pen Hole	METHOD OF			mmingled	PRODUCTI	ON INTER	VAL:
Vented Sold (If vented, Sub	Used on Lease mit ACO-18.)		ther (Specify)		(Submit	,	omit ACO-4)			

## ALLIED CEMENTING CO., LLC. 037377

REMIT TO P.O. BOX 31 RUSSELL, KANSAS 67665	and the second of the second of	VICE POINT: <u>Great</u>	Bend Ks
SEC. TWP. RANGE,	ALLED OUT ON LOCATION	JOB START	JOB FINISH##
DATE 7-26-1/ 21 175 1/49	- 4 - 4 - 4 - 4 - 4 - 4 - 4 - 4 - 4 - 4	9:15pm	9545 Fra
LEASE Redenders WELL# LOCATION C/affic	North to Odino	COUNT	KS
OLD OR NEW (Circle one)	3/05 5	1 32	THE AVERT TO STATE
July 14			$\alpha$
CONTRACTOR Jouthwine #4	OWNER SEADY BOIL	Idina (	014
TYPE OF JOB Surveyee		<u> </u>	
HOLE SIZE 1/21/4, T.D. 338	CEMENT	Bound	ring in the second second
CASING SIZE 8/8 DEPTH 338	AMOUNT ORDERED	1x 60/4	<u>o</u>
TUBING SIZE DEPTH	3%cc >%ae	<u>(</u>	· 
DRILL PIPE 4/2 DEPTH XX			<del> </del>
TOOL DEPTH			75
PRES. MAX MINIMUM	COMMON	@ 16.25	1.803.
MEAS. LINE SHOE JOINT	POZMIX 74	_@ <u>\$.50</u>	629.00
CEMENT LEFT IN CSG. 15 Lt.	GEL <u>3</u>	_@ <u>21.25</u>	63.25
PERFS.	CHLORIDE	_@ <u>58.20</u>	
DISPLACEMENT	ASC	@:	1 .+ \$ .5861
EQUIPMENT	- Control of the Cont	_ @	
The street of the state of the	and the second s	@	
PUMPTRUCK CEMENTER Orea		_@	
# 3/do HELPER Treat H			TV - 1997.
BULKTRUCK		_ @	<u> </u>
#/637/194 DRIVER 500 R	on the state of t		· <del></del>
BULKTRUCK		_ @	
# DRIVER		_@ <del></del>	4124 50
	HANDLING /94 MILEAGE /94 X204.//	_ @ <u>2.25</u> _	436.50 426.80
		CE Andrews	and the second of the second o
Olyplace 20,58 bbl. freshwater	DEPTH OF JOB 338		
Shut In	DEPTH OF JOB 338 PUMP TRUCK CHARGE	1125.00	The state of the s
Shut In Cement did circulate	DEPTH OF JOB 338 PUMP TRUCK CHARGE EXTRA FOOTAGE	//25.00 @	***(1,**i\ - ***
Shut In Cement did circutate	DEPTH OF JOB 338 PUMP TRUCK CHARGE EXTRA FOOTAGE MILEAGE T	//25.00 @ @ 7.60	280.30
Shaf In did circulate	DEPTH OF JOB 338  PUMP TRUCK CHARGE  EXTRA FOOTAGE  MILEAGE T	//25,00 @ 	280.20 280.20
Shut In Cement did circutate	DEPTH OF JOB 338  PUMP TRUCK CHARGE  EXTRA FOOTAGE  MILEAGE 7	//25,00 @ 	280.30
Short IND Cement did circulate	DEPTH OF JOB 338  PUMP TRUCK CHARGE  EXTRA FOOTAGE  MILEAGE T	//25,00 @ 	280.30 160.00
Shaf In did circulate	DEPTH OF JOB 338  PUMP TRUCK CHARGE  EXTRA FOOTAGE  MILEAGE 7	//25, ලව @ 7,6ට @ 4.0ට @	280.30 160.50
Charge to: Grady Bolding Corp.	DEPTH OF JOB 338  PUMP TRUCK CHARGE  EXTRA FOOTAGE  MILEAGE 7	//25,00 @ 	280.00 160.00 1565.00
Charge to: Oracy Bolding Corp.  STREET	DEPTH OF JOB 338  PUMP TRUCK CHARGE  EXTRA FOOTAGE  MILEAGE 7	//25, ලව @ 7,6ට @ 4.0ට @	280.00 160.00 1565.00
Charge to Grady Bolding Corp.	DEPTH OF JOB 338  PUMP TRUCK CHARGE  EXTRA FOOTAGE  MILEAGE 7	//25, 55 @ 7,6む @ 7,6む @ 4.0む @ TOTAL	280.00 160.00 /565.00 RECEIVED
Charge to: Oraby Bolding Corp.  STREET	DEPTH OF JOB 338  PUMP TRUCK CHARGE  EXTRA FOOTAGE  MILEAGE T	//25, 55 @ 7,6む @ 7,6む @ 4.0む @ TOTAL	280.00 160.00 /565.00 RECEIVED
Charge to: Oraby Bolding Corp.  STREET	DEPTH OF JOB 338  PUMP TRUCK CHARGE  EXTRA FOOTAGE  MILEAGE T	//25・50 @ 7・6心 @ 7・6心 @ 4・6心 TOTAL	280.20 160.30 1565.20 RECEIVED
Charge to: Oraby Bolding Corp.  STREET	DEPTH OF JOB 338  PUMP TRUCK CHARGE  EXTRA FOOTAGE  MILEAGE T	//25, 00 @ 7,6心 @ 4.00 TOTAL T EQUIPMEN @ 92.00	280.00 160.00 /565.00 RECEIVED
Charge to Oraby Lowing Corp.  STREET  CITY STATE ZIP	DEPTH OF JOB 338  PUMP TRUCK CHARGE  EXTRA FOOTAGE  MILEAGE T	//25, 00 @ 7,6心 @ 4.00 @ TOTAL T EQUIPMEN @ 92.00 @	280.20 160.30 1565.20 RECEIVED
Charge to: Orany Lowing Corp.  STREET  CITY STATE ZIP	DEPTH OF JOB 338  PUMP TRUCK CHARGE  EXTRA FOOTAGE  MILEAGE T	//25, 00 @ 7,6心 @ 4.00 @ TOTAL T EQUIPMEN @ 92.00 @	280.20 160.30 1565.20 RECEIVED
CHARGE TO: Orang Bolding Corp.  STREET  CITY STATE ZIP  To Allied Cementing Co., LLC.  You are hereby requested to rent cementing equipment	DEPTH OF JOB 338  PUMP TRUCK CHARGE  EXTRA FOOTAGE  MILEAGE T	//25, 00 @ 7,6む @ 7,6む @ 7,6む TOTAL T EQUIPMEN @ 92,00 @ @	280.20 160.30 1565.20 RECEIVED
CHARGE TO: Orang Corp.  STREET  CITY STATE ZIP  To Allied Cementing Co., LLC.  You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or	DEPTH OF JOB 338  PUMP TRUCK CHARGE  EXTRA FOOTAGE  MILEAGE T	//25, 00 @ 7,6心 @ 4.00 @ TOTAL T EQUIPMEN @ 92.00 @	280.20 160.30 1565.20 RECEIVED
CHARGE TO: Party Solding Corp.  STREET  CITY STATE ZIP  To Allied Cementing Co., LLC. You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was	DEPTH OF JOB 338  PUMP TRUCK CHARGE  EXTRA FOOTAGE  MILEAGE T	//25, 00 @ 7,6ひ @ 4,6む @ TOTAL T EQUIPMEN @ 92.00 @ @ @	280.20 160.30 1565.20 RECEIVED
CHARGE TO: Party Solding Corp.  STREET  CITY STATE ZIP  To Allied Cementing Co., LLC. You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or	DEPTH OF JOB 338  PUMP TRUCK CHARGE  EXTRA FOOTAGE  MILEAGE T	//25, 00 @ 7,6む @ 7,6む @ 7,6む TOTAL T EQUIPMEN @ 92,00 @ @	280.20 160.30 1565.20 RECEIVED
CHARGE TO: Party Solding Corp.  STREET  CITY STATE ZIP  To Allied Cementing Co., LLC. You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL	DEPTH OF JOB 338  PUMP TRUCK CHARGE  EXTRA FOOTAGE  MILEAGE T. L. 40  MANIFOLD  PLUG & FLOA  PLUG & FLOA	//25, 00 @ 7,6ひ @ 4,6む @ TOTAL T EQUIPMEN @ 92.00 @ @ @	280.20 160.30 1565.20 RECEIVED
CHARGE TO: Party Solding Corp.  STREET  CITY STATE ZIP  To Allied Cementing Co., LLC. You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or	DEPTH OF JOB 338  PUMP TRUCK CHARGE  EXTRA FOOTAGE  MILEAGE T	//25・22 @ 7,6-3 @ 7,6-3 @ 7,6-3 @ 7,6-3 # TOTAL	280.22 160.22 160.22 1565.22 RECEIVED
CHARGE TO: Party Solding Corp.  STREET  CITY STATE ZIP  To Allied Cementing Co., LLC. You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL	DEPTH OF JOB 338  PUMP TRUCK CHARGE  EXTRA FOOTAGE  MILEAGE T	//25・22 @ 7,6-3 @ 7,6-3 @ 7,6-3 @ 7,6-3 # TOTAL	280.22 160.22 160.22 1565.22 RECEIVED
CHARGE TO: Party Solding Corp.  STREET  CITY STATE ZIP  To Allied Cementing Co., LLC. You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL	DEPTH OF JOB 338  PUMP TRUCK CHARGE  EXTRA FOOTAGE  MILEAGE T. L. 40  MANIFOLD  PLUG & FLOA  PLUG & FLOA	//25・22 @ 7,6-3 @ 7,6-3 @ 7,6-3 @ 7,6-3 # TOTAL	280.20 160.30 1565.20 RECEIVED
CHARGE TO: Party Solding Corp.  STREET  CITY STATE ZIP  To Allied Cementing Co., LLC. You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL	DEPTH OF JOB 338  PUMP TRUCK CHARGE  EXTRA FOOTAGE  MILEAGE T. L. 40  MANIFOLD  PLUG & FLOA  PLUG & FLOA  SALES TAX (If Any)  TOTAL CHARGES 5.366	//25・22 @ 7,6-3 @ 7,6-3 @ 7,6-3 @ 7,6-3 # TOTAL	280.20 160.30 1565.20 RECEIVED
CHARGE TO: Party Solding Corp.  STREET  CITY STATE ZIP  To Allied Cementing Co., LLC. You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL	DEPTH OF JOB 338  PUMP TRUCK CHARGE  EXTRA FOOTAGE  MILEAGE T. L. 40  MANIFOLD  PLUG & FLOA  PLUG & FLOA  SALES TAX (If Any)  TOTAL CHARGES 5.366	//25・22 @ 7,6-3 @ 7,6-3 @ 7,6-3 @ 7,6-3 # TOTAL	280.20 160.30 1565.20 RECEIVED
CHARGE TO: Party Solding Corp.  STREET  CITY STATE ZIP  To Allied Cementing Co., LLC. You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL	DEPTH OF JOB 338  PUMP TRUCK CHARGE  EXTRA FOOTAGE  MILEAGE T. L. 40  MANIFOLD  PLUG & FLOA  PLUG & FLOA  SALES TAX (If Any)  TOTAL CHARGES 5.366	//25・22 @ 7,6-3 @ 7,6-3 @ 7,6-3 @ 7,6-3 # TOTAL	280.20 160.30 1565.20 RECEIVED

## ALLIED CEMENTING CO., LLC. 037335

REMIT TO RO. BOX 31 RUSSELL, KANSAS 67665	**************************************	SERVICE POINT:				
DATE 8-3-11 SEC. TWP. RANGE//60	CALLED OUT	ON LOCATION	IOB START	JOB FINISH		
<b>7.1</b>			COUNTY	STATE	-	
OLD OR NEW (Circle one) LOCATION (1951)	Nerthite O Eliste	diu Blacktop	137	1 65		
CONTRACTOR Southwind # 4	OWNER BY	ady Bod	ring C	5 <i>~</i> }		
TYPE OF JOB R. + 2-ry Plus HOLE SIZE 7 7/8 T.D. 3250	CEMENT	<b>y</b>		•		
HOLE SIZE 7 1/8 T.D. 3289 CASING SIZE DEPTH		DERED 230	sx /0/	40 000		
TUBING SIZE DEPTH	Hop co	1/4 -	1/0,			
DRILL PIPE 41/2 DEPTH	17		<i>J</i> •			
TOOL DEPTH					•	
PRES. MAX MINIMUM	COMMON	138	@ 16.25			
MEAS, LINE SHOE JOINT	POZMIX	92	@ <u>8.50</u>	782.00		
CÉMENT LEFT IN CSG.	GEL	<u> </u>	@ <u>21-25</u>	170,00		
PERFS. DISPLACEMENT	CHLORIDE ASC	<del></del>	. @			
	210 Sea	57 <sup>#</sup>	@ Z.70	153.70		
EQUIPMENT		· · · · · · · · · · · · · · · · · · ·	@ <del>2.7.C</del>			
ALLER STREET FRANCES			@			
PUMPTRUCK CEMENTER TROPER TO A TOUR HELPER	***************************************	e de la companya del companya de la companya del companya de la co	@			
BULK TRUCK			@			
#341 DRIVER 86 R((er		Agricultura State and State	@	<u> </u>		
BULK TRUCK		<del></del>	@			
# DRIVER	HANDLING	247	@ <u> </u>	540.00		
	MILEAGE 27		<u> </u>	528.00		
REMARKS:	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Samuel et Marin de Julium de 1921	TOTAL	4.416.49		
1 olua 25 44 @ 3230 St.			191AL	# 136		
2 100 1x @ 1710 At.		SEDVIC	17			
Bod Flux 2584 & GOOF,	<u> 2.2. (2.3. )                                  </u>	SERVIC	ic.			
434 Slue 402x@ 20087.	DEPTH OF JOB	328	5			
5th x (25 /04x@ 400t.	PUMP TRUCK		the state of the s	5. <u>00</u>		
30.3% Ica Kit Mole.	EXTRA FOOTA	GE	@			
	MILEAGE H	July yo	@ <u>700</u>	280.00		
	MANIFOLD		@			
	his ch-		@ <u>4.00</u>	160.00		
CHARGE TO: Gody Bolding Com.	<del>a a de la composición del la composición de la composición de la composición del la composición de la</del>	<del></del>	@	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
		•		., 6. 60		
STREET			TOTAL	1670. DE	<b>5</b>	
CITYSTATEZIP_				1690. <u>00</u> RE(	EIVED	
	PL	UG & FLOAT E	QUIPMENT	OCT	0 6 2011	
,			D)			
PD. A 111 of Ph.		(	9	- vcc A	VICHITA	
To Allied Cementing Co., LLC.			<u> </u>			
You are hereby requested to rent cementing equipment	<u> </u>		D			
and furnish comenter and helper(s) to assist owner or	W. 340.	<u> </u>	ب <del>نند دسست</del> ۋ	<del></del>		
contractor to do work as is listed. The above work was		:				
done to satisfaction and supervision of owner agent or	• 7		TOTAL _	····		
contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.	SALES TAX (If A	ni) .				
		T.	٥	-		
VD 1 2 m	TOTAL CHARGE	S 60.106.	<u> </u>	<del></del>		
PRINTED NAMES NOBELT STEVEN SON	TOTAL CHARGE MILEASE DIS DISCOUNT	130% ACO.	A DAID	IN 30 DAYS		
PRINTED NAMEX Robert Stevenson SIGNATURE XR alut Llevenson	v 26%	-38867	י י י י	m sorkito		
SIGNATURE XR about Illinonear	- 2010	14 11. 3	ا منین			
The second secon		4709.1	2			