

To: 1.  
STATE CORPORATION COMMISSION  
Wichita State Office Bldg. - PLUGGING SECTION  
130 S. Market, Room 2078  
Wichita, KS 67202

4-26

API NUMBER 15- 071-20,686-00-00  
58' N & 147' W  
of S/2 NW SE SEC. 23, T 16 S, R 42 W/EX  
1708 feet from S section line  
2127 feet from E section line

TECHNICIAN'S PLUGGING REPORT

Operator License # 7873  
Operator: Ricks Exploration, Inc.  
Name & Address: 5600 N. May Ave., Ste. 350  
Oklahoma City, OK 73112

Lease Name Hibbert Well # 23A  
County Greeley 168.87  
Well Total Depth 5196 feet  
Conductor Pipe: Size \_\_\_\_\_ feet  
Surface Casing: Size 8 5/8 feet 347

Abandoned Oil Well \_\_\_\_\_ Gas Well \_\_\_\_\_ Input Well \_\_\_\_\_ SMD Well \_\_\_\_\_ D&A X

Other well as hereinafter indicated \_\_\_\_\_

Plugging Contractor Murfin Drilling Co., Inc. License Number 30606  
Address 250 N. Water, Ste. 300, Wichita, KS 67202

Company to plug at: Hour: 2:30 p.m. Day: 26 Month: 4 Year: 19 98

Plugging proposal received from Gus Schwartz

(company name) Murfin Drilling Co., Inc. (phone) 316-267-3241

was: to fill hole with heavy mud and spot cement through drill pipe Anhydrite 2672-2702'

- 1st plug at 2700' with 50 sx cement, 2nd plug at 1800' with 80 sx cement,
- 3rd plug at 900' with 40 sx cement, 4th plug at 370' with 50 sx cement,
- 5th plug at 40' with 10 sx cement, 6th plug to circulate rathole with 15 sx cement,
- 7th plug to circulate mousehole with 10 sx cement.

Plugging Proposal Received by Richard Lacey (TECHNICIAN)

Plugging Operations attended by Agent?: All \_\_\_\_\_ Part \_\_\_\_\_ None X

Operations Completed: Hour: 5:15 p.m. Day: 26 Month: 4 Year: 19 98

ACTUAL PLUGGING REPORT 1st plug at 2700' with 50 sx cement,  
 2nd plug at 1800' with 80 sx cement, 3rd plug at 900' with 40 sx cement,  
 4th plug at 370' with 50 sx cement,  
 5th plug at 40' with 10 sx cement,  
 6th plug to circulate rathole with 15 sx cement,  
 7th plug to circulate mousehole with 10 sx cement.

RECEIVED  
 STATE CORPORATION COMMISSION  
 APR 26 1998  
 05-18-98  
 WICHITA KANSAS

Remarks: Used 60/40 Pozmix 6% gel 1/2# floseal by B.J. Titan.

INVOICED

(Additional description is necessary, use BACK of this form.)

I (XXX / did not) observe this plugging.

DATE 5-1-98  
50607

Signed Richard W. Lacey (TECHNICIAN)

FOR KCC USE:

9-6-98

FORM C-1 7/91

EFFECTIVE DATE: 3-11-98

DISTRICT #

State of Kansas  
NOTICE OF INTENTION TO DRILL

FORM MUST BE TYPED  
FORM MUST BE SIGNED  
ALL BLANKS MUST BE FILLED

SCA7... Yes... No

Must be approved by the K.C.C. five (5) days prior to commencing well.

58' N & 147' W

Expected Spud Date April 1 1998

Spot 1708  
S1/2 - NW - SE. Sec 23.. Twp 16.. S, Rg 42.. East West

OPERATOR: License # 7873  
Name: Ricks Exploration, Inc.  
Address: 5600 N. May Ave., Suite 350  
City/State/Zip: Oklahoma City, OK 73112  
Contact Person: Jeff Nelson  
Phone: 800-960-9099

1708 feet from South / North line of Section  
2127 feet from East / West line of Section  
IS SECTION  REGULAR  IRREGULAR?

(NOTE: Locate well on the Section Plat on Reverse Side)

County: Greeley

Lease Name: Hibbert Well #: 23A

Field Name: Sidney

Is this a Prorated/Spaced field? yes  no

Target Formation(s): Morrow

Nearest lease or unit boundary: 513'

Ground Surface Elevation: 3787 feet MSL

Water well within one-quarter mile: yes  no

Public water supply well within one mile: yes  no

Depth to bottom of fresh water: 260' 240'

Depth to bottom of usable water: 18' 1800'

Surface Pipe by Alternate: 1  300'

Length of Surface Pipe Planned to be set:

Length of Conductor pipe required:

Projected Total Depth: 5300'

Formation at Total Depth: Mississippian

Water Source for Drilling Operations:

well  farm pond  other

CONTRACTOR: License #: 30606  
Name: Murfin Drilling Co., Inc. *Rig 25*

Well Drilled For: Well Class: Type Equipment:  
 Oil ... Erh Rec ... Infield  Mud Rotary  
 Gas ... Storage  Pool Ext. ... Air Rotary  
 OWM ... Disposal ... Wildcat ... Cable  
 Seismic; ... # of Holes ... Other

If OWM: old well information as follows:  
Operator:  
Well Name:  
Comp. Date: Old Total Depth

Directional, Deviated or Horizontal wellbore? yes  no

If yes, true vertical depth:

Bottom Hole Location:

Will Cores Be Taken? yes  no

If yes, proposed zone: MIN. 260' AUT. II

AFFIDAVIT

The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55-101, et. seq.

It is agreed that the following minimum requirements will be met:

Pusher *Gus Schwartz*  
SPUD DATE *4-17-98* INIT. *SD*  
LENGTH SURFACE PLANNED *300'*  
RESERVE PIT STATUS- REMOVE FLUID LINED  
after salt sect. *bbbls.* when done *bbbls.*  
RATHOLED AHEAD? *Y* N SIZE HOLE  
SURFACE PIPE *8 3/8 @ 347* CONDUCTOR  
ANHYDRITE T- *2422* B- *2202* ELEVATION  
TD *5196* FORMATION  
RAN PIPE @ *SX* DV TOOL *SX* ALT II DONE *Y* N  
Arbuckle Plug @ *SX* Ft. W/ *SX*  
Hug./Council @ *SX* Ft. W/ *SX*  
Anhydrite Base @ *2200* Ft. W/ *50* SX  
1/2 Base Anyh. @ *1800* Ft. W/ *80* SX  
1/2, 1/2 Plug @ *900* Ft. W/ *40* SX  
Bottom Surface @ *370* Ft. W/ *50* SX  
40' Plug @ *40* Ft. W/ *10* SX  
RAT HOLE CIRC/W *15* SX MOUSE HOLE W/*10* SX  
WATER WELL *SX* (Irr. Well) Pond *SX*  
Hauling *SX*  
TECHNICIAN *R.L.* DATE *4-24-98*  
TYPE OF CEMENT *60/40 per 6 bags 1/4 Flo Seal*  
STARTING TIME *2:30* (AM/PM) DATE *4-26*  
COMPLETION TIME *5:15* (AM/PM) DATE  
CEMENT COMPANY *Bj Tubari*