

# KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

Type Test:

(See Instructions on Reverse Side)

- Open Flow  
 Deliverability

Test Date:  
April 2011

API No. 15  
API #15-007-22451 - 0000

Company james b. read operating, inc		Lease sutton estate #2		Well Number #2	
County barber	Location c se/4	Section 30	TWP T34S,	RNG (EW) R13W	Acres Attributed 160
Field Aetna		Reservoir Mississippian	Gas Gathering Connection <b>ONEOK</b>		
Completion Date See Completion Report		Plug Back Total Depth 5070'	Packer Set at none		
Casing Size 5 1/2"	Weight	Internal Diameter	Set at	Perforations 4818'	To 4834'
Tubing Size 2 3/8"	Weight	Internal Diameter	Set at	Perforations	To
Type Completion (Describe)		Type Fluid Production <b>Saltwater</b>	Pump Unit or Traveling Plunger? <input checked="" type="checkbox"/> Yes / No		
Producing Thru (Annulus / Tubing) <b>Annulus</b>		% Carbon Dioxide	% Nitrogen	Gas Gravity - G <sub>g</sub>	
Vertical Depth (H)		Pressure Taps		(Meter Run) (Prover) Size	

**RECEIVED  
AUG 19 2011  
KCC WICHITA**

Pressure Buildup: Shut in April 26 2011 at \_\_\_\_\_ (AM) (PM) Taken \_\_\_\_\_ 20 \_\_\_\_\_ at \_\_\_\_\_ (AM) (PM)  
Well on Line: Started April 25 2011 at \_\_\_\_\_ (AM) (PM) Taken \_\_\_\_\_ 20 \_\_\_\_\_ at \_\_\_\_\_ (AM) (PM)

### OBSERVED SURFACE DATA

Duration of Shut-in \_\_\_\_\_ Hours

Static / Dynamic Property	Orifice Size (Inches)	Circle one: Meter Prover Pressure psig (Pm)	Pressure Differential in Inches H <sub>2</sub> O	Flowing Temperature t	Well Head Temperature t	Casing Wellhead Pressure (P <sub>w</sub> ) or (P <sub>i</sub> ) or (P <sub>c</sub> )		Tubing Wellhead Pressure (P <sub>w</sub> ) or (P <sub>i</sub> ) or (P <sub>c</sub> )		Duration (Hours)	Liquid Produced (Barrels)
						psig	psia	psig	psia		
Shut-In						40				24 hours	
Flow						10					

### FLOW STREAM ATTRIBUTES

Plate Coefficient (F <sub>v</sub> ) (F <sub>p</sub> ) Mcfd	Circle one: Meter or Prover Pressure psia	Press Extension $\sqrt{P_m \times h}$	Gravity Factor F <sub>g</sub>	Flowing Temperature Factor F <sub>t</sub>	Deviation Factor F <sub>pv</sub>	Metered Flow R (Mcfd)	GOR (Cubic Feet/ Barrel)	Flowing Fluid Gravity G <sub>m</sub>

### (OPEN FLOW) (DELIVERABILITY) CALCULATIONS

(P<sub>d</sub>)<sup>2</sup> = 0.207

(P<sub>c</sub>)<sup>2</sup> = \_\_\_\_\_ : (P<sub>w</sub>)<sup>2</sup> = \_\_\_\_\_ : P<sub>d</sub> = \_\_\_\_\_ % (P<sub>c</sub> - 14.4) + 14.4 = \_\_\_\_\_ :


(P<sub>d</sub>)<sup>2</sup> = \_\_\_\_\_

(P <sub>c</sub> ) <sup>2</sup> - (P <sub>d</sub> ) <sup>2</sup> or (P <sub>c</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup>	(P <sub>c</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup>	Choose formula 1 or 2: 1. P <sub>c</sub> <sup>2</sup> - P <sub>d</sub> <sup>2</sup> 2. P <sub>c</sub> <sup>2</sup> - P <sub>w</sub> <sup>2</sup> divided by: P <sub>c</sub> <sup>2</sup> - P <sub>w</sub> <sup>2</sup>	LOG of formula 1. or 2. and divide by: $\frac{P_c^2 - P_w^2}{P_c^2 - P_w^2}$	Backpressure Curve Slope = "n" ----- or ----- Assigned Standard Slope	n x LOG	Antilog	Open Flow Deliverability Equals R x Antilog (Mcfd)

Open Flow Mcfd @ 14.65 psia      Deliverability **20 mcf/day**      Mcfd @ 14.65 psia

The undersigned authority, on behalf of the Company, states that he is duly authorized to make the above report and that he has knowledge of the facts stated therein, and that said report is true and correct. Executed this the 16 day of August, 2011

\_\_\_\_\_  
Witness (if any)  
\_\_\_\_\_  
For Commission

  
\_\_\_\_\_  
For Company

Checked by

I declare under penalty of perjury under the laws of the state of Kansas that I am authorized to request exempt status under Rule K.A.R. 82-3-304 on behalf of the operator james b. read operating, inc. and that the foregoing pressure information and statements contained on this application form are true and correct to the best of my knowledge and belief based upon available production summaries and lease records of equipment installation and/or upon type of completion or upon use being made of the gas well herein named.


I hereby request a one-year exemption from open flow testing for the Sutton Estate #2 gas well on the grounds that said well:

(Check one)

- is a coalbed methane producer
- is cycled on plunger lift due to water
- is a source of natural gas for injection into an oil reservoir undergoing ER
- is on vacuum at the present time; KCC approval Docket No. \_\_\_\_\_
- is not capable of producing at a daily rate in excess of 250 mcf/D

I further agree to supply to the best of my ability any and all supporting documents deemed by Commission staff as necessary to corroborate this claim for exemption from testing.

Date: August 16, 2011

Signature:   
Title: President - James B. Read

RECEIVED  
AUG 19 2011  
KCC WICHITA

**Instructions:** If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.

DAN'S PUMPING SERVICE

PUMPERS DAILY GAUGE

PLATE: 1/2"

LEASE: Jim Read Sutton Estate						MONTH: APRIL 2011	
DATE	St	Diff	MCF	C	Wtr	Wtr	REMARKS
1	10	8	22	10	6-4	1.67	
2	10	8	22	10	6-4	0	
3	10	8	22	10	6-4	0	
4	10	8	22	10	6-5	1.67	
5	10	8	22	10	6-5	0	
6	10	8	22	10	6-5	0	
7	10	8	22	10	6-6	1.67	
8	10	8	22	10	6-6	0	
9	10	8	22	10	6-6	0	
10	10	8	22	10	6-7	1.67	
11	10	8	22	10	6-7	0	
12	10	8	22	10	6-7	0	
13	10	8	22	10	6-8	1.67	
14	10	8	22	10	6-8	0	
15	10	8	22	10	6-8	0	
16	10	8	22	10	6-9	1.67	
17	10	8	22	10	6-9	0	
18	10	6	20	10	6-9	0	
19	10	6	20	10	6-10	1.67	
20	10	6	20	10	6-10	0	
21	10	6	20	10	6-10	0	
22	10	6	20	10	6-11	1.67	
23	10	6	20	10	6-11	0	
24	10	6	20	10	6-11	0	
25	10	6	20	10	6-11	1.67	
26	60	0	0	40	7-0	0	COME DOWN.
27	30	4	21	30	7-0	0	
28	30	4	21	30	7-1	1.67	
29	30	4	21	30	7-1	0	
30	30	4	21	30	7-1	0	
31							

RECEIVED  
AUG 19 2011  
KCC WICHITA

618 MCF

16.70 BBL'S