Kansas Corporation Commission-Oil & Gas Conservation Division

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

Form ACO-1

, June 2009

Form Must Be Typed
Form must be Signed
All blanks must be Filled

OPERATOR: License # 31280 Name: Birk Petroleum Address 1: 874 12th RD SW Address 2:	tion
Address 1: 874 12th RD SW Address 2:	tion
Address 2: City: Burlington State: ks Zip: 66839 + 9255 Contact Person: Brian L. Birk Phone: (620) 364-1311 CONTRACTOR: License # 31280 Name: Birk Petroleum Wellsite Geologist: none Purchaser: Coffeyville Resources 2,475 Feet from North / South Line of Section Corner: Rest / West Line of Section Corner: NE	tion
City: Burlington State: ks Zip: 66839 + 9255	
Contact Person: Brian L. Birk Phone: (620) 364-1311 CONTRACTOR: License # 31280 Name: Birk Petroleum Wellsite Geologist: none Purchaser: Coffeyville Resources Footages Calculated from Nearest Outside Section Corner: NE NW SE SW County: Coffey Lease Name: Rolf Well #: 30 Producing Formation: Squirrel	
Phone: (620) 364-1311	<u> </u>
CONTRACTOR: License # 31280 Name: Birk Petroleum Lease Name: Rolf Well #: 30 Wellsite Geologist: none Purchaser: Coffeyville Resources Producing Formation: Squirrel	<u> </u>
Name: Birk Petroleum Wellsite Geologist: none Purchaser: Coffeyville Resources Lease Name: Rolf Well #: 30 Wellsite Geologist: none Field Name: Neosho Falls- leroy Producing Formation: Squirrel	
Wellsite Geologist: none Well #: Well #: Well #: Purchaser: Coffeyville Resources Producing Formation: Squirrel	
Purchaser; Coffeyville Resources Producing Formation: Squirrel	
1057	—
· • • • • • • • • • • • • • • • • • • •	
Designate type of Completion.	
New Well Re-Entry Workover Total Depth: 1031 Plug Back Total Depth: 1031	·
Oil WSW SWD SIOW Amount of Surface Pipe Set and Cemented at: 40	eet
Gas D&A ENHR SIGW Multiple Stage Cementing Collar Used? Yes V No	
☐ OG ☐ GSW ☐ Temp. Abd. If yes, show depth set:	ee!
	o ei
CM (Coal Bed Methane) If Alternate II completion, cement circulated from: 1014 [Cathodic Other (Core, Expl., etc.):	
feet depth to: sx If Workover/Re-entry: Old Well Info as follows:	amt.
Operator:	
Drilling Fluid Management Plan	
1	
Original Comp. Date: Original Total Depth: Chloride content: ppm Fluid volume:	aldı
☐ Deepening ☐ Re-perf. ☐ Conv. to ENHR ☐ Conv. to SWD ☐ Dewatering method used:	
Plug Back: Plug Back Total Depth Location of fluid disposal if hauled offsite:	
Commingled Posmit #:	
Dual Completion Permit #:	_
SWD Permit #: License #:	—
	/est
GSW Permit #: Permit #:	
6/8/2011 6/9/2011 6/9/2011	
Spud Date or Date Reached TD Completion Date or Recompletion Date Recompletion Date	
INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichite Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUSBE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.	n -
AFFIDAVIT I am the affiant and I hereby certify that all requirements of the statutes, rules and regu-	VED
lations promulgated to regulate the oil and gas industry have been fully complied with	1
and the statements herein are complete and correct to the best of my knowledge Date:	ı ZUI
and the statements herein are complete and correct to the best of my knowledge.	
Confidential Release Date:	~, h,
Confidential Release Date:	CHIT

Side Two

Petroleum			Lease N	vame: _	KOII		Well #: _30			
_s. r. <u>16</u>	✓ East	West	County	Coffe	ey					
ed, flowing and shu if gas to surface te	it-in pressur est, along w	es, whether s ith final chart(hut-in press	sure read	ched static level	I, hydrostatic pre	ssures, bottom	hole temp	erature, fluid	
Drill Stem Tests Taken					Log Formation (Top), Dep		and Datum	✓ Sample		
Samples Sent to Geological Survey Cores Taken Electric Log Run Electric Log Submitted Electronically (If no, Submit Copy)			Squirie Sand				Тор		Datum	
						el Sand 1016			116 +41	
	Dance			_		tion atc			 	
Size Hole Drilled	Size	Casing	Weight Lbs. / Ft.		Setting Depth	Type of Cement	# Sacks Used		and Percent dditives	
9 7/8	7*		17#		40'	Portland	15	Calcium		
6 1/8	2 7/8		6.5#		1014'	Portland	120	-		
		ADDITIONAL	CEMENTIN	NG / SQL	JEEZE RECORI)			 	
Depth Top Bottom	oth Type of Cement		# Sacks Used		Type and Percent Additives					
					Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)			Depth		
Open hole completion 1014-1031					Frac w/42 Sx Sand			1014-1031		
							· · · · · · · · · · · · · · · · · · ·			
				<u></u> -						
ID: Size: Set At:										
oduction, SWD or EN	iHR.	Producing Met		g []						
Estimated Production Oil Bbls. Per 24 Hours 1		Gas	Mcf	Wat	er f	3bls.	Gas-Oil Ratio		Gravity	
OF GAS:		٨	AETHOD OF	COMPLE	TION:		PRODUCTI	ON INTER	GEIVED	
Used on Lease		pen Hole	Perf. [1 6 2011 WICHIT/	
	ed, flowing and shu if gas to surface te ach final geological eets) gical Survey Electronically Size Hole Drilled 9 7/8 6 1/8 Depth Top Bottom PERFORATI Specify Open hole completion Size: Oduction, SWD or EN	rimportant tops and base of feed, flowing and shut-in pressur if gas to surface test, along with ach final geological well site research f	wimportant tops and base of formations pended, flowing and shut-in pressures, whether sif gas to surface test, along with final chart(ach final geological well site report. Yes	wimportant tops and base of formations penetrated. Deed, flowing and shut-in pressures, whether shut-in pressures if gas to surface test, along with final chart(s). Attach each final geological well site report. Yes	wimportant tops and base of formations penetrated. Detail all of ad, flowing and shut-in pressures, whether shut-in pressure read if gas to surface test, along with final chart(s). Attach extra she ach final geological well site report. Yes	wimportant tops and base of formations penetrated. Detail all cores. Report all cd., flowing and shuf-in pressures, whether shuf-in pressure reached static leve if gas to surface test, along with final chart(s). Attach extra sheet if more space ach final geological well site report. Yes	wimportant tops and base of formations penetrated. Detail all cores. Report all final copies of ad, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic preif gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach final geological well site report. Yes	wimportant tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests ab, flowing and shuf-in pressures, whether shuf-in pressure reached static level, hydrostatic pressures, bottom if gat to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach complete or sch final geological well site report.	winportant tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving inted. flowing and shuf-in pressures, whether shuf-in pressure reached static level, hydrostatic pressures, bottom hole temp if gas to surface lest, allong with final chart(s). Attach extra sheet if more space is needed. Attach complete copy of all each final geological well site report. 'Yes 'No	

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588

Payless Concrete Products, Inc.

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, seem assumes no responsioning to carrages in any interiner to societize, roadways, driveways, buildings, trees, shrubbey, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request. NOTICE TO OWNER

Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filling of a mechanic's lien on the property which is the subject of this contract.

BILLER

1470

BUSINES

* B GOOPERATIVE VENTURES BO S. FOURTH ST.

BURLINGTON KS

HAY 58 TO LERGY N ON FAST SHETLAND AD) GO N 2 MI OUT OF GMH TO 77H RD TURN E 1/2 MI

TIME	FORMULA	LOAD SIZE	YARDS ORDERED	132 133 33 33	DRIVER/TRUCK	W	PLANT/TRANSACTION +
THVIC	TONIVIOLA	LUAD SIZE	TANDS ONDERED	TO LET BURGE	DRIVER/TRUCK	District State Sta	PLANT/THANSACTION
			The second	Cal .	7R	% AIR	
02:23:13p	DELL	12.00 vd	12.00 vd	0.00	38	er ou	COFEE
DATE		LOAD#	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
	To Date	8	90.00 yd		7.00		THE PROPERTY
26-09-11	Today		11 00 vd	17024	67ed -70.0	4.000 in	292R1

WARNING **IRRITATING TO THE SKIN AND EYES**

Contains Portland Cement, Wear Rubber Boots and Gloves, PROLONGED CONTACT MAY CAUSE BURNS, Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water, If Irritation Persists, Get Medical Attention. KEEP CHILDREN AWAY.

CONCRETE IS A PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum. Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks. Excess Delay Time Charged @ \$50/HR.

TOTAL AT JOB

UNLOADING TIME

PROPERTY DAMAGE RELEASE

(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE) Dear Customer-The driver of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his you for your signature is of the opinion that the size and weight of his truck may possibly cause diamagle to the premises and/or adjacent property if it places the material iff this load where you desire it. It is out with to help you in every weightat we can, but in order to do this the driver is requesting that you sign this RELEASE releving him and his supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, cuts, etc., by the delivery of this material, and that vou also agree to help him remove mad from the wheels of his vehicle so that he will not like the walk of terms. Ever he additional consider so that he will not litter the public street. Further, as additional considera tion, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisin out of delivery of this order. SIGNED

Excessive Water is Detrimental to Concrete Performance H₂0 Added By Request/Authorized By

GAL X

WEIGHMASTER

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.

LOAD RECEIVED BY

X

DELAY TIME

UNIT PRICE QUANTITY CODE DESCRIPTION EXTENDED PRICE WELL (10 SOLKS LIFT UNIT) RECEIVED 20 RETURNED TO PLANT FINISH UNLOADING LEFT JOB DELAY EXPLANATION/CYLINDER TEST TAKEN TIME ALLOWED 1. JOB NOT READY 6. TRUCK BROKE DOWN 2. SLOW POUR OR PUMP 7. ACCIDENT 3. TRUCK AHEAD ON JOB 8. CITATION 4. CONTRACTOR BROKE DOWN 9. OTHER LEFT PLANT ARRIVED JOB START UNLOADING TIME DUE 5. ADDED WATER ADDITIONAL CHARGE 1

ADDITIONAL CHARGE 2

GRAND TOTAL

O

TOTAL ROUND TRIP