

Kansas Corporation Commission 1054424 OIL & GAS CONSERVATION DIVISION

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

## **WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE**

OPERATOR: License # _	3895		API No. 15 - 15-107-24392-00-00
	eld Services, Inc.		Spot Description:
Address 1: 30805 COLD	WATER RD		SW_SE_NW_SE_Sec. 5 Twp. 20 S. R. 23 Fast West
Address 2:			1507 Feet from North / South Line of Section
City: LOUISBURG		66053 + 8108	1803 Feet from 🗹 East / 🗀 West Line of Section
Contact Person: Bob Et			Footages Calculated from Nearest Outside Section Corner:
Phone: (913) 285	-0873		□ NE □ NW ☑ SE □ SW
CONTRACTOR: License	#_4339		County: Linn
		E. Jackson Production Co.	Lease Name: NE Baker Well #: H-11
Wellsite Geologist: N/A			Field Name: LaCygne-Cadmus
Purchaser: High Sierra	Crude Oil		Producing Formation: Peru
Designate Type of Comple			Elevation: Ground: 942 Kelly Bushing: 0
New Well	Re-Entry	Workover	Total Depth: 340 Plug Back Total Depth:
✓ Oil ws	sw 🗌 swd	siow	Amount of Surface Pipe Set and Cemented at: 20 Feet
☐ Gas ☐ D&	A ENHR	SIGW	Multiple Stage Cementing Collar Used? Yes V No
☐ OG	☐ GSW	Temp. Abd.	If yes, show depth set: Feet
CM (Coal Bed Methi	,		If Alternate II completion, cement circulated from: 335
Cathodic Dtl	ner (Core, Expl., etc.):		feet depth to: 0 w/ 50 sx cmt.
If Workover/Re-entry: Old	Well Info as follows:		
Operator:	-	_	Drilling Fluid Management Plan
Well Name:			(Data must be collected from the Reserve Pit)
Original Comp. Date:	Original To	otal Depth:	Chloride content: ppm Fluid volume: bbls
Deepening	Re-perf. Conv. to	ENHR Conv. to SWD	Dewatering method used:
	Conv. to	GSW	Dewatering method dised.
Plug Back:	Plu	g Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled	Permit #:	·	Operator Name:
Dual Completion	Permit #:		Lease Name: License #:
SWD	Permit #:		QuarterSecTwpS. R East West
☐ ENHR	Permit #:		
☐ GSW	Permit #:		County: Permit #:
3/10/2011	3/11/2011	8/16/2011	
Spud Date or I Recompletion Date	Date Reached TD	Completion Date or Recompletion Date	

## **AFFIDAVIT**

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

**Submitted Electronically** 

KCC Office Use ONLY
Letter of Confidentiality Received
Date:
Confidential Release Date:
☑ Wireline Log Received
Geologist Report Received
UIC Distribution
ALT I I III Approved by: Deanna Gerrison Date: 08/24/2011

Side Two



Operator Name: Bot	ocat Oilfield Servi	ces, Inc.	Lease N	Name: _	NE Baker		Well #:H-	11	<u>.</u>
Sec. 5 Twp.20	s. R. <u>23</u>	✓ East	County	Linn					
time tool open and clo	osed, flowing and shu es if gas to surface te	d base of formations pen t-in pressures, whether s st, along with final chart( well site report.	hut-in press	sure read	ched static level,	hydrostatic press	ures, bottom l	hole tempe	erature, fluid
Drill Stem Tests Taker (Attach Additional		☐ Yes 📝 No	·	<b>⊘</b> L	og Formation	n (Top), Depth and	<b>i</b> Datum	□ s	ample
Samples Sent to Geo	logical Survey	Yes No		Nam Peru	e		Тор 273	D GL	atum
Cores Taken Electric Log Run Electric Log Submitte (If no, Submit Copy	<del>-</del>	✓ Yes No ✓ Yes No ✓ Yes No							
List All E. Logs Run:									
Gamma Ray/Neutro	on/CCL								
		CASING Report all strings set-	RECORD	□ Ne	_	on etc			
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weig	ght	Setting Depth	Type of Cement	# Sacks Used		ind Percent
Surface casing	8.75	6.25	8		20	Portland	5	7.0	
Production casing	5.625	2.875	6		335	Portland/Fly Ash	50	60/40 P	oz Mix
									• •
		ADDITIONAL	L CEMENTH	NG / SQL	JEEZE RECORD				
Purpose:  —— Perforate	Depth Top Bottom	Type of Cement	# Sacks	Used		Type and P	ercent Additive:	;	
Protect Casing Plug Back TD Plug Off Zone	•			· <del>-</del> ···					
			<u> </u>						
Shots Per Foot		ON RECORD - Bridge Plug Footage of Each Interval Per				cture, Shot, Cement mount and Kind of Ma		rd	Depth
3	282-292				Acid 500 gal	7.5% HCL			
3	292.5-302.5	<del> </del>				<del> </del>			
		<del></del>	<del></del>	=					
	<del></del>					<del>.</del>			
TUBING RECORD:	Size:	Set At:	Packer A	it:	Liner Run:	Yes No			
Date of First, Resumed	Production, SWD or EN	Producing Met	hod:	ng 🗀	Gas Lift C	other (Explain)			
Estimated Production Per 24 Hours	Oil	Bbls. Gas	Mcf	Wat	er B.	bls. C	Sas-Oil Ratio		Gravity
DISDOSTI	ON OF GAS:		METHOD OF	COMPLI	ETION:	· ·	PRODUCTI	ON INTERN	/Al ·
Vented Sold	_	l	METHOD OF  ✓ Perf.	Dually	Comp. Cor	nmingled			r 16.
<del>-</del>	bmit ACO-18.)	Other (Specify)		(Submit	ACO-5) (Subi	mit ACO-4)			

Lease :	NORTH EAST B	AKER	]		[	Well #: H-11 Location: SW,SE,NW,SE,S5,T20,SR23,E		
Owner:	BOBCAT OILFIE	LD SERVICES INC	}		- ` `			
OPR#:	3895	( American	Dale Jackson Production Co.  Box 266, Mound City, Ks 66056  Cell # 620-363-2683  Office # 913-795-2991			County: LINN		
Contractor:	DALE JACKSON	РРОООСТІОН СО.				FSL1:485  507 FEL:-1:815  903 APIN: 15-107-24392-00-00		
OPR#:	4339							
Surface:	Cemented:	Hole Size						
20FT, 6IN	5 SACKS	8 3/4				Started: 3-10-11		
Longstring	Cemented:	Hole Size:				Completed: 3-11-11		
335' 2 7/8 8RD	50	5 5/8	SN: 272'	Packer:		TD: 340'		
	Well La	<b>1</b> 0	Plugged:	Bottom Plug:				

TKN	BTM	Formation	TKN	втм	Formation
	Depth		1	Depth	
1	1	TOPSOIL			
25	26	LIME	1.		]
3	29	SHALE			SURFACE: 3-10-11 - BECKY
4	33	BLACKSHALE			1
22	55	UME		· · · · ·	SET TIME: 4:30 P.M.
3	58	BLACKSHALE			CALLED: 12:15 P.M.
14	72	UME		i	]
1	73	BLACKSHALE (FLOW) (WATER& GAS)			LONGSTRING: 335' 2 7/8 8RD - BECKY
10	83	SHALE (LIMEY)			TD: 340'
29	102	SHALE			SET TIME: 2:00 P.M 3-11-11
29	131	SANDY SHALE (DRY SAND STK)			CALLED: 12:00 P.M.
87	218	SHALE		1	CALLED: 12:00 P.M.
1	219	BLACKSHALE	T		]
9	228	SHALE			
7	235	LIME			
25	260	SHALE			
10	270	LIME	1		
2	272	LIGHT SANDY SHALE			
2	274	OIL SAND (SHALEY)(POOR BLEED)(WATER)			
7	281	OIL SAND (SOME SHALE)B (POOR BLEED)(WATER)		<u> </u>	
4	285	OIL SAND (OIL & WATER) (GOOD BLEED)			
4.5	289.5	OIL SAND (SOME SHALE)(GOOD BLEED)			
2.	291.5	OIL SAND (SHALEY)(GOOD BLEED)		l	
2	293.5	SAND SHALE (SOME OIL SAND STREAKS)(POOR BLEED)			
1	294.5	OIL SAND (VERY SHALEY)(GOOD BLEED)	Ţ- <u> </u>		
1	295.5	SANDY SHALE(SOME OIL SAND STREAKS)(POOR BLEED)			
3	298.5	OIL SAND (SHALEY)(GOOD BLEED)			
1	299.5	SHALE			
2.5	302	OIL SAND (SHALEY)(GOOD BLEED)			
13	315	SHALE			
2	317	COAL	i		
6	323	SHALE			
8	331	UME	Τ	l	
TD	340	SHALE			
		-		<u> </u>	
	· · · · · · · · · · · · · · · · · · ·		1		
	· · · · ·				
			1	T	
		1			t .

•



Lease :

Owner: OPR#:

Contractor:

NORTH EAST BAKER

3895

BOBCAT OILFIELD SERVICES INC.

DALE JACKSON PRODUCTION CO.



Dale Jackson Production Co. Box 266, Mound City, Ks 66056 Cell # 620-363-2683 Office # 913-795-2991

Core	Run	#1
COIC	IVAII	<u> 77 - 1</u>

Well #: H-11
Location: SW,SE,NW,SE,S5,T20,SR23,E
County: LINN
FSL:.1,485 /507
FEL:-1,815 [803
API#: 15-107-24392-00-00
Started: 3-10-11
Completed: 3-11-11

DPR #: 4339			Completed: 3-11-11			
FT	FT Depth Clock Time			Formation/Remarks		
0	280			OU SAND (SA	NDY SHALE) "WATER" (POOR BLEED)	281
1	281		1.5	OIL SAND (SA	STATES TOOR BEED!	
	<del> </del>			1		
2	282		1.5	]		
3	283		1.5	OIL SAND (OI	L & WATER) (GOOD BLEED)	
4	284		1.5	]		
5	285		1.5			285
	285		1.5		•	
6	286		1.5	1		·
7	287		1.5	OIL SAND (SC	OME SHALE) (GOOD BLEED)	
8	288		1.5	}		
9	289		1			289.5
10	290		1.5			
11	291		1.5	OIL SAND (SH	OIL SAND (SHALEY) (GOOD BLEED)	
<del></del>	2.		1.5	-		
12	292		1.5	SANDY SHAU	E (SOME OIL SAND STREAKS) (POOR BLEED)	
13	293		1.5			293.5
14	294		1.5	OIL SAND (VE	RY SHALEY) (GOOD BLEED)	294.5
15	295		1.5	SANDY SHAU	E (SOME OIL SAND STREAKS) (POOR BLEED) D	295.5
			ļ			
16	296	-	1	1		
17	297		1.5	OIL SAND (SHALEY) (GOOD BLEED)		
18	298		1.5			298.5
19	299		1.5	SHALE		299.5
		<u> </u>	<u> </u>	OIL SAND (SH	IALEY) (GOOD BLEED)	
20	300		1.5	4		
	<del> </del>	<del>                                     </del>	<del> </del>	1		
	1	<del> </del>	1	1		<b>\</b>

## **Avery Lumber**

P.O. BOX 66 MOUND CITY, KS 66056 (913) 795-2210 FAX (913) 795-2194 Merchant Copy
INVOICE
THIS COPY MUST REMAIN AT MERCHANT AT ALL TIMES!

Page: 1		Invoice: 10028733
Special :		Time: 12:23:04
Instructions :		6Np Oate: 03/02/11
:	•	trivaice Date: 03/04/11
Sala rep #: MAVERY MIKE	Appt rep code:	Due Dets: 04/05/11
BOID TO: BOBCAT OILFIELD SRVC,INC	Ship To: BOBCA	T OILFIELD SRVC,INC
C/O BOB EBERHART	(913) 837-2823	
30806 COLDWATER RD		
LOUISBURG, K8 66053	(915) 637-2823	
Customer #: 3570021	Customer PO:	Ordar By:TERRY

ORDER SHIP L U/M ITEM# DESCRIPTION Alt Price/Uom PRICE EXTENSION 280.00 L BAG CPPC 240.00 L BAG CPPM 14.00 L EA CPQP 7.9900 BAS 280.00 PORTLAND CEMENT 7.9900 2237.20 5.1000 1224.00 POST BET FLY ASH 75# 5.1000 BAS 240.00 238.00 14.00 QUIKRETE PALLETS 17.0000 EA 17.0000 913-837-4159 POETLAND GOING UP DATE SHIPPED \$3699.20 FILLED BY CHECKED BY Sales total SHIP VIÁ LINN COUNTY RECEIVED COMPLETE AND IN GOOD CONDITION 3899.20 Taxable 0.00 Sales tax Non-taxable 233.05 Tax # X \$3932.25 TOTAL

1 - Merchant Copy