# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

### WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 31280	API No. 15 - 031-22974-00-00
Name: Birk Petroleum	Spot Description:
Address 1: 874 12th RD SW	SW_NE_SE_SE Sec. 30 Twp. 22 S. R. 17 FEast West
Address 2:	825 Feet from North / South Line of Section
City: Burlington State: Ks Zip: 66839 + 9255	495 Feet from ▼ East / □ West Line of Section
Contact Person: Brian L. Birk	Footages Calculated from Nearest Outside Section Corner:
Phone: ( 620 ) 364-1311	□ne □nw ☑se □sw
CONTRACTOR: License # 31280	County: Coffey
Name: Birk Petroleum	Lease Name: Parmely C Well #: 75
Wellsite Geologist: None	Field Name: Parmely
Purchaser: Coffeyville Resources	Producing Formation: Squirrel
Designate Type of Completion:	Elevation: Ground: 1041 Est. Kelly Bushing:
✓ New Well Re-Entry Workover	Total Depth: 985 Plug Back Total Depth: 985
☐ Oil ☐ WSW ☐ SWD ☐ SIOW	Amount of Surface Pipe Set and Cemented at: 40 Feet
Gas D&A Ø ENHR SIGW	Multiple Stage Cementing Collar Used? Yes No
☐ OG ☐ GSW ☐ Temp. Abd.	If yes, show depth set:Feet
CM (Coal Bed Methane)	If Alternate II completion, cement circulated from: 972
Cathodic Other (Core, Expl., etc.):	feet depth to: Surface w/ 120 sx cmt.
If Workover/Re-entry: Old Well Info as follows:	sx cm.
Operator:	
Well Name:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth:	· ·
Deepening Re-perf. Conv. to ENHR Conv. to SWD	Chloride content: ppm Fluid volume: bbis
Conv. to GSW	Dewatering method used:
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Permit #:	Operator Name:
Dual Completion Permit #:	Lanca Names
SWD Permit #:	License Maline.
☐ ENHR Permit #:	Quarter Sec. Twp. S. R. RECEIVED
GSW Permit #:	•
8/15/2011 8/16/2011 8/16/2011	AUG 3 1 2011
Spud Date or Date Reached TD Completion Date or Recompletion Date Recompletion Date	<b>KOO</b> 141100
INSTRUCTIONS: An original and two copies of this form shall be filed with Kansas 67202, within 120 days of the spud date, recompletion, workover or co of side two of this form will be held confidential for a period of 12 months if requitiality in excess of 12 months). One copy of all wireline logs and geologist well BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 for	enversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information uested in writing and submitted with the form (see rule 82-3-107 for confidentill report shall be attached with this form. ALL CEMENTING TICKETS MUST
AFFIDAVIT  I am the affiant and I hereby certify that all requirements of the statutes, rules and meaning the statutes and meaning the statutes.	KCC Office Use ONLY
lations promulgated to regulate the oil and gas industry have been fully complied	The state of Confidentiality December 4
and the statements berein are complete and correct to the best of my knowledge	e. Date:
Ladia Colored	Ureline Log Received
Signature: TUMA ( ) ( )	Geologist Report Received
Title: Agent Date: 8/29/2011	UIC Distribution
	ALT I I III Approved by: V Date: Y/S

#### Side Two

Operator Name: Birk	Petroleum		Lease N	lame: _	Parmely C		Well #: <u>75</u>		
Sec. 30 Twp. 22	s. R. <u>17</u>		County:	Coffe	y				
time tool open and clo	sed, flowing and shu es if gas to surface te	d base of formations pe t-in pressures, whether st, along with final chart well site report.	shut-in press	ure read	ched static level,	hydrostatic pre	ssures, bottom t	note temp	erature, fluid
Drill Stern Tests Taken (Attach Additional S		Yes No		L	og Formatio	n (Top), Depth	and Datum	<b>?</b> :	Sample
Samples Sent to Geol	logical Survey	Yes No		Nam	e el Sand		Тор 972		Datum 69
Cores Taken Electric Log Run		Yes No Yes No Yes No	Oquilei		,		312		~
List All E. Logs Run:									
		CASING Report all strings set	G RECORD	Ne		ion. etc.			
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weigi	ht	Setting Depth	Type of Cement	# Sacks Used		and Percent
Surface Casing	9 7/8	7"	17#		40'	Portland	15	Calciu	m
Longstring	6 1/8	2 7/8	6.5#		972	Portland	120		
	1	ADDITIONA	L CEMENTIN	10.4.601	EEST DECORD			<u> </u>	
Purpose: Depth Type of Ceme Top Bottom			# Sacks Used Type and Percent Additives			3			
Protect Casing Plug Back TD Plug Off Zone									- · · · · · · · · · · · · · · · · · · ·
Shots Per Foot PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated					Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)  Depth				
None	Open Hole Comp	letion 972-985							
							<u> </u>	RECE	VED
	·····						A	UG 3 1	2011
			•				KC	<del>? Wir</del>	HITA
TUBING RECORD:	Size:	Set At:	Packer At:		Liner Run:			- 1110	N 11 174
				,		Yes 1	ło		
Date of First, Resumed Pending	Production, SWD or EN	HR. Producing Me	ethod:	. 🗆	Gas Lift 🔲 (	Other (Explain)			
Estimated Production Per 24 Hours	Oil	Bbls. Gas	Mcf	Wate	er B	bis.	Gas-Oil Ratio		Gravity
DISPOSITIO	ON OF GAS:		METHOD OF	COMPLE	TION:		PRODUÇTI	ON INTER	VAL:
Vented Sold	<del></del> -	Open Hole	Perf.	Dually		mmingled mit ACO-4)			
(If vented, Sut	omit ACO-18.)	Other (Specify)				-			

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588

## Payless Concrete Products, L.L.C.

CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewolfus, madways, driveways, buildings, trees, strubbery, etc., which are at customer's risk. The maximum adeated time for unboading trucks is 5 minutes per yard. A charge-sellable madified holding trucks longer. This concrete contains correct water diversits for greater of minutes of the charge of the contains contains added at customer's request.

I storing 10 owners to pay those persons supplying material or services to complete the result in the fling of a mechanic's lien on the property in this time subjection is contract.

SHIP TO

The Company of the Welfallings FOR SE FORMATION

HUBI THOTTA KE

£ 50000

3.4729 

and anne Oak TE H TO DESTINA

3門 2門 日子位 [6] 出記人 雅烈 白油油人

El time that SAME

TIME	FORMULA	LOAD SIZE	YARDS ORDERED	-1- 714.	DRIVER/TRUCK		PLANT/TRANSACTION #
				; i‡!	į.	7. (1)	
1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	10 x	2 102 111	15-11-5	( :0	5.1		COEPE
DATE		LOAD#	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
	( 0 <sub>50</sub> ) .	٠,	100				
GO 1	1		i i	556	Le20 L	6 Oh e	1.6.1.6.5

#### WARNING

**IRRITATING TO THE SKIN AND EYES** 

Contains Portland Cement, Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURINS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water, If Imitation Pensists, Get Medical Attention, KEEP CHILDREN AWAY.

CONCRETE IS IN PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT, ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting ANY SUITS OWED

All accounts not paid within 30 days of delivery will been interest at the rate of 24% per annum. Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks. Excess Delay Time Charged @ \$50/HR.

PROPERTY DAMAGE RELEASE

(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

Dear Customer-The driver of this bruck in presenting this RELEASE to you to your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises antifor adjacent property if it places the material in this load where you desire it is properly if it places the material in this load where you desire it it is our with to help you is every say that we can, but in order to do this the driver is requesting that you stop this PRLEASE referring him and his supplier from any responsibility from any damage that may occur to the premises and/or adjacent properly, buildings, addeswills, chreworys, carts, etc., by the otherwory of material, and that will only any other than the premise and the service of the service of that have desired that the public street, Further, as additional considera-tion, the undestigned agrees to indemnity and hold harmless the other of this hund and this autoelier for any and all discress to the convention of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisin out of delivery of this order. SIGNED

Excessive Water is Detrimental to Concrete Performance H<sub>2</sub>0 Added By Request/Authorized By

GAL X

WEIGHMASTER

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING MISIDE CURB LINE.

LOAD RECEIVED BY:

UNIT PRICE EXTENDED PRICE QUANTITY CODE DESCRIPTION 3.7 COLD TO SUME DEVELOPE 14 U. H. #0 1,3%) 3. The development Could be 1.70 ie - 0

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED	
			1. JOB NOT REALTY 8. TRUCK BROKE DOWN 2. SLOW POUR OR PUMP 7. ACCIDENT 3. TRUCK ANEAD ON JOB 8. CITATION 4. CONTRACTOR PROVED COMM.		5.67 o. 11 / 1037 MB
LEFT PLANT	ARRIVED JOB	START UNLOADING	4. CONTRACTOR BROKE DOWN 9. OTHER 5. ADDED WATER	TIME DUE	The all \$ 100 17 Train \$ 100 33
11:15	1/1/5			<u> </u>	ADDITIONAL CHARGE 1
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		DELAY TIME	ADDITIONAL CHARGE 2
				_	GRAND TOTAL