

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

## WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 31280	API No. 15 - 031-22978-00-00
Name: Birk Petroleum	Spot Description:
Address 1: 874 12th RD SW	SE_NW_SE_SE_Sec. 30 Twp. 22 S. R. 17 Fast West
Address 2:	825 Feet from North / South Line of Section
City: Burlington State: Ks Zip: 66839 + 9255	825 Feet from
Contact Person: Brian L. Birk	Footages Calculated from Nearest Outside Section Corner:
Phone: ( 620 ) 364-1311	□ne □nw Øse □sw
CONTRACTOR: License # 31280 RECEIVED	County: Coffey
Name: Birk Petroleum	Lease Name: Parmely C Well #: 82
Wellsite Geologist: None	Field Name: Parmely
Purchaser: Coffeyville Resources KCC WICHITA	Producing Formation: Squirrel
Designate Type of Completion:	Elevation: Ground: 1040 Est. Kelly Bushing:
✓ New Well Re-Entry Workover	Total Depth: 978 Plug Back Total Depth: 978
☑ oil □ wsw □ swb □ slow	Amount of Surface Pipe Set and Cemented at: 40 Feet
☐ Gas ☐ D&A ☐ ENHR ☐ SIGW	Multiple Stage Cementing Collar Used?
☐ OG ☐ GSW ☐ Temp. Abd.	If yes, show depth set: Feet
CM (Coal Bed Methane)	If Alternate II completion, cement circulated from: 965
Cathodic Other (Core, Expl., etc.):	feet depth to: Surface w/ 120 sx cmt.
If Workover/Re-entry: Old Well Info as follows:	
Operator:	
Well Name:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth:	
☐ Deepening ☐ Re-perf. ☐ Conv. to ENHR ☐ Conv. to SWD	Chloride content: ppm Fluid volume: bbls  Dewatering method used:
Conv. to GSW	-
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Permit #:	Operator Name:
Dual Completion Permit #:	Lease Name: License #:
SWD Permit #:	Quarter Sec Twp S. R
ENHR Permit #:	County: Permit #:
GSW Permit #:	
Spud Date or Date Reached TD Completion Date or	
Recompletion Date Recompletion Date	
INSTRUCTIONS: An original and two copies of this form shall be filed with Kansas 67202, within 120 days of the spud date, recompletion, workover or co of side two of this form will be held confidential for a period of 12 months if requiality in excess of 12 months). One copy of all wireline logs and geologist well BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 for	onversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information uested in writing and submitted with the form (see rule 82-3-107 for confiden- Il report shall be attached with this form. ALL CEMENTING TICKETS MUST
AFFIDAVIT	KCC Office Use ONLY
I am the affiant and I hereby certify that all requirements of the statutes, rules and n	T I settor of Confidentiality Descripted
lations promulgated to regulate the oil and gas industry have been fully complied and the statements berein are complete and correct to the best of my knowledge.	with 1
and and an anti-	1 5.
$\mathcal{L}$	1 5.
Signature: The Original Signature Si	e. Date:  Confidential Release Date:  Wireline Log Received
Signature: Date: 8/29/2011	e. Date:  Confidential Release Date:

## Side Two

Operator Name: Birl	k Petroleum_			Lease	Name: _	Parmely C		Well #: .	82		
Sec. 30 Twp.22		East	West	Count	y: Coffe	9y				··· / .•·	
INSTRUCTIONS: Shiftime tool open and clorecovery, and flow rat line Logs surveyed.	osed, flowing and shues if gas to surface to	ut-in pressurest, along w	res, whether sl ith final chart(s	hut-in pre	ssure rea	ched static level,	, hydrostatic p	pressures, bot	tom hole tem	perature, fluid	
Drill Stem Tests Taker		☐ Ye	s 📝 No		□ L	og Formatio	n (Top), Dept	th and Datum	<b>7</b>	Sample	
Samples Sent to Geological Survey  Cores Taken		☐ Ye:	Yes No			Name Squirrel Sand		Top 965		Datum 75	
Electric Log Submitted Electronically (If no, Submit Copy)			Yes ✓ No Yes ✓ No								
List All E. Logs Run:											
			CASING	RECORD	☐ Ne	w Used		<del> </del>		···	
<del></del>		T				rmediate, product	T		·		
Purpose of String	Size Hole Orilled		Casing (In O.D.)		eight ./Ft.	Setting Depth	Type of Cement			and Percent Additives	
Surface Casing	9 7/8	7"	17#			40' Portland		15	Calciu	Calcium	
Longstring	6 1/8	2 7/8		6.5#	<u>-</u>	965	Portland	120			
		<u> </u>	ADDITIONAL	CEMENT	ING / SQL	L JEEZE RECORD	<b>1</b>	<u> </u>			
Purpose: Depth Top Bottom Perforate Protect Casing Plug Back TD Plug Off Zone		Type of Cement # 5			icks Used Type and Percent Additives						
				L	<u>-</u>	<u> </u>		w			
Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated				)	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)  Depth					
None Open Hole Completion 965-978					Frac w/42 S	x		···	965-978		
									RECE	N/ED	
									AUG 3	1 2011	
TUBING RECORD:	Size:	Set At:		Packer	At:	Liner Run:	Yes [	] No	KCC W	ICHITA	
Date of First, Resumed	Production, SWD or EN	IHR.	Producing Meth Flowing	iod: Pumpi	ing 🗌	Gas Lift ☐ C	Other (Explain) .				
Estimated Production Per 24 Hours	Oil 1	Bbls.	Gas	Mcf	Wat	er B	bls.	Gas-Oil Rai	tio	Gravity	
DISPOSITI	ON OF GAS:		_	_	F COMPLE			PROD	UCTION INTER	VAL:	
Vented Sold	Used on Lease		pen Hole ther (Specify)	Perf.	Dually (Submit A		nmingled mit ACO-4)		- wu.		

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588



CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Oue to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to pidewalfs, modways, buildings, trees, shrubbey, etc., which are at customer's risk. The maximum allotted time for unloading studies is 5 minutes per yard. A charge will be made to holding trucks longer. This concrete contains corract water contents for strength or mits indicated. We do not assume responsibility for strength test when water is added at customer's request.

NOTICE TO CHARGE. Concrete to be delivered to the nearest accessible point over passable road,

Febure of this contractor to pay those persons supplying material or services to complete this contract can result in the tiling of a machanic's iten on the properly which is the subject of this contract.

ıΟ 38031

H & B COOPERATIVE VENDIRES 300 S. FOURTH CT.

各手さんが毎

B & A COUPL VENTURES/BIRK GIL SB W TO WAYSIDE RD N 1 NT TO TH S) 4 1/2 HT

BURLINGTON KS

££2.70

IF DOV HE LEAST

NELL BAS PAPMELY D

TIME	FORMULA	LOAD SIZE	YARDS ORDERED		DRIVER/TRUCK		PLANT/TRANSACTION #
		<u> </u>		<b>3</b>		; ATT	
30000127b	3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	10 0° d	1 136.	£8 .		<u> គ. ជាភ</u>	
DATE		LOAD #	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
	Si Pate	Į	1ন্দ ক্ৰ			_	
Ø8-15-11	10/3		11 200 00		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	۱۲۱ گاچيک	<u>7987</u>

**WARNING** 

IRRITATING TO THE SKIN AND EYES
Contains Portland Cement, Wear Rubber Boots and Gloves, PROLONGED CONTACT MAY

CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water, If Initiation Persists, Get Medical Attention, KEEP CHILDREN AWAY.

CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT, ANY CHANGES OR CANCELLATION OF ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting

All accounts not paid within 30 days of delivery will beer interest at the rate of 24% per armum. Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

A \$25 Senios Charge and Loss of the Cash Discount will be collected on all Returned Charles Excess Datay Time Charged @ \$50HR. CODE

PROPERTY DAMAGE RELEASE

ITO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

Dear Customer-The driver of this truck in presenting this RELEASE to you for your signstant is of the option that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if it places the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this car wan in rispy but in every way may see that, our since all on use in the other in requesting that you sign this PELEASE relieving that and its supplier from any responsibility from any damage start may occur to the premises and/or adjacent property, buildings, sidnessins, chiwelegs, curbs, etc., by the delivery of this material, and that you also agree to help him remove much from the wheels of its vehicle so the open and the prime remove much toom the wheels of its vehicle so that he will not litter the public street. Further, as additional considera-tion, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premis and/or adjacent properly which may be claimed by anyone to have arisin cut of delivery of this order. SIGNED Excessive Water is Detrimental to Concrete Performance H<sub>2</sub>0 Added By Request/Authorized By

GAL X

WEIGHMASTER

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.

LOAD RECEIVED BY:

DESCRIPTION

X _	ΙX	
-----	----	--

EXTENDED PRICE **UNIT PRICE** 

QUANTITY . . . (1/2)

CC WICHITA AUG 品 贸 w 

tion of High Cla

33 13

1,1415 100

TIME ALLOWED LEFT JOB FINISH UNLOADING DELAY EXPLANATION/CYLINDER TEST TAKEN RETURNED TO PLANT 6. TRUCK BROKE DOWN . JOB NOT READY 2. SLOW POUR OR PUMP 7. ACCIDENT 8. CITATION 3. TRUCK AHEAD ON JOB 4 CONTRACTOR BROKE DOWN 9. OTHER START UNLOADING TIME DUE ARRIVED JOB LEFT PLANT 5. ADDED WATER **DELAY TIME** TOTAL ROUND TRIP **TOTAL AT JOB** UNLOADING TIME

ADDITIONAL CHARGE 1

**ADDITIONAL CHARGE 2** 

GRAND TOTAL