

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #31280	API No. 15 - 031-22973-00-00
Name: Birk Petroleum	Spot Description:
Address 1: _ 874 12th RD SW	NW_SE_SE_SE_Sec30 Twp22 S. R17 FEast West
Address 2:	495 Feet from North / South Line of Section
City: Burlington State: Ks Zip: 66839 + 9255	495 Feet from 🗗 East / 🗌 West Line of Section
Contact Person: Brian L. Birk	Footages Calculated from Nearest Outside Section Corner:
Phone: (620) 364-1311	□ NE □ NW ☑ SE □ SW
24290	County: Coffey
CONTRACTOR: License #	Lease Name: Parmely C Well #: 74
Wellsite Geologist: None	Field Name: Parmely
Purchaser: Coffeyville Resources	Producing Formation: Squirrel
Designate Type of Completion:	Elevation: Ground: 1042 Est. Kelly Bushing:
New Well Re-Entry Workover	Total Depth: 984 Plug Back Total Depth: 984
-	Amount of Surface Pipe Set and Cemented at: 40 Feet
☑ Oil ☐ WSW ☐ SWD ☐ SIOW ☐ Gas ☐ D&A ☐ ENHR ☐ SIGW	Multiple Stage Cementing Collar Used? Yes No
☐ Gas ☐ D&A ☐ ENHR ☐ SIGW ☐ OG ☐ GSW ☐ Temp. Abd.	
CM (Coal Bed Methane)	If yes, show depth set: Feet
Cathodic Other (Core, Expl., etc.):	If Alternate II completion, cement circulated from: 972 feet depth to: Surface w/ 120 sx cmt.
If Workover/Re-entry: Old Well Info as follows:	feet depth to: sx cmt.
Operator:	
Well Name:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth:	
Deepening Re-perf. Conv. to ENHR Conv. to SWD	Chloride content: ppm Fluid volume: bbls
☐ Conv. to GSW	Dewatering method used:
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Permit #:	Operator Name:
Dual Completion Permit #:	Lease Name: License #:
SWD Permit #:	Quarter Sec TwpS. R
ENHR Permit #:	County: Permit #: RECEIVED
GSW Permit #:	,
Spud Date or Date Reached TD Completion Date or	AUG 3 1 2011
Recompletion Date Recompletion Date	1/00 141101-11-2
of side two of this form will be held confidential for a period of 12 months if re	conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information quested in writing and submitted with the form (see rule 82-3-107 for confidenell report shall be attached with this form. ALL CEMENTING TICKETS MUST
AFFIDAVIT	KCC Office Use ONLY ✓
I am the affiant and i hereby certify that all requirements of the statutes, rules and	regu-
lations promulgated to regulate the oil and gas industry have been fully complied	· · · · · · · · · · · · · · · · · · ·
and the statements herein are complete and correct to the best of my knowled	ge. Confidential Release Date:
SALLAN CALLAN	Wireline Log Received
Signature: YUW W Y Y W	Geologist Report Received
Title: Agent Date: 8/29/2011	— UIC Distribution ALT □ □ II Approved by: □ Date: 9 6 1

Side Two

Operator Name: Birk	Petroleum		 	Lease	Name: _	Parmely C		Well #:74		
Sec. 30 Twp.22	s. R. <u>17</u>	✓ East		Coun	ty: Coffe	<u>y</u>				
INSTRUCTIONS: Shi time tool open and do recovery, and flow rate line Logs surveyed. A	sed, flowing and shut as if gas to surface tes	-in pressu st, along v	res, whether s vith final chart(hut-in pre	ssure read	ched static level,	hydrostatic p	pressures, bottom	hole temp	erature, fluid
Drill Stem Tests Taken Yes (Attach Additional Sheets)		s 📝 No		Lu	og Formation	th and Datum	✓ Sample			
Samples Sent to Geological Survey		Nan Yes ☑ No Soutin		ne rel Sand		Тор 972	+7	Datum 70		
Cores Taken Electric Log Run Electric Log Submittee (If no, Submit Copy	-	Y			Squiii	a ound		3,2	·	
List All E. Logs Run:										
			CASING	RECORD) Ne	w Used				
		Repo				ermediate, producti	on, etc.		_	
Purpose of String	Size Hole Drilled		re Casing t (In O.D.)		eight s. / Ft.	Setting Depth	Type of Cemen			and Percent dditives
Surface Casing	9 7/8	7		17#		40'	Portland	15	Calciu	m
Longstring	6 1/8	2 7/8		6.5#		972	Portland	120		
			10070144	0514515	FIND (00)	ITENT DECORA	·		1	.
Purpose: Depth Top Bottom		ADDITIONAL CEMENTII Type of Cement # Secks			ks Used	Type and Percent Additives				
Protect Casing Plug Back TD Plug Off Zone							<u>.</u>	······································		
Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated				•	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depti				Depth
None	Open Hole Completion 972-984					Frac w/42 Sx	<u> </u>			972-984
							·		RECE	I VED
									AUG 3	1 2011
								K	CC W	CHITA
TUBING RECORD:	Size:	Set At:	•	Packer	At:	Liner Run:	Yes [· ••••••
Date of First, Resumed Production, SWD or ENHR.				hod:	ing 🔲	Gas Lift ☐ O	ther <i>(Explain)</i> .			
Estimated Production Per 24 Hours	Oil E	3bis.		Mcf	Wat	er Bt	ks.	Gas-Oil Ratio		Gravity
DISPOSITION OF GAS: METHOD OF COMPLETION: PRODUCTION INTERVAL: PRODUCTION INTERVAL:						VAL:				
(If vented, Sut	brnit ACO-18.)		Other (Specify)		(Submit i	(SUBN	nit ACO-4)			

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588



CONDITIONS

Concrete to be delivered to the searest accessible portuiner passable road, under much sown power, Due to delivery at burner's or intermediary's direction, seller assumes no responsibility for damages in any manner to adewalfus, roadways, bulldings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading tructs is 5 minutes, per year's a charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mis indicated. We do not assume responsibility for strength test when water is added at outstomer's request.

NOTICE TO OWNER

Feiture of this constructor to not the search of the constructor to the

NOTICE 10 Owners.

Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

SOL₁ T

98001

B & B COOPERATIVE VENTURES 900 S. FOURTH ST. (

BURLINGTON KS

814/84

B & F COUP, WENTURES /BIRK DILL 38 W TO WAYSIDE RD N 1 MI TO 5TH RD U 1/2 MI

WELL #75 PARMELY C LE ROY KS 16857

£00077				յ հայև <u>։ Մավ</u> յի	THE SHAPE			
TIME	FORMULA	LOAD SIZE	YARDS ORDERED		DRIVER/TRUCK	<u> </u>	PLANT/TRANSACTION #	
Time	1 1011111021			~ coi	MK	% AIP	Į į	
 10:59:16a -	DE LE	12,98 36	17.00 yd	Q.	35	2.00	COFCO	
DATE	121.67	LOAD#	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER	
DAIL	To Dale	5 70	138.00 yd	,				
04-16-11	4.3.12		10.00 vd	1.064	0/9d _ 70.10	4.00 in	29848	

WARNING

IRRITATING TO THE SKIN AND EYES
Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY
CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of
Contact With Skin or Eyes, Rush Thoroughly With Water, it simitation Persists, Get Medical
Attention. KEEP CRILDREN AWAY.

CONCRETE In a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time

召

UNLOADING TIME

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Chacks. Excess Datay Time Charged @ \$50HR. CODE

ARRIVED JOB

TOTAL AT JOB

rigit (

(TO BE SIGNED & FOLINERY TO BE (ADE INSIDE CURB LINE)

Over Customer-The driver of this truck impresenting this RELESS: by the year signeture is of the opinion trip line size and weight of the rock may possibly cause damage to the previous property if a places the material in this tide observe you desire it. It is car with to help you in every well previously are you desire it. It is car with to help you in every well that is coil, but in order to do this file driver in requesting that you do the his RELESS relieving that may be a supportability from they damage that may concur to the premises another agreement proteinly buildings, sidentifications, the undersigned agrees to indomenly on the help and their the public street. Fortige, as additional consideration, the undersigned agrees to indomenly got hold harmless the different of this truck and this supplies for any and If demange to the premises another adjacents properly which may be claimed by anyone to have a return of the delety of this notion.

arisin out of delivery of this order. SIGNED

Excessive Water is Detrimental to Concrete Performance H₂0 Added By Request/Authorized By.

WEIGHMASTER

ADDITIONAL CHARGE 2

GRAND TOTAL

LOAD RECEIVED BY:

EXTENDED PRICE UNIT PRICE DESCRIPTION THE CHAISAGES OF UNIT 1.1 THREE THE CHARGE TIME ALLOWED DELAY EXPLANATION/CYLINDER TEST TAKEN IISH UNLQADING . 11 6. TRUCK BROKE DOWN 1. JOB NOT READY 7. ACCIDENT 2. SLOW POUR OR PUMP 8. CITATION 3. TRUCK AHEAD ON JOB 115 9 OTHER 4 CONTRACTOR BROKE DOWN TIME DUE START UNLOADING 5 ADDED WATER ADDITIONAL CHARGE 1

DELAY TIME

QUANTITY

12.00

c. 50

RETURNED TO PLANT

LEFT PLANT

TOTAL ROUND TRIP