Form 0-2 (Rev. 7/03)

Kansas Corporation Commission One Point Stabilized Open Flow or Deliverability Test (See Instructions on Reverse Side)

Type Test:						(Se	ee Ir	nstructio	ns on	Reverse	Side)		_					
Open Flow Deliverability			Test Date: 07/28/2011							API No. 15129215820000				000				
Company OXY USA Inc SUSW			Lease JOHNS 1-1324										We	ell Nu	ımber			
County Loca Morton 660 FSL &			ition	s	Section 24			TWP 32S			RNG (E/W) 41W		Acres Attributed 640					
Field RICHFIELD					Reservoir Marmaton/Morrov							Gas Gathering Connection BP			n			
Completion Date 05/06/2001				Р	Plug Back Total Depth 5,160'						Pa	cker Set at			•			
			Weig 10.5		Ir	Internal Diameter 4.052"			Set at 5,340 °			Perforations 4,576'			To 5,11	Α,		
Tubing Size Weight 2 3/8" 4.7#			•	lr 1	ame	eter Set at 5,070'					Perforations		То		Yes / No 2 5			
					Type Fluid Production WATER						Pump Unit or Traveling Plu Yes - Beam P				H	CO.		
Producing Thru (Annulus / Tubing) Tubing				•	% Carbon Dioxide 0.307%						% Nitrogen G 2.234%			Gas Gravi 0.61	•	WICH		
Vertical Depth (H) 4,844'					Pressure Taps Flange										n) (P 2. 067	rover) Size		
Pressure B	uildup:	:	Shut in	07/2	7 :	20 11	at	9:00			Taker		07/28	20 11	at 9	:00		
Well on Line: Shut in				:	at Take								_ 20	at				
							OE	SERVE	D SU	RFACE	DATA		Di	ration of	Shut-in	24	Hours	
		\neg		le one:	Pressure			ľ	T		sing		Tubin		1		<u> </u>	
Static / Dynamic Property			Prover	eter Pressure ; (Pm)	Differential Flowing in Temperature Inches H ₂ O t		•	Well Hear Temperat		Walthead Pressure (P _w) or (P _i) or (P _c) psig psid) (P _#) or (P _i) or					Liquid Produced (Barrels)	
Shut-In			**************************************						54.0 68.				24					
Flow																		
							FL	ow sti	REAM	ATTRIE	BUTES							
Plate Coefficient (F _b) (F _p) Mcfd		Circle one: Meter or Prover Pressure psia		Exte	ess nsion .x.h	Gravity Factor F _e	Factor		ving rature stor	Deviation Factor F _{PV}		Metered Flow R (Mcrd)		(Cubic	GOR (Cubic Feet/Barrel)		Flowing Fluid Gravity G _m	
(P _c) ² =		•	(P _w) ⁽	² = 0.0		OPEN FL	.ow		VERA	BILITY) (Pc - 14						a) ² =	0.207	
(P _e) ² - (P _e) ² or (P _e) ² - (P _d) ²				2. P _e ² -	ula 1 or 2: P _a ²	LOG of formula		2 - P ₂ 2	Back	Backpressure Curve Slope = "n"		n×LOG			Antilog		Open Flow Deliverability Equals R x Antilog (Mcttl)	
				divided by: I	e - P _m	by:	L		S	tandard Sk	оре	\perp				F	(man)	
Open Flow			0	Mc	d @ 14.65	psia			Deliven	ability				Mcfd @	14.65 psia	<u>L</u>		
the facts stated	therein,							tates that h	ne is duly 19		d to make	the a	sbove report and the Augu		nowledge of		2011	
				Vitness			<u></u>	_		_			O	KY USA For Colops		_) 	
			e _{n-}	Commission									David O	den Ox	cy USA in	7		

I declare under penalty of perjury under the laws of the state of Kansa K.A.R. 82-3-304 on behalf of the operator OXY USA Inc. contained on this application form are true and correct to the best of my known and lease records of equipment installation and/or upon type of completion of the laws request a one-year exemption from open flow Jesaid well:	and that the foregoing pressure information and statements wledge and belief based upon available production summaries									
(Check one)										
is a coalbed methane producer										
is cycled on plunger lift due to water										
is a source of natural gas for injection into an oil reservoir underg	oing ER									
is on a vacuum at the present time; KCC approval Docket No.										
is not capable of producing at a daily rate in excess of 250 mcf/D										
I further agree to supply to the best of my ability any and all supporting d corroborate this claim for exemption from testing. Date: August 19, 2011	ocuments deemed by Commission staff as necessary to									
	AUG 2 5 2011									
	KCC WICHITA									
	David Ogden Signature: OXY USA Inc									
	Title: Gas Business Coordinator									

Instructions: If a gas well meets one of the eligibility criteria set out in the KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under OBSERVED SURFACE DATA. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption IS denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31st of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.