

# KANSAS CORPORATION COMMISSION

## ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

Type Test:

(See Instructions on Reverse Side)

Open Flow  
 Deliverability

Test Date:  
05/22/2011

API No. 15  
15-007-22920-00-00

Company <b>JACK EXPLORATION, INC.</b>		Lease <b>BENSON</b>		Well Number <b>2-33</b>	
County <b>BARBER</b>	Location <b>E/2 W/2 NE</b>	Section <b>33</b>	TWP <b>34S</b>	RNG (E/W) <b>14W</b>	Acres Attributed <b>320</b>
Field <b>AETNA SE</b>		Reservoir <b>MISSISSIPPIAN</b>		Gas Gathering Connection <b>ATLAS PIPELINE</b>	
Completion Date <b>11/23/2005</b>		Plug Back Total Depth <b>5150</b>		Packer Set at	
Casing Size <b>4.5</b>	Weight <b>11.6</b>	Internal Diameter <b>4.0</b>	Set at <b>5169</b>	Perforations <b>4898</b>	To <b>4918</b>
Tubing Size <b>2.375</b>	Weight <b>4.7</b>	Internal Diameter <b>1.995</b>	Set at <b>4886.38</b>	Perforations <b>4922</b>	To <b>5002</b>
Type Completion (Describe) <b>SINGLE</b>		Type Fluid Production <b>WATER</b>		Pump Unit or Traveling Plunger? Yes / No <b>PLUNGER LIFT</b>	
Producing Thru (Annulus / Tubing) <b>TUBING</b>		% Carbon Dioxide		% Nitrogen	
Vertical Depth(H)		Pressure Taps <b>FLANGE</b>		(Meter Run) (Prover) Size	
Pressure Buildup: Shut in <b>05/22</b> 20 <b>11</b> at _____ (AM) (PM) Taken _____ 20 _____ at _____ (AM) (PM)					
Well on Line: Started <b>05/24</b> 20 <b>11</b> at _____ (AM) (PM) Taken _____ 20 _____ at _____ (AM) (PM)					

### OBSERVED SURFACE DATA

Duration of Shut-in **40** Hours

Static / Dynamic Property	Orifice Size (inches)	Circle one: Meter or Prover Pressure psig (Pm)	Pressure Differential in Inches H <sub>2</sub> O	Flowing Temperature t	Well Head Temperature t	Casing Wellhead Pressure (P <sub>w</sub> ) or (P <sub>c</sub> )		Tubing Wellhead Pressure (P <sub>w</sub> ) or (P <sub>c</sub> ) or (P <sub>e</sub> )		Duration (Hours)	Liquid Produced (Barrels)
						psig	psia	psig	psia		
Shut-In							350		350		
Flow											

### FLOW STREAM ATTRIBUTES

Plate Coefficient (F <sub>s</sub> ) (F <sub>p</sub> ) Mcfd	Circle one: Meter or Prover Pressure psia	Press Extension $\sqrt{P_m \times h}$	Gravity Factor F <sub>g</sub>	Flowing Temperature Factor F <sub>t</sub>	Deviation Factor F <sub>pv</sub>	Metered Flow R (Mcfd)	GOR (Cubic Feet/ Barrel)	Flowing Fluid Gravity G <sub>m</sub>

### (OPEN FLOW) (DELIVERABILITY) CALCULATIONS

$(P_c)^2 =$  \_\_\_\_\_ :  $(P_w)^2 =$  \_\_\_\_\_ :  $P_d =$  \_\_\_\_\_ %  $(P_c - 14.4) + 14.4 =$  \_\_\_\_\_ :  $(P_w)^2 = 0.207$   
 $(P_d)^2 =$  \_\_\_\_\_

$(P_c)^2 - (P_w)^2$ or $(P_c)^2 - (P_d)^2$	$(P_c)^2 - (P_w)^2$	Choose formula 1 or 2: 1. $P_c^2 - P_w^2$ 2. $P_c^2 - P_d^2$ divided by: $P_c^2 - P_w^2$	LOG of formula 1. or 2. and divide by: $P_c^2 - P_w^2$	Backpressure Curve Slope = "n" Assigned Standard Slope	n x LOG	Antilog	Open Flow Deliverability Equals R x Antilog (Mcfd)

Open Flow Mcfd @ 14.65 psia      Deliverability      Mcfd @ 14.65 psia

The undersigned authority, on behalf of the Company, states that he is duly authorized to make the above report and that he has knowledge of the facts stated therein, and that said report is true and correct. Executed this the **15TH** day of **AUGUST**, 20 **11**

Witness (if any)

For Company

For Commission

Checked by

I declare under penalty of perjury under the laws of the state of Kansas that I am authorized to request exempt status under Rule K.A.R. 82-3-304 on behalf of the operator JACK EXPLORATION, INC. and that the foregoing pressure information and statements contained on this application form are true and correct to the best of my knowledge and belief based upon available production summaries and lease records of equipment installation and/or upon type of completion or upon use being made of the gas well herein named.

I hereby request a one-year exemption from open flow testing for the BENSON 2-33 gas well on the grounds that said well:

(Check one)

- is a coalbed methane producer
- is cycled on plunger lift due to water
- is a source of natural gas for injection into an oil reservoir undergoing ER
- is on vacuum at the present time; KCC approval Docket No. \_\_\_\_\_
- is not capable of producing at a daily rate in excess of 250 mcf/D

I further agree to supply to the best of my ability any and all supporting documents deemed by Commission staff as necessary to corroborate this claim for exemption from testing.

Date: 08/15/2011

Signature: *Keely Aaron*  
Title: SECRETARY

**Instructions:** If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.

RECEIVED  
AUG 17 2011  
KCC WICHITA

JACK EXPLORATION, INC.  
 R/D Property Volume Analysis Report  
 By Sales Date from 1/1/2011 to 7/31/2011

Date: 8/15/2011

For All Leases and Selected Wells

		***** GROSS *****		***** SHARE *****	
Production Date	Sale Date	Sales Volume	Prod Volume	Sales Volume	Prod Volume

Lease: SLT      Well: SLT10      Well Name: Benson 2-33  
 Ref #: 00000018

Account: 361-01      Department:      Account Name: DRY GAS

1/31/2011	1/31/2011	269.46	294.21	269.46	294.21
2/28/2011	2/28/2011	773.49	844.53	773.49	844.53
3/31/2011	3/31/2011	1,934.77	2,112.45	1,934.77	2,112.45
4/30/2011	4/30/2011	1,442.77	1,575.27	1,442.77	1,575.27
5/31/2011	5/31/2011	1,486.89	1,623.44	1,486.89	1,623.44
6/30/2011	6/30/2011	1,449.47	1,582.59	1,449.47	1,582.59
		<u>7,356.85</u>	<u>8,032.49</u>	<u>7,356.85</u>	<u>8,032.49</u>
<b>Property Totals</b>		<u>7,356.85</u>	<u>8,032.49</u>	<u>7,356.85</u>	<u>8,032.49</u>
<b>Report Totals</b>		<u>7,356.85</u>	<u>8,032.49</u>	<u>7,356.85</u>	<u>8,032.49</u>

RECEIVED

AUG 17 2011

Page No 1

KCC WICHITA

Well/Site: Z5 BENSON 2-33  
 Well/Site Number: BENSON 2-33  
 Pumper ID: ROD GLENNIE  
 Property ID 4:

JACKS EXPLORATION,  
 PRODUCTION GAUGE REPORT

Producer: JACKS EXPLORAT  
 Property Number:  
 Pipeline Code:  
 Reservoir/Site:

Report Run Date: 8/15/11  
 Well/Site Name: Z5 BENSON 2-33  
 Property ID 2:  
 Property ID 3:

RECEIVED  
 AUG 17 2011  
 KCC WICHITA

Date	WellHead Pressure			Gas Meter Readings					Produced Fluid		Oil Tank Readings												Water Tank Readings						Fluid Hauled			REMARKS
	CH	Tub	Cas	Diff	PSIA	Hours	Gas Volume MCF	Oil	Water	Tank # 1			Tank # 2			Tank # 3			Tank # 4			Tank # 1	Tank # 2	Tank # 3	H2	Sale	Waste					
										Ft	In	BBL	Ft	In	BBL	Ft	In	BBL	Ft	In	BBL							Ft	In	BBL		
1/1/2011	64	350	350	.0	43	24.0	0	0.0	0.0	9	10.0	198.1	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	1	0.0	0	0.0	0	0.0	0.00	0.00	0.00	0	
1/2/2011	64	350	350	.0	43	24.0	0	0.0	0.0	9	10.0	198.1	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	1	0.0	0	0.0	0	0.0	0.00	0.00	0.00	0	
1/3/2011	64	350	350	.0	43	24.0	0	0.0	0.0	9	10.0	198.1	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	1	0.0	0	0.0	0	0.0	0.00	0.00	0.00	0	
1/4/2011	64	350	350	.0	47	24.0	11	0.0	0.0	9	10.0	198.1	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	1	0.0	0	0.0	0	0.0	0.00	0.00	0.00	0	
1/5/2011	64	350	350	.0	49	24.0	0	0.0	0.0	9	10.0	198.1	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	1	0.0	0	0.0	0	0.0	0.00	0.00	0.00	0	
1/6/2011	64	350	350	.0	49	24.0	0	0.0	0.0	9	10.0	198.1	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	1	0.0	0	0.0	0	0.0	0.00	0.00	0.00	0	
1/7/2011	64	350	350	.0	49	24.0	0	0.0	0.0	9	10.0	198.1	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	1	0.0	0	0.0	0	0.0	0.00	0.00	0.00	0	
1/8/2011	64	350	350	.0	54	24.0	11	0.0	0.0	9	10.0	198.1	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	1	0.0	0	0.0	0	0.0	0.00	0.00	0.00	0	
1/9/2011	64	350	350	.0	48	24.0	9	0.0	0.0	9	10.0	198.1	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	1	0.0	0	0.0	0	0.0	0.00	0.00	0.00	0	
1/10/2011	64	350	350	.0	48	24.0	9	0.0	0.0	9	10.0	198.1	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	1	0.0	0	0.0	0	0.0	0.00	0.00	0.00	0	
1/11/2011	64	350	350	.0	58	24.0	7	0.0	0.0	9	10.0	198.1	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	1	0.0	0	0.0	0	0.0	0.00	0.00	0.00	0	
1/12/2011	64	350	350	.0	47	24.0	8	0.0	0.0	9	10.0	198.1	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	1	0.0	0	0.0	0	0.0	0.00	0.00	0.00	0	
1/13/2011	64	350	350	.0	47	24.0	0	0.0	0.0	9	10.0	198.1	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	1	0.0	0	0.0	0	0.0	0.00	0.00	0.00	0	
1/14/2011	64	350	350	.0	51	24.0	6	0.0	0.0	9	10.0	198.1	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	1	0.0	0	0.0	0	0.0	0.00	0.00	0.00	0	
1/15/2011	64	350	350	.0	50	24.0	10	0.0	0.0	9	10.0	198.1	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	1	0.0	0	0.0	0	0.0	0.00	0.00	0.00	0	
1/16/2011	64	350	350	.0	50	24.0	9	0.0	0.0	9	10.0	198.1	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	1	0.0	0	0.0	0	0.0	0.00	0.00	0.00	0	
1/17/2011	64	350	350	.0	54	24.0	6	0.0	0.0	9	10.0	198.1	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	1	0.0	0	0.0	0	0.0	0.00	0.00	0.00	0	
1/18/2011	64	350	350	.0	54	24.0	0	0.0	0.0	9	10.0	198.1	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	1	0.0	0	0.0	0	0.0	0.00	0.00	0.00	0	
1/19/2011	64	350	350	.0	54	24.0	0	0.0	0.0	9	10.0	198.1	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	1	0.0	0	0.0	0	0.0	0.00	0.00	0.00	0	
1/20/2011	64	350	350	.0	54	24.0	0	0.0	0.0	9	10.0	198.1	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	1	0.0	0	0.0	0	0.0	0.00	0.00	0.00	0	
1/21/2011	64	350	350	.0	54	24.0	0	0.0	0.0	9	10.0	198.1	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	1	0.0	0	0.0	0	0.0	0.00	0.00	0.00	0	
1/22/2011	64	350	350	.0	54	24.0	0	0.0	0.0	9	10.0	198.1	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	1	0.0	0	0.0	0	0.0	0.00	0.00	0.00	0	
1/23/2011	64	350	350	.0	54	24.0	0	0.0	0.0	9	10.0	198.1	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	1	0.0	0	0.0	0	0.0	0.00	0.00	0.00	0	
1/24/2011	64	350	350	.0	54	24.0	0	0.0	0.0	9	10.0	198.1	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	1	0.0	0	0.0	0	0.0	0.00	0.00	0.00	0	
1/25/2011	64	350	350	.0	55	24.0	8	0.0	0.0	9	10.0	198.1	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	1	0.0	0	0.0	0	0.0	0.00	0.00	0.00	0	
1/26/2011	64	350	350	.0	55	24.0	9	0.0	0.0	9	10.0	198.1	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	1	0.0	0	0.0	0	0.0	0.00	0.00	0.00	0	
1/27/2011	64	350	350	.0	58	24.0	12	0.0	15.1	9	10.0	198.1	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	1	9.0	0	0.0	0	0.0	0.00	0.00	0.00	0	
1/28/2011	64	350	350	.0	55	24.0	19	0.0	0.0	9	10.0	198.1	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	1	9.0	0	0.0	0	0.0	0.00	0.00	0.00	0	
1/29/2011	64	350	350	.0	55	24.0	22	0.0	0.0	9	10.0	198.1	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	1	9.0	0	0.0	0	0.0	0.00	0.00	0.00	0	
1/30/2011	64	350	350	.0	55	24.0	26	0.0	3.4	9	10.0	198.1	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	1	11.0	0	0.0	0	0.0	0.00	0.00	0.00	0	
1/31/2011	64	350	350	.0	56	24.0	26	0.0	0.0	9	10.0	198.1	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	1	11.0	0	0.0	0	0.0	0.00	0.00	0.00	0	
2/1/2011	64	350	350	.0	56	24.0	26	0.0	0.0	9	10.0	198.1	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	1	11.0	0	0.0	0	0.0	0.00	0.00	0.00	0	
2/2/2011	64	350	350	.0	63	24.0	37	0.0	0.0	9	10.0	198.1	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	1	11.0	0	0.0	0	0.0	0.00	0.00	0.00	0	
2/3/2011	64	350	350	.0	37	24.0	33	0.0	0.0	9	10.0	198.1	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	1	11.0	0	0.0	0	0.0	0.00	0.00	0.00	0	
2/4/2011	64	350	350	.0	51	24.0	33	0.0	5.0	9	10.0	198.1	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	2	2.0	0	0.0	0	0.0	0.00	0.00	0.00	0	
2/5/2011	64	350	350	1.0	57	24.0	53	0.0	0.0	9	10.0	198.1	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	2	2.0	0	0.0	0	0.0	0.00	0.00	0.00	0	

2/6/2011	64	350	350	.0	58	24.0	34	0.0	0.0	9	10.0	198.1	0	0.0	.0	0	0.0	0.0	0	0.0	0	0.0	0	0.0	0.00	0.00	0.00	0
2/7/2011	64	350	350	.0	58	24.0	33	0.0	0.0	9	10.0	198.1	0	0.0	.0	0	0.0	0.0	0	0.0	0	0.0	0	0.0	0.00	0.00	0.00	0
2/8/2011	64	350	350	.0	52	24.0	16	0.0	0.0	9	10.0	198.1	0	0.0	.0	0	0.0	0.0	0	0.0	0	0.0	0	0.0	0.00	0.00	0.00	0
2/9/2011	64	350	350	.0	52	24.0	16	0.0	0.0	9	10.0	198.1	0	0.0	.0	0	0.0	0.0	0	0.0	0	0.0	0	0.0	0.00	0.00	0.00	0
2/10/2011	64	350	350	.0	52	24.0	11	0.0	0.0	9	10.0	198.1	0	0.0	.0	0	0.0	0.0	0	0.0	0	0.0	0	0.0	0.00	0.00	0.00	0
2/11/2011	64	350	350	.0	44	24.0	2	0.0	0.0	9	10.0	198.1	0	0.0	.0	0	0.0	0.0	0	0.0	0	0.0	0	0.0	0.00	0.00	0.00	0
2/12/2011	64	350	350	.0	44	24.0	0	0.0	0.0	9	10.0	198.1	0	0.0	.0	0	0.0	0.0	0	0.0	0	0.0	0	0.0	0.00	0.00	0.00	0
2/13/2011	64	350	350	.0	44	24.0	0	0.0	0.0	9	10.0	198.1	0	0.0	.0	0	0.0	0.0	0	0.0	0	0.0	0	0.0	0.00	0.00	0.00	0
2/14/2011	64	350	350	.0	44	24.0	0	0.0	0.0	9	10.0	198.1	0	0.0	.0	0	0.0	0.0	0	0.0	0	0.0	0	0.0	0.00	0.00	0.00	0
2/15/2011	64	350	350	.0	55	24.0	7	0.0	0.0	9	10.0	198.1	0	0.0	.0	0	0.0	0.0	0	0.0	0	0.0	0	0.0	0.00	0.00	0.00	0
2/16/2011	64	350	350	.0	62	24.0	18	0.0	0.0	9	10.0	198.1	0	0.0	.0	0	0.0	0.0	0	0.0	0	0.0	0	0.0	0.00	0.00	0.00	0
2/17/2011	64	350	350	.0	49	24.0	23	0.0	0.0	9	10.0	198.1	0	0.0	.0	0	0.0	0.0	0	0.0	0	0.0	0	0.0	0.00	0.00	0.00	0
2/18/2011	64	350	350	.0	50	24.0	28	0.0	0.0	9	10.0	198.1	0	0.0	.0	0	0.0	0.0	0	0.0	0	0.0	0	0.0	0.00	0.00	0.00	0
2/19/2011	64	350	350	.0	51	24.0	28	0.0	0.0	9	10.0	198.1	0	0.0	.0	0	0.0	0.0	0	0.0	0	0.0	0	0.0	0.00	0.00	0.00	0
2/20/2011	64	350	350	.0	51	24.0	34	0.0	0.0	9	10.0	198.1	0	0.0	.0	0	0.0	0.0	0	0.0	0	0.0	0	0.0	0.00	0.00	0.00	0
2/21/2011	64	350	350	.0	71	24.0	29	0.0	0.0	9	10.0	198.1	0	0.0	.0	0	0.0	0.0	0	0.0	0	0.0	0	0.0	0.00	0.00	0.00	0
2/22/2011	64	350	350	.0	71	24.0	38	0.0	0.0	9	10.0	198.1	0	0.0	.0	0	0.0	0.0	0	0.0	0	0.0	0	0.0	0.00	0.00	0.00	0
2/23/2011	64	350	350	.0	71	24.0	30	0.0	0.0	9	10.0	198.1	0	0.0	.0	0	0.0	0.0	0	0.0	0	0.0	0	0.0	0.00	0.00	0.00	0
2/24/2011	64	350	350	.0	56	24.0	39	0.0	47.0	9	10.0	198.1	0	0.0	.0	0	0.0	0.0	0	0.0	0	0.0	0	0.0	0.00	0.00	0.00	0
2/25/2011	64	350	350	.0	56	24.0	33	0.0	0.0	9	10.0	198.1	0	0.0	.0	0	0.0	0.0	0	0.0	0	0.0	0	0.0	0.00	0.00	0.00	0
2/26/2011	64	350	350	.0	58	24.0	40	0.0	0.0	9	10.0	198.1	0	0.0	.0	0	0.0	0.0	0	0.0	0	0.0	0	0.0	0.00	0.00	0.00	0
2/27/2011	64	350	350	.0	57	24.0	41	0.0	0.0	9	10.0	198.1	0	0.0	.0	0	0.0	0.0	0	0.0	0	0.0	0	0.0	0.00	0.00	0.00	0
2/28/2011	64	350	350	.0	53	24.0	50	0.0	0.0	9	10.0	198.1	0	0.0	.0	0	0.0	0.0	0	0.0	0	0.0	0	0.0	0.00	0.00	0.00	0
3/1/2011	64	350	350	.0	48	24.0	61	0.0	21.8	9	10.0	198.1	0	0.0	.0	0	0.0	0.0	0	0.0	0	0.0	0	0.0	0.00	0.00	0.00	0
3/2/2011	64	350	350	.0	49	24.0	34	0.0	0.0	9	10.0	198.1	0	0.0	.0	0	0.0	0.0	0	0.0	0	0.0	0	0.0	0.00	0.00	0.00	0
3/3/2011	64	350	350	.0	50	24.0	49	0.0	8.4	9	10.0	198.1	0	0.0	.0	0	0.0	0.0	0	0.0	0	0.0	0	0.0	0.00	0.00	0.00	0
3/4/2011	64	350	350	.0	48	24.0	50	0.0	6.7	9	10.0	198.1	0	0.0	.0	0	0.0	0.0	0	0.0	0	0.0	0	0.0	0.00	0.00	0.00	0
3/5/2011	64	350	350	.0	48	24.0	53	0.0	0.0	9	10.0	198.1	0	0.0	.0	0	0.0	0.0	0	0.0	0	0.0	0	0.0	0.00	0.00	0.00	0
3/6/2011	64	350	350	20.0	54	24.0	68	0.0	10.1	9	10.0	198.1	0	0.0	.0	0	0.0	0.0	0	0.0	0	0.0	0	0.0	0.00	0.00	0.00	0
3/7/2011	64	350	350	.0	63	24.0	57	0.0	0.0	9	10.0	198.1	0	0.0	.0	0	0.0	0.0	0	0.0	0	0.0	0	0.0	0.00	0.00	0.00	0
3/8/2011	64	350	350	.0	58	24.0	65	0.0	28.5	9	10.0	198.1	0	0.0	.0	0	0.0	0.0	0	0.0	0	0.0	0	0.0	0.00	0.00	0.00	0
3/9/2011	64	350	350	280.0	73	24.0	55	57.1	48.7	12	8.0	255.1	0	0.0	.0	0	0.0	0.0	0	0.0	0	0.0	0	0.0	0.00	0.00	0.00	0
3/10/2011	64	350	350	30.0	63	24.0	69	0.0	6.7	12	8.0	255.1	0	0.0	.0	0	0.0	0.0	0	0.0	0	0.0	0	0.0	0.00	0.00	0.00	0
3/11/2011	64	350	350	13.0	59	24.0	89	5.0	15.1	7	4.0	147.7	0	0.0	.0	0	0.0	0.0	0	0.0	0	0.0	0	0.0	0.2854	0.00	12.47	Opull water from bottom stock tank
3/12/2011	64	350	350	16.0	59	24.0	67	0.0	5.0	7	4.0	147.7	0	0.0	.0	0	0.0	0.0	0	0.0	0	0.0	0	0.0	0.4100	0.00	0.00	0
3/13/2011	64	350	350	.0	51	24.0	70	1.7	28.5	7	5.0	149.4	0	0.0	.0	0	0.0	0.0	0	0.0	0	0.0	0	0.0	0.00	0.00	0.00	0
3/14/2011	64	350	350	.0	54	24.0	67	0.0	0.0	7	5.0	149.4	0	0.0	.0	0	0.0	0.0	0	0.0	0	0.0	0	0.0	0.00	0.00	0.00	0
3/15/2011	64	350	350	.0	54	24.0	70	0.0	0.0	7	5.0	149.4	0	0.0	.0	0	0.0	0.0	0	0.0	0	0.0	0	0.0	0.00	0.00	0.00	0
3/16/2011	64	350	350	.0	53	24.0	66	1.7	36.9	7	6.0	151.1	0	0.0	.0	0	0.0	0.0	0	0.0	0	0.0	0	0.0	0.00	0.00	0.00	0
3/17/2011	64	350	350	.0	53	24.0	67	0.0	0.0	7	6.0	151.1	0	0.0	.0	0	0.0	0.0	0	0.0	0	0.0	0	0.0	0.00	0.00	0.00	0
3/18/2011	64	350	350	.0	52	24.0	77	0.0	5.0	7	6.0	151.1	0	0.0	.0	0	0.0	0.0	0	0.0	0	0.0	0	0.0	0.00	0.00	0.00	0
3/19/2011	64	350	350	.0	52	24.0	74	0.0	0.0	7	6.0	151.1	0	0.0	.0	0	0.0	0.0	0	0.0	0	0.0	0	0.0	0.00	0.00	0.00	0
3/20/2011	64	350	350	.0	53	24.0	73	0.0	8.4	7	6.0	151.1	0	0.0	.0	0	0.0	0.0	0	0.0	0	0.0	0	0.0	0.00	0.00	0.00	0
3/21/2011	64	350	350	.0	56	24.0	71	1.7	6.7	7	7.0	152.8	0	0.0	.0	0	0.0	0.0	0	0.0	0	0.0	0	0.0	0.00	0.00	0.00	0
3/22/2011	64	350	350	.0	56	24.0	72	0.0	6.7	7	7.0	152.8	0	0.0	.0	0	0.0	0.0	0	0.0	0	0.0	0	0.0	0.00	0.00	0.00	0
3/23/2011	64	350	350	26.0	64	24.0	66	5.0	55.4	7	10.0	157.8	0	0.0	.0	0	0.0	0.0	0	0.0	0	0.0	0	0.0	0.00	0.00	0.00	0

RECEIVED  
 AUG 17 2011  
 KCC-WICHITA





