

KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

Type Test:

(See Instructions on Reverse Side)

- Open Flow
 Deliverability

Test Date:
07/28/2011

API No. 15
15-007-23133-00-00

Company JACK EXPLORATION, INC.		Lease BENSON		Well Number 3-9	
County BARBER	Location SW NE SW	Section 09	TWP 35S	RNG (E/W) 14W	Acres Attributed
Field AETNA SE		Reservoir MISSISSIPPIAN		Gas Gathering Connection ATLAS PIPELINE	
Completion Date 07/03/2007		Plug Back Total Depth 5110		Packer Set at 4860	
Casing Size 4.5	Weight 11.6	Internal Diameter 4.0	Set at 5109	Perforations 4900	To 4993
Tubing Size 2.375	Weight 4.7	Internal Diameter 1.995	Set at 4827	Perforations 4882	To 4887
Type Completion (Describe) SINGLE		Type Fluid Production		Pump Unit or Traveling Plunger? Yes / No	
Producing Thru (Annulus / Tubing) TUBING		% Carbon Dioxide		% Nitrogen	
Vertical Depth(H)		Pressure Taps FLANGE		(Meter Run) (Prover) Size	
Pressure Buildup: Shut in 07/27 20 11 at _____ (AM) (PM) Taken _____ 20 _____ at _____ (AM) (PM)					
Well on Line: Started 07/28 20 11 at _____ (AM) (PM) Taken _____ 20 _____ at _____ (AM) (PM)					

OBSERVED SURFACE DATA

Duration of Shut-in _____ Hours

Static / Dynamic Property	Orifice Size (inches)	Circle one: Meter or Prover Pressure psig (Pm)	Pressure Differential in Inches H ₂ O	Flowing Temperature t	Well Head Temperature t	Casing Wellhead Pressure (P _w) or (P _i) or (P _c)		Tubing Wellhead Pressure (P _w) or (P _i) or (P _c)		Duration (Hours)	Liquid Produced (Barrels)
						psig	psia	psig	psia		
Shut-In							100		50		
Flow											

FLOW STREAM ATTRIBUTES

Plate Coefficient (F _b) (F _g) Mcfd	Circle one: Meter or Prover Pressure psia	Press Extension $\sqrt{P_m \times h}$	Gravity Factor F _g	Flowing Temperature Factor F _{tt}	Deviation Factor F _{pv}	Metered Flow R (Mcfd)	GOR (Cubic Feet/ Barrel)	Flowing Fluid Gravity G _m

(OPEN FLOW) (DELIVERABILITY) CALCULATIONS

(P_c)² = _____ : (P_w)² = _____ : P_d = _____ % (P_c - 14.4) + 14.4 = _____ : (P_w)² = 0.207 : (P_o)² = _____

(P _c) ² - (P _w) ² or (P _c) ² - (P _o) ²	(P _c) ² - (P _w) ²	Choose formula 1 or 2: 1. P _c ² - P _w ² 2. P _c ² - P _o ² divided by: P _c ² - P _w ²	LOG of formula 1. or 2. and divide by: $\frac{P_c^2 - P_w^2}{P_c^2 - P_o^2}$	Backpressure Curve Slope = "n" Assigned Standard Slope	n x LOG	Antilog	Open Flow Deliverability Equals R x Antilog (Mcfd)

Open Flow Mcfd @ 14.65 psia Deliverability Mcfd @ 14.65 psia

The undersigned authority, on behalf of the Company, states that he is duly authorized to make the above report and that he has knowledge of the facts stated therein, and that said report is true and correct. Executed this the **15TH** day of **AUGUST**, 20 **11**

Witness (if any)

For Company

For Commission

Checked by

I declare under penalty of perjury under the laws of the state of Kansas that I am authorized to request exempt status under Rule K.A.R. 82-3-304 on behalf of the operator JACK EXPLORATION, INC. and that the foregoing pressure information and statements contained on this application form are true and correct to the best of my knowledge and belief based upon available production summaries and lease records of equipment installation and/or upon type of completion or upon use being made of the gas well herein named.


I hereby request a one-year exemption from open flow testing for the BENSON 3-9 gas well on the grounds that said well:

(Check one)

- is a coalbed methane producer
- is cycled on plunger lift due to water
- is a source of natural gas for injection into an oil reservoir undergoing ER
- is on vacuum at the present time; KCC approval Docket No. _____
- is not capable of producing at a daily rate in excess of 250 mcf/D

I further agree to supply to the best of my ability any and all supporting documents deemed by Commission staff as necessary to corroborate this claim for exemption from testing.

Date: 08/15/2011

Signature: 
Title: SECRETARY

Instructions: If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.

RECEIVED
AUG 17 2011
KCC WICHITA

JACK EXPLORATION, INC.
 R/D Property Revenue Analysis
 Including Sales Dates from 1/1/2011 to 7/31/2011
 For All Leases and Selected Wells

Date: 8/15/2011

Sorted On Property, Account, and Sale Date

Production Date	Sale Date	***** GROSS *****			***** SHARE *****		
		Sales Volume	Prod Volume	Gross Amt	Sales Volume	Prod Volume	Share Amt
Lease: SLT Well: SLT14		Well Name: Benson 3-9			State: KS		
Ref #: 00000018							
Account: 361-01		Department:		Account Name: DRY GAS			
1/31/2011	1/31/2011	378.45	421.24	1,382.48	378.45	421.24	1,382.48
2/28/2011	2/28/2011	327.25	364.25	1,236.38	327.25	364.25	1,236.38
3/31/2011	3/31/2011	358.27	398.78	1,194.09	358.27	398.78	1,194.09
4/30/2011	4/30/2011	350.06	389.64	1,324.98	350.06	389.64	1,324.98
5/31/2011	5/31/2011	360.71	400.73	1,363.82	360.71	400.73	1,363.82
6/30/2011	6/30/2011	340.79	378.61	1,319.45	340.79	378.61	1,319.45
		<u>2,115.53</u>	<u>2,353.25</u>	<u>7,821.20</u>	<u>2,115.53</u>	<u>2,353.25</u>	<u>7,821.20</u>
Account: 361-15		Department:		Account Name: CONDENSATE / OIL			
3/31/2011	3/31/2011	152.54	152.54	14,418.72	152.54	152.54	14,418.72
		<u>152.54</u>	<u>152.54</u>	<u>14,418.72</u>	<u>152.54</u>	<u>152.54</u>	<u>14,418.72</u>
Property Totals		<u>2,268.07</u>	<u>2,505.79</u>	<u>22,239.92</u>	<u>2,268.07</u>	<u>2,505.79</u>	<u>22,239.92</u>
Report Totals		<u>2,268.07</u>	<u>2,505.79</u>	<u>22,239.92</u>	<u>2,268.07</u>	<u>2,505.79</u>	<u>22,239.92</u>

RECEIVED
 AUG 17 2011
 KCC WICHITA

Well/Site: Z3B BENSON 3-9
 Well/Site Number: Z3B BENSON 3-9
 Pumper ID: ROD GLENNIE
 Property ID 4:

JACKS EXPLORATION,
 PRODUCTION GAUGE REPORT

Producer: JACKS EXPLORAT
 Property Number:
 Pipeline Code:
 Reservoir/Site:

Report Run Date: 8/15/11
 Well/Site Name: Z3B BENSON 3-9
 Property ID 2:
 Property ID 3:

RECEIVED
 AUG 17 2011
 KCC WICHITA

Date	WellHead Pressure			Gas Meter Readings					Produced Fluid		Oil Tank Readings												Water Tank Readings						Fluid Hauled		REMARKS		
	CH	Tub	Cas	Diff	PSIA	Hours	Gas Volume MCF	Oil	Water	Ft	Tank # OIL			Tank #			Tank #			Tank #			Ft	In	Ft	In	Ft	In	H2	Sale		Waste	
											In	BBL	Ft	In	BBL	Ft	In	BBL	Ft	In	BBL	Ft											In
1/1/2011	64	50	100	5.0	45	24.0	10	0.0	0.0	11	7.0	233.3	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	3	4.0	9	0.0	0	0.0	0.00	0.00	0
1/2/2011	64	50	100	2.0	44	24.0	12	0.0	0.0	11	7.0	233.3	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	3	4.0	9	0.0	0	0.0	0.00	0.00	0
1/3/2011	64	50	100	4.0	47	24.0	11	0.0	0.0	11	7.0	233.3	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	3	4.0	9	0.0	0	0.0	0.00	0.00	0
1/4/2011	64	50	100	.0	48	24.0	14	3.4	33.6	11	9.0	236.7	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	5	0.0	9	0.0	0	0.0	0.00	0.00	0
1/5/2011	64	50	100	2.0	42	24.0	12	0.0	23.5	11	9.0	236.7	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	6	2.0	9	0.0	0	0.0	0.00	0.00	0
1/6/2011	64	50	100	2.0	45	24.0	12	5.0	52.0	12	0.0	241.7	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	8	9.0	9	0.0	0	0.0	0.00	0.00	0
1/7/2011	64	50	100	2.0	45	24.0	12	0.0	17.4	12	0.0	241.7	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	2	8.0	9	0.0	0	0.0	40.00	0.00	0
1/8/2011	64	50	100	2.0	45	24.0	12	0.0	0.0	12	0.0	241.7	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	2	8.0	9	0.0	0	0.0	0.00	0.00	0
1/9/2011	64	50	100	2.0	45	24.0	12	0.0	0.0	12	0.0	241.7	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	2	8.0	9	0.0	0	0.0	0.00	0.00	0
1/10/2011	64	50	100	2.0	45	24.0	11	0.0	0.0	12	0.0	241.7	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	2	8.0	9	0.0	0	0.0	0.00	0.00	0
1/11/2011	64	50	100	4.0	46	24.0	13	0.0	0.0	12	0.0	241.7	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	2	8.0	9	0.0	0	0.0	0.00	0.00	0
1/12/2011	64	50	100	4.0	46	24.0	12	0.0	0.0	12	0.0	241.7	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	2	8.0	9	0.0	0	0.0	0.00	0.00	0
1/13/2011	64	50	100	7.0	46	24.0	10	0.0	0.0	12	0.0	241.7	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	2	8.0	9	0.0	0	0.0	0.00	0.00	0
1/14/2011	64	50	100	1.0	47	24.0	11	1.7	40.3	12	1.0	243.4	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	4	8.0	9	0.0	0	0.0	0.00	0.00	0
1/15/2011	64	50	100	1.0	47	24.0	15	0.0	26.9	12	1.0	243.4	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	6	0.0	9	0.0	0	0.0	0.00	0.00	0
1/16/2011	64	50	100	1.0	47	24.0	14	0.0	0.0	12	1.0	243.4	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	6	0.0	9	0.0	0	0.0	0.00	0.00	0
1/17/2011	64	50	100	.0	48	24.0	11	1.7	48.7	12	2.0	245.1	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	1	5.0	9	0.0	0	0.0	41.00	0.00	0
1/18/2011	64	50	100	3.0	49	24.0	12	0.0	16.8	12	2.0	245.1	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	2	3.0	9	0.0	0	0.0	0.00	0.00	0
1/19/2011	64	50	100	7.0	47	24.0	14	0.0	0.0	12	2.0	245.1	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	2	3.0	9	0.0	0	0.0	0.00	0.00	0
1/20/2011	64	50	100	7.0	43	24.0	12	3.4	20.2	12	4.0	248.4	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	3	3.0	9	0.0	0	0.0	0.00	0.00	0
1/21/2011	64	50	100	1.0	43	24.0	10	0.0	0.0	12	4.0	248.4	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	3	3.0	9	0.0	0	0.0	0.00	0.00	0
1/22/2011	64	50	100	1.0	47	24.0	11	0.0	0.0	12	4.0	248.4	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	3	3.0	9	0.0	0	0.0	0.00	0.00	0
1/23/2011	64	50	100	1.0	47	24.0	11	0.0	0.0	12	4.0	248.4	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	3	3.0	9	0.0	0	0.0	0.00	0.00	0
1/24/2011	64	50	100	1.0	47	24.0	10	0.0	35.3	12	4.0	248.4	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	5	0.0	9	0.0	0	0.0	0.00	0.00	0
1/25/2011	64	50	100	29.0	54	24.0	10	0.0	36.9	12	4.0	248.4	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	6	10.0	9	0.0	0	0.0	0.00	0.00	0
1/26/2011	64	50	100	29.0	54	24.0	10	0.0	0.0	12	4.0	248.4	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	6	10.0	9	0.0	0	0.0	0.00	0.00	0
1/27/2011	64	50	100	.0	75	24.0	11	0.0	28.5	12	4.0	248.4	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	1	3.0	9	0.0	0	0.0	41.00	0.00	0
1/28/2011	64	50	100	6.0	51	24.0	12	0.0	0.0	12	4.0	248.4	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	1	3.0	9	0.0	0	0.0	0.00	0.00	0
1/29/2011	64	50	100	6.0	53	24.0	11	0.0	25.2	12	4.0	248.4	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	2	6.0	9	0.0	0	0.0	0.00	0.00	0
1/30/2011	64	50	100	6.0	53	24.0	11	0.0	0.0	12	4.0	248.4	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	2	6.0	9	0.0	0	0.0	0.00	0.00	0
1/31/2011	64	50	100	6.0	55	24.0	11	3.3	15.1	12	6.0	251.8	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	3	3.0	9	0.0	0	0.0	0.00	0.00	0
2/1/2011	64	50	100	6.0	55	24.0	11	0.0	0.0	12	6.0	251.8	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	3	3.0	9	0.0	0	0.0	0.00	0.00	0
2/2/2011	64	50	100	7.0	54	24.0	11	0.0	20.1	12	6.0	251.8	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	4	3.0	9	0.0	0	0.0	0.00	0.00	0
2/3/2011	64	50	100	7.0	54	24.0	11	0.0	0.0	12	6.0	251.8	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	4	3.0	9	0.0	0	0.0	0.00	0.00	0
2/4/2011	64	50	100	.0	44	24.0	11	0.0	0.0	12	6.0	251.8	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	4	3.0	9	0.0	0	0.0	0.00	0.00	0
2/5/2011	64	50	100	.0	52	24.0	11	0.0	0.0	12	6.0	251.8	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	4	3.0	9	0.0	0	0.0	0.00	0.00	0

2/6/2011	64	50	100	.0	52	24.0	11	3.4	31.9	12	8.0	255.1	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	5	10.0	9	0.0	0	0.0	0.00	0.00	0.00	0
2/7/2011	64	50	100	.0	52	24.0	11	0.0	0.0	12	8.0	255.1	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	5	10.0	9	0.0	0	0.0	0.00	0.00	0.00	0
2/8/2011	64	50	100	12.0	43	24.0	11	0.0	16.8	12	8.0	255.1	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	6	8.0	9	0.0	0	0.0	0.00	0.00	0.00	0
2/9/2011	64	50	100	12.0	43	24.0	11	0.0	0.0	12	8.0	255.1	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	6	8.0	9	0.0	0	0.0	0.00	0.00	0.00	0
2/10/2011	64	50	100	12.0	43	24.0	9	0.0	0.0	12	8.0	255.1	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	6	8.0	9	0.0	0	0.0	0.00	0.00	0.00	0
2/11/2011	64	50	100	4.0	39	24.0	13	0.0	0.0	12	8.0	255.1	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	6	8.0	9	0.0	0	0.0	0.00	0.00	0.00	0
2/12/2011	64	50	100	4.0	39	24.0	11	0.0	0.0	12	8.0	255.1	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	6	8.0	9	0.0	0	0.0	0.00	0.00	0.00	0
2/13/2011	64	50	100	3.0	39	24.0	11	0.0	26.9	12	8.0	255.1	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	8	0.0	9	0.0	0	0.0	0.00	0.00	0.00	0
2/14/2011	64	50	100	3.0	39	24.0	11	0.0	0.0	12	8.0	255.1	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	8	0.0	9	0.0	0	0.0	0.00	0.00	0.00	0
2/15/2011	64	50	100	13.0	49	24.0	11	0.0	0.0	12	8.0	255.1	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	8	0.0	9	0.0	0	0.0	0.00	0.00	0.00	0
2/16/2011	64	50	100	13.0	49	24.0	11	3.4	82.3	12	10.0	258.5	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	5	1.0	9	0.0	0	0.0	41.00	0.00	0.00	0
2/17/2011	64	50	100	10.0	45	24.0	11	21.8	26.9	13	11.0	280.3	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	6	5.0	9	0.0	0	0.0	0.00	0.00	0.00	0
2/18/2011	64	50	100	10.0	45	24.0	11	0.0	0.0	13	11.0	280.3	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	6	5.0	9	0.0	0	0.0	0.00	0.00	0.00	0
2/19/2011	64	50	100	9.0	51	24.0	11	1.7	20.2	14	0.0	282.0	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	7	5.0	9	0.0	0	0.0	0.00	0.00	0.00	0
2/20/2011	64	50	100	9.0	51	24.0	11	0.0	0.0	14	0.0	282.0	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	7	5.0	9	0.0	0	0.0	0.00	0.00	0.00	0
2/21/2011	64	50	100	7.0	69	24.0	12	0.0	0.0	14	0.0	282.0	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	7	5.0	9	0.0	0	0.0	0.00	0.00	0.00	0
2/22/2011	64	50	100	7.0	69	24.0	11	0.0	0.0	14	0.0	282.0	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	7	5.0	9	0.0	0	0.0	0.00	0.00	0.00	0
2/23/2011	64	50	100	5.0	67	24.0	11	0.0	47.0	14	0.0	282.0	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	9	9.0	9	0.0	0	0.0	0.00	0.00	0.00	0
2/24/2011	64	50	100	5.0	67	24.0	11	0.0	0.0	14	0.0	282.0	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	9	9.0	9	0.0	0	0.0	0.00	0.00	0.00	0
2/25/2011	64	50	100	1.0	49	24.0	11	0.0	18.5	14	0.0	282.0	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	3	8.0	9	0.0	0	0.0	41.00	0.00	0.00	0
2/26/2011	64	50	100	1.0	49	24.0	11	0.0	0.0	14	0.0	282.0	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	3	8.0	9	0.0	0	0.0	0.00	0.00	0.00	0
2/27/2011	64	50	100	2.0	53	24.0	11	5.0	18.5	14	3.0	287.0	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	4	7.0	9	0.0	0	0.0	0.00	0.00	0.00	0
2/28/2011	64	50	100	2.0	53	24.0	11	0.0	0.0	14	3.0	287.0	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	4	7.0	9	0.0	0	0.0	0.00	0.00	0.00	0
3/1/2011	64	50	100	4.0	45	24.0	11	0.0	20.2	14	3.0	287.0	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	5	7.0	9	0.0	0	0.0	0.00	0.00	0.00	0
3/2/2011	64	50	100	4.0	45	24.0	11	0.0	0.0	14	3.0	287.0	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	5	7.0	9	0.0	0	0.0	0.00	0.00	0.00	0
3/3/2011	64	50	100	7.0	45	24.0	11	3.3	30.2	14	5.0	290.4	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	7	1.0	9	0.0	0	0.0	0.00	0.00	0.00	0
3/4/2011	64	50	100	7.0	45	24.0	11	0.0	0.0	14	5.0	290.4	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	7	1.0	9	0.0	0	0.0	0.00	0.00	0.00	0
3/5/2011	64	50	100	.0	50	24.0	11	0.0	18.5	14	5.0	290.4	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	8	0.0	9	0.0	0	0.0	0.00	0.00	0.00	0
3/6/2011	64	50	100	.0	50	24.0	11	0.0	0.0	14	5.0	290.4	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	8	0.0	9	0.0	0	0.0	0.00	0.00	0.00	0
3/7/2011	64	50	100	.0	56	24.0	11	0.0	13.4	14	5.0	290.4	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	8	8.0	9	0.0	0	0.0	0.00	0.00	0.00	0
3/8/2011	64	50	100	.0	56	24.0	11	1.7	23.5	13	9.0	277.0	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	3	7.0	9	0.0	0	0.0	25.90	0.00	15.11	0
3/9/2011	64	50	100	.0	56	24.0	11	0.0	0.0	13	9.0	277.0	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	3	7.0	9	0.0	0	0.0	0.00	0.00	0.00	0
3/10/2011	64	50	100	6.0	51	24.0	11	0.0	0.0	13	9.0	277.0	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	3	7.0	9	0.0	0	0.0	0.00	0.00	0.00	0
3/11/2011	64	50	100	6.0	51	24.0	11	0.0	0.0	13	9.0	277.0	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	3	7.0	9	0.0	0	0.0	0.00	0.00	0.00	0
3/12/2011	64	50	100	3.0	49	24.0	11	0.0	15.1	13	9.0	277.0	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	4	4.0	9	0.0	0	0.0	0.00	0.00	0.00	0
3/13/2011	64	50	100	25.0	46	24.0	11	0.0	53.7	13	9.0	277.0	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	7	0.0	9	0.0	0	0.0	0.00	0.00	0.00	0
3/14/2011	64	50	100	1.0	47	24.0	11	0.2	0.0	6	1.3	123.0	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	7	0.0	9	0.0	0	0.0	0.00	54.28	0.00	0
3/15/2011	64	50	100	1.0	47	24.0	11	0.0	0.0	6	1.3	123.0	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	7	0.0	9	0.0	0	0.0	0.00	0.00	0.00	0
3/16/2011	64	50	100	1.0	47	24.0	11	0.0	0.0	6	1.3	123.0	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	7	0.0	9	0.0	0	0.0	0.00	0.00	0.00	0
3/17/2011	64	50	100	4.0	49	24.0	11	1.3	16.8	6	2.0	124.2	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	7	10.0	9	0.0	0	0.0	0.00	0.00	0.00	0
3/18/2011	64	50	100	4.0	47	24.0	11	0.0	0.0	6	2.0	124.2	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	7	10.0	9	0.0	0	0.0	0.00	0.00	0.00	0
3/19/2011	64	50	100	6.0	48	24.0	11	0.0	23.5	6	2.0	124.2	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	2	0.0	9	0.0	0	0.0	41.00	0.00	0.00	0
3/20/2011	64	50	100	6.0	48	24.0	11	0.0	0.0	6	2.0	124.2	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	2	0.0	9	0.0	0	0.0	0.00	0.00	0.00	0
3/21/2011	64	50	100	12.0	46	24.0	11	0.0	11.8	6	2.0	124.2	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	2	7.0	9	0.0	0	0.0	0.00	0.00	0.00	0
3/22/2011	64	50	100	12.0	46	24.0	11	0.0	0.0	6	2.0	124.2	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	2	7.0	9	0.0	0	0.0	0.00	0.00	0.00	0
3/23/2011	64	50	100	9.0	51	24.0	11	0.0	13.4	6	2.0	124.2	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	3	3.0	9	0.0	0	0.0	0.00	0.00	0.00	0

RECEIVED
 AUG 17 2011
 KCC WICHITA

3/24/2011	64	50	100	9.0	51	24.0	11	0.0	0.0	6	2.0	124.2	0	0.0	.0	0	0.0	0.0	0	0.0	0	0.0	0	0.0	3	3.0	9	0.0	0	0.0	0.00	0.00	0.00	0
3/25/2011	64	50	100	17.0	50	24.0	11	1.7	18.5	6	3.0	125.9	0	0.0	.0	0	0.0	0.0	0	0.0	0	0.0	0	0.0	4	2.0	9	0.0	0	0.0	0.00	0.00	0.00	0
3/26/2011	64	50	100	3.0	47	24.0	11	0.0	0.0	6	3.0	125.9	0	0.0	.0	0	0.0	0.0	0	0.0	0	0.0	0	0.0	4	2.0	9	0.0	0	0.0	0.00	0.00	0.00	0
3/27/2011	64	50	100	1.0	46	24.0	11	0.0	13.4	6	3.0	125.9	0	0.0	.0	0	0.0	0.0	0	0.0	0	0.0	0	0.0	4	10.0	9	0.0	0	0.0	0.00	0.00	0.00	0
3/28/2011	64	50	100	9.0	55	24.0	11	0.0	57.1	6	3.0	125.9	0	0.0	.0	0	0.0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	9	0.0	0	0.0	0.00	0.00	0.00	0
3/29/2011	64	50	100	1.0	45	24.0	11	0.0	0.0	6	3.0	125.9	0	0.0	.0	0	0.0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	9	0.0	0	0.0	0.00	0.00	0.00	0
3/30/2011	64	50	100	1.0	45	24.0	11	0.0	0.0	6	3.0	125.9	0	0.0	.0	0	0.0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	9	0.0	0	0.0	0.00	0.00	0.00	0
3/31/2011	64	50	100	10.0	53	24.0	11	0.0	20.1	6	3.0	125.9	0	0.0	.0	0	0.0	0.0	0	0.0	0	0.0	0	0.0	3	0.0	9	0.0	0	0.0	0.00	0.00	0.00	0
4/1/2011	64	50	100	8.0	51	24.0	11	0.0	11.8	6	3.0	125.9	0	0.0	.0	0	0.0	0.0	0	0.0	0	0.0	0	0.0	3	7.0	9	0.0	0	0.0	0.00	0.00	0.00	0
4/2/2011	64	50	100	5.0	47	24.0	11	0.0	10.1	6	3.0	125.9	0	0.0	.0	0	0.0	0.0	0	0.0	0	0.0	0	0.0	4	1.0	9	0.0	0	0.0	0.00	0.00	0.00	0
4/3/2011	64	50	100	5.0	47	24.0	11	0.0	0.0	6	3.0	125.9	0	0.0	.0	0	0.0	0.0	0	0.0	0	0.0	0	0.0	4	1.0	9	0.0	0	0.0	0.00	0.00	0.00	0
4/4/2011	64	50	100	1.0	48	24.0	12	0.0	16.8	6	3.0	125.9	0	0.0	.0	0	0.0	0.0	0	0.0	0	0.0	0	0.0	4	11.0	9	0.0	0	0.0	0.00	0.00	0.00	0
4/5/2011	64	50	100	5.0	57	24.0	11	0.0	11.8	6	3.0	125.9	0	0.0	.0	0	0.0	0.0	0	0.0	0	0.0	0	0.0	5	6.0	9	0.0	0	0.0	0.00	0.00	0.00	0
4/6/2011	64	50	100	5.0	57	24.0	11	0.0	0.0	6	3.0	125.9	0	0.0	.0	0	0.0	0.0	0	0.0	0	0.0	0	0.0	5	6.0	9	0.0	0	0.0	0.00	0.00	0.00	0
4/7/2011	64	50	100	2.0	58	24.0	12	3.3	16.8	6	5.0	129.3	0	0.0	.0	0	0.0	0.0	0	0.0	0	0.0	0	0.0	6	4.0	9	0.0	0	0.0	0.00	0.00	0.00	0
4/8/2011	64	50	100	2.0	58	24.0	11	0.0	0.0	6	5.0	129.3	0	0.0	.0	0	0.0	0.0	0	0.0	0	0.0	0	0.0	6	4.0	9	0.0	0	0.0	0.00	0.00	0.00	0
4/9/2011	64	50	100	2.0	57	24.0	11	0.0	8.4	6	5.0	129.3	0	0.0	.0	0	0.0	0.0	0	0.0	0	0.0	0	0.0	1	2.0	9	0.0	0	0.0	12.47	0.00	0.00	0
4/10/2011	64	50	100	2.0	57	24.0	11	0.0	0.0	6	5.0	129.3	0	0.0	.0	0	0.0	0.0	0	0.0	0	0.0	0	0.0	1	2.0	9	0.0	0	0.0	0.00	0.00	0.00	0
4/11/2011	64	50	100	9.0	55	24.0	11	13.4	33.6	7	1.0	142.7	0	0.0	.0	0	0.0	0.0	0	0.0	0	0.0	0	0.0	2	10.0	9	0.0	0	0.0	0.00	0.00	0.00	0
4/12/2011	64	50	100	4.0	54	24.0	11	0.0	0.0	7	1.0	142.7	0	0.0	.0	0	0.0	0.0	0	0.0	0	0.0	0	0.0	2	10.0	9	0.0	0	0.0	0.00	0.00	0.00	0
4/13/2011	64	50	100	5.0	51	24.0	11	0.0	0.0	7	1.0	142.7	0	0.0	.0	0	0.0	0.0	0	0.0	0	0.0	0	0.0	2	10.0	9	0.0	0	0.0	0.00	0.00	0.00	0
4/14/2011	64	50	100	5.0	51	24.0	11	0.0	0.0	7	1.0	142.7	0	0.0	.0	0	0.0	0.0	0	0.0	0	0.0	0	0.0	2	10.0	9	0.0	0	0.0	0.00	0.00	0.00	0
4/15/2011	64	50	100	5.0	51	24.0	11	0.0	21.8	7	1.0	142.7	0	0.0	.0	0	0.0	0.0	0	0.0	0	0.0	0	0.0	3	11.0	9	0.0	0	0.0	0.00	0.00	0.00	0
4/16/2011	64	50	100	1.0	58	24.0	10	1.7	11.8	7	2.0	144.4	0	0.0	.0	0	0.0	0.0	0	0.0	0	0.0	0	0.0	4	6.0	9	0.0	0	0.0	0.00	0.00	0.00	0
4/17/2011	64	50	100	1.0	58	24.0	11	0.0	0.0	7	2.0	144.4	0	0.0	.0	0	0.0	0.0	0	0.0	0	0.0	0	0.0	4	6.0	9	0.0	0	0.0	0.00	0.00	0.00	0
4/18/2011	64	50	100	12.0	53	24.0	11	0.0	18.5	7	2.0	144.4	0	0.0	.0	0	0.0	0.0	0	0.0	0	0.0	0	0.0	5	5.0	9	0.0	0	0.0	0.00	0.00	0.00	0
4/19/2011	64	50	100	12.0	53	24.0	11	0.0	0.0	7	2.0	144.4	0	0.0	.0	0	0.0	0.0	0	0.0	0	0.0	0	0.0	5	5.0	9	0.0	0	0.0	0.00	0.00	0.00	0
4/20/2011	64	50	100	3.0	69	24.0	11	0.0	25.2	7	2.0	144.4	0	0.0	.0	0	0.0	0.0	0	0.0	0	0.0	0	0.0	6	8.0	9	0.0	0	0.0	0.00	0.00	0.00	0
4/21/2011	64	50	100	3.0	69	24.0	11	0.0	0.0	7	2.0	144.4	0	0.0	.0	0	0.0	0.0	0	0.0	0	0.0	0	0.0	6	8.0	9	0.0	0	0.0	0.00	0.00	0.00	0
4/22/2011	64	50	100	12.0	62	24.0	11	0.0	10.1	7	2.0	144.4	0	0.0	.0	0	0.0	0.0	0	0.0	0	0.0	0	0.0	7	2.0	9	0.0	0	0.0	0.00	0.00	0.00	0
4/23/2011	64	50	100	12.0	62	24.0	11	0.0	0.0	7	2.0	144.4	0	0.0	.0	0	0.0	0.0	0	0.0	0	0.0	0	0.0	7	2.0	9	0.0	0	0.0	0.00	0.00	0.00	0
4/24/2011	64	50	100	1.0	61	24.0	11	0.0	43.6	7	2.0	144.4	0	0.0	.0	0	0.0	0.0	0	0.0	0	0.0	0	0.0	2	4.0	9	0.0	0	0.0	41.00	0.00	0.00	0
4/25/2011	64	50	100	1.0	61	24.0	11	0.0	0.0	7	2.0	144.4	0	0.0	.0	0	0.0	0.0	0	0.0	0	0.0	0	0.0	2	4.0	9	0.0	0	0.0	0.00	0.00	0.00	0
4/26/2011	64	50	100	3.0	53	24.0	12	0.0	0.0	7	2.0	144.4	0	0.0	.0	0	0.0	0.0	0	0.0	0	0.0	0	0.0	2	4.0	9	0.0	0	0.0	0.00	0.00	0.00	0
4/27/2011	64	50	100	3.0	53	24.0	12	0.0	0.0	7	2.0	144.4	0	0.0	.0	0	0.0	0.0	0	0.0	0	0.0	0	0.0	2	4.0	9	0.0	0	0.0	0.00	0.00	0.00	0
4/28/2011	64	50	100	3.0	52	24.0	11	0.0	0.0	7	2.0	144.4	0	0.0	.0	0	0.0	0.0	0	0.0	0	0.0	0	0.0	2	4.0	9	0.0	0	0.0	0.00	0.00	0.00	0
4/29/2011	64	50	100	3.0	52	24.0	11	0.0	0.0	7	2.0	144.4	0	0.0	.0	0	0.0	0.0	0	0.0	0	0.0	0	0.0	2	4.0	9	0.0	0	0.0	0.00	0.00	0.00	0
4/30/2011	64	50	100	6.0	63	24.0	11	1.7	30.2	7	3.0	146.0	0	0.0	.0	0	0.0	0.0	0	0.0	0	0.0	0	0.0	3	10.0	9	0.0	0	0.0	0.00	0.00	0.00	0
5/1/2011	64	50	100	3.0	62	24.0	11	0.0	0.0	7	3.0	146.0	0	0.0	.0	0	0.0	0.0	0	0.0	0	0.0	0	0.0	3	10.0	9	0.0	0	0.0	0.00	0.00	0.00	0
5/2/2011	64	50	100	1.0	60	24.0	11	13.4	55.4	7	11.0	159.5	0	0.0	.0	0	0.0	0.0	0	0.0	0	0.0	0	0.0	6	7.0	9	0.0	0	0.0	0.00	0.00	0.00	0
5/3/2011	64	50	100	1.0	61	24.0	11	0.0	0.0	7	11.0	159.5	0	0.0	.0	0	0.0	0.0	0	0.0	0	0.0	0	0.0	6	7.0	9	0.0	0	0.0	0.00	0.00	0.00	0
5/4/2011	64	50	100	1.0	61	24.0	11	0.0	0.0	7	11.0	159.5	0	0.0	.0	0	0.0	0.0	0	0.0	0	0.0	0	0.0	6	7.0	9	0.0	0	0.0	0.00	0.00	0.00	0
5/5/2011	64	50	100	1.0	61	24.0	11	1.7	20.2	8	0.0	161.1	0	0.0	.0	0	0.0	0.0	0	0.0	0	0.0	0	0.0	7	7.0	9	0.0	0	0.0	0.00	0.00	0.00	0
5/6/2011	64	50	100	5.0	67	24.0	11	0.0	8.4	8	0.0	161.1	0	0.0	.0	0	0.0	0.0	0	0.0	0	0.0	0	0.0	8	0.0	9	0.0	0	0.0	0.00	0.00	0.00	0
5/7/2011	64	50	100	5.0	67	24.0	11	0.0	0.0	8	0.0	161.1	0	0.0	.0	0	0.0	0.0	0	0.0	0	0.0	0	0.0	8	0.0	9	0.0	0	0.0	0.00	0.00	0.00	0
5/8/2011	64	50	100	2.0	69	24.0	11	0.0	13.4	8	0.0	161.1	0	0.0	.0																			

5/9/2011	64	50	100	2.0	69	24.0	11	0.0	0.0	8	0.0	161.1	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	8	8.0	9	0.0	0	0.0	0.00	0.00	0.00	0
5/10/2011	64	50	100	.0	74	24.0	11	5.0	15.1	8	3.0	166.2	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	9	5.0	9	0.0	0	0.0	0.00	0.00	0.00	0
5/11/2011	64	50	100	.0	74	24.0	11	0.0	0.0	8	3.0	166.2	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	9	5.0	9	0.0	0	0.0	0.00	0.00	0.00	0
5/12/2011	64	50	100	.0	61	24.0	11	0.0	25.2	8	3.0	166.2	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	3	8.0	9	0.0	0	0.0	41.00	0.00	0.00	0
5/13/2011	64	50	100	.0	61	24.0	11	0.0	0.0	8	3.0	166.2	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	3	8.0	9	0.0	0	0.0	0.00	0.00	0.00	0
5/14/2011	64	50	100	2.0	62	24.0	11	1.7	18.5	8	4.0	167.9	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	4	7.0	9	0.0	0	0.0	0.00	0.00	0.00	0
5/15/2011	64	50	100	2.0	62	24.0	11	0.0	0.0	8	4.0	167.9	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	4	7.0	9	0.0	0	0.0	0.00	0.00	0.00	0
5/16/2011	64	50	100	7.0	65	24.0	11	0.0	31.9	8	4.0	167.9	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	6	2.0	9	0.0	0	0.0	0.00	0.00	0.00	0
5/17/2011	64	50	100	7.0	65	24.0	11	0.0	0.0	8	4.0	167.9	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	6	2.0	9	0.0	0	0.0	0.00	0.00	0.00	0
5/18/2011	64	50	100	3.0	61	24.0	12	0.0	16.8	8	4.0	167.9	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	7	0.0	9	0.0	0	0.0	0.00	0.00	0.00	0
5/19/2011	64	50	100	3.0	61	24.0	12	0.0	0.0	8	4.0	167.9	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	7	0.0	9	0.0	0	0.0	0.00	0.00	0.00	0
5/20/2011	64	50	100	2.0	60	24.0	11	0.0	23.5	8	4.0	167.9	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	8	2.0	9	0.0	0	0.0	0.00	0.00	0.00	0
5/21/2011	64	50	100	1.0	66	24.0	12	0.0	16.8	8	4.0	167.9	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	2	0.0	9	0.0	0	0.0	41.00	0.00	0.00	0
5/22/2011	64	50	100	1.0	66	24.0	12	0.0	0.0	8	4.0	167.9	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	2	0.0	2	0.0	0	0.0	0.00	0.00	0.00	0
5/23/2011	64	50	100	1.0	66	24.0	12	0.0	0.0	8	4.0	167.9	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	2	0.0	2	0.0	0	0.0	0.00	0.00	0.00	0
5/24/2011	64	50	100	1.0	66	24.0	11	0.0	0.0	8	4.0	167.9	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	2	0.0	2	0.0	0	0.0	0.00	0.00	0.00	0
5/25/2011	64	50	100	4.0	55	24.0	11	1.7	30.2	8	5.0	169.5	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	3	6.0	2	0.0	0	0.0	0.00	0.00	0.00	0
5/26/2011	64	50	100	4.0	55	24.0	11	0.0	0.0	8	5.0	169.5	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	3	6.0	2	0.0	0	0.0	0.00	0.00	0.00	0
5/27/2011	64	50	100	5.0	53	24.0	11	0.0	16.8	8	5.0	169.5	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	4	4.0	2	0.0	0	0.0	0.00	0.00	0.00	0
5/28/2011	64	50	100	5.0	53	24.0	11	0.0	0.0	8	5.0	169.5	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	4	4.0	2	0.0	0	0.0	0.00	0.00	0.00	0
5/29/2011	64	50	100	1.0	55	24.0	11	0.0	26.9	8	5.0	169.5	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	5	8.0	2	0.0	0	0.0	0.00	0.00	0.00	0
5/30/2011	64	50	100	1.0	55	24.0	11	0.0	0.0	8	5.0	169.5	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	5	8.0	2	0.0	0	0.0	0.00	0.00	0.00	0
5/31/2011	64	50	100	1.0	55	24.0	11	0.0	0.0	8	5.0	169.5	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	5	8.0	2	0.0	0	0.0	0.00	0.00	0.00	0
6/1/2011	64	50	100	11.0	53	24.0	11	0.0	45.3	8	5.0	169.5	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	7	11.0	2	0.0	0	0.0	0.00	0.00	0.00	0
6/2/2011	64	50	100	11.0	53	24.0	11	0.0	0.0	8	5.0	169.5	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	7	11.0	2	0.0	0	0.0	0.00	0.00	0.00	0
6/3/2011	64	50	100	7.0	54	24.0	11	0.0	21.8	8	5.0	169.5	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	9	0.0	2	0.0	0	0.0	0.00	0.00	0.00	0
6/4/2011	64	50	100	7.0	54	24.0	11	0.0	0.0	8	5.0	169.5	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	9	0.0	2	0.0	0	0.0	0.00	0.00	0.00	0
6/5/2011	64	50	100	2.0	52	24.0	11	0.0	23.5	8	5.0	169.5	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	10	2.0	2	0.0	0	0.0	0.00	0.00	0.00	0
6/6/2011	64	50	100	2.0	52	24.0	11	0.0	0.0	8	5.0	169.5	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	10	2.0	2	0.0	0	0.0	0.00	0.00	0.00	0
6/7/2011	64	50	100	3.0	52	24.0	11	3.4	16.8	8	7.0	172.9	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	11	0.0	2	0.0	0	0.0	0.00	0.00	0.00	0
6/8/2011	64	50	100	3.0	52	24.0	11	0.0	0.0	8	7.0	172.9	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	11	0.0	2	0.0	0	0.0	0.00	0.00	0.00	0
6/9/2011	64	50	100	11.0	53	24.0	11	0.0	11.8	8	7.0	172.9	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	3	10.0	2	0.0	0	0.0	56.11	0.00	0.00	0
6/10/2011	64	50	100	11.0	53	24.0	11	0.0	0.0	8	7.0	172.9	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	3	10.0	2	0.0	0	0.0	0.00	0.00	0.00	0
6/11/2011	64	50	100	5.0	54	24.0	11	0.0	13.4	8	7.0	172.9	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	4	6.0	2	0.0	0	0.0	0.00	0.00	0.00	0
6/12/2011	64	50	100	5.0	54	24.0	11	0.0	0.0	8	7.0	172.9	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	4	6.0	2	0.0	0	0.0	0.00	0.00	0.00	0
6/13/2011	64	50	100	12.0	49	24.0	11	0.0	0.0	8	7.0	172.9	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	4	6.0	2	0.0	0	0.0	0.00	0.00	0.00	0
6/14/2011	64	50	100	12.0	49	24.0	11	0.0	0.0	8	7.0	172.9	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	4	6.0	2	0.0	0	0.0	0.00	0.00	0.00	0
6/15/2011	64	50	100	.0	60	24.0	11	3.4	33.6	8	9.0	176.3	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	6	2.0	2	0.0	0	0.0	0.00	0.00	0.00	0
6/16/2011	64	50	100	.0	60	24.0	11	0.0	0.0	8	9.0	176.3	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	6	2.0	2	0.0	0	0.0	0.00	0.00	0.00	0
6/17/2011	64	50	100	13.0	53	24.0	11	0.0	16.8	8	9.0	176.3	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	7	0.0	2	0.0	0	0.0	0.00	0.00	0.00	0
6/18/2011	64	50	100	13.0	53	24.0	11	0.0	0.0	8	9.0	176.3	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	7	0.0	2	0.0	0	0.0	0.00	0.00	0.00	0
6/19/2011	64	50	100	1.0	54	24.0	11	0.0	18.5	8	9.0	176.3	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	7	11.0	2	0.0	0	0.0	0.00	0.00	0.00	0
6/20/2011	64	50	100	1.0	54	24.0	11	0.0	0.0	8	9.0	176.3	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	7	11.0	2	0.0	0	0.0	0.00	0.00	0.00	0
6/21/2011	64	50	100	4.0	50	24.0	11	0.0	38.6	8	9.0	176.3	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	2	10.0	2	0.0	0	0.0	41.00	0.00	0.00	0
6/22/2011	64	50	100	4.0	50	24.0	11	0.0	0.0	8	9.0	176.3	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	2	10.0	2	0.0	0	0.0	0.00	0.00	0.00	0
6/23/2011	64	50	100	9.0	52	24.0	11	11.8	31.9	9	4.0	188.0	0	0.0	.0	0	0.0	0.0	0	0.0	0.0	4	5.0	2	0.0	0	0.0	0.00	0.00	0.00	0

RECEIVED
 AUG 17 2011
 KCC WICHITA

