

# KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

Type Test:

(See Instructions on Reverse Side)

- Open Flow  
 Deliverability

Test Date:  
05/27/2010

API No. 15  
15-007-23092-00-00

|                                                                                       |                         |                                      |                       |                                                   |                        |
|---------------------------------------------------------------------------------------|-------------------------|--------------------------------------|-----------------------|---------------------------------------------------|------------------------|
| Company<br><b>JACK EXPLORATION, INC.</b>                                              |                         | Lease<br><b>BENSON</b>               |                       | Well Number<br><b>2-8</b>                         |                        |
| County<br><b>BARBER</b>                                                               | Location<br><b>C NE</b> | Section<br><b>08</b>                 | TWP<br><b>35S</b>     | RNG (E/W)<br><b>14W</b>                           | Acres Attributed       |
| Field<br><b>AETNA SE</b>                                                              |                         | Reservoir<br><b>MISSISSIPPIAN</b>    |                       | Gas Gathering Connection<br><b>ATLAS PIPELINE</b> |                        |
| Completion Date<br><b>02/17/2005</b>                                                  |                         | Plug Back Total Depth<br><b>5018</b> |                       | Packer Set at<br><b>4763</b>                      |                        |
| Casing Size<br><b>4.5</b>                                                             | Weight<br><b>11.6</b>   | Internal Diameter<br><b>4.0</b>      | Set at<br><b>5049</b> | Perforations<br><b>4854</b>                       | To<br><b>4926</b>      |
| Tubing Size<br><b>2.375</b>                                                           | Weight<br><b>4.7</b>    | Internal Diameter<br><b>1.995</b>    | Set at<br><b>4827</b> | Perforations<br><b>4830-4833</b>                  | To<br><b>4816-4822</b> |
| Type Completion (Describe)<br><b>SINGLE</b>                                           |                         | Type Fluid Production                |                       | Pump Unit or Traveling Plunger? Yes / No          |                        |
| Producing Thru (Annulus / Tubing)<br><b>TUBING</b>                                    |                         | % Carbon Dioxide                     |                       | % Nitrogen                                        |                        |
| Vertical Depth(H)                                                                     |                         | Pressure Taps<br><b>FLANGE</b>       |                       | (Meter Run) (Prover) Size                         |                        |
| Pressure Buildup: Shut in <b>05/26</b> at <b>11:00</b> at <b>6:15</b> (AM) (PM) Taken |                         | 20                                   |                       | at (AM) (PM)                                      |                        |
| Well on Line: Started <b>05/27</b> at <b>11:00</b> at <b>7:45</b> (AM) (PM) Taken     |                         | 20                                   |                       | at (AM) (PM)                                      |                        |

### OBSERVED SURFACE DATA

Duration of Shut-in **26** Hours

| Static / Dynamic Property | Orifice Size (inches) | Circle one: Meter or Prover Pressure psig (Pm) | Pressure Differential in Inches H <sub>2</sub> O | Flowing Temperature t | Well Head Temperature t | Casing Wellhead Pressure (P <sub>w</sub> ) or (P <sub>i</sub> ) or (P <sub>c</sub> ) |      | Tubing Wellhead Pressure (P <sub>w</sub> ) or (P <sub>i</sub> ) or (P <sub>c</sub> ) |      | Duration (Hours) | Liquid Produced (Barrels) |
|---------------------------|-----------------------|------------------------------------------------|--------------------------------------------------|-----------------------|-------------------------|--------------------------------------------------------------------------------------|------|--------------------------------------------------------------------------------------|------|------------------|---------------------------|
|                           |                       |                                                |                                                  |                       |                         | psig                                                                                 | psia | psig                                                                                 | psia |                  |                           |
| Shut-in                   |                       |                                                |                                                  |                       |                         |                                                                                      | 350  |                                                                                      | 50   |                  |                           |
| Flow                      |                       |                                                |                                                  |                       |                         |                                                                                      |      |                                                                                      |      |                  |                           |

### FLOW STREAM ATTRIBUTES

| Plate Coefficient (F <sub>b</sub> ) (F <sub>p</sub> ) Mcfd | Circle one: Meter or Prover Pressure psia | Press Extension $\sqrt{P_m \times h}$ | Gravity Factor F <sub>g</sub> | Flowing Temperature Factor F <sub>t</sub> | Deviation Factor F <sub>pv</sub> | Metered Flow R (Mcfd) | GOR (Cubic Feet/ Barrel) | Flowing Fluid Gravity G <sub>m</sub> |
|------------------------------------------------------------|-------------------------------------------|---------------------------------------|-------------------------------|-------------------------------------------|----------------------------------|-----------------------|--------------------------|--------------------------------------|
|                                                            |                                           |                                       |                               |                                           |                                  |                       |                          |                                      |

### (OPEN FLOW) (DELIVERABILITY) CALCULATIONS

(P<sub>c</sub>)<sup>2</sup> = : (P<sub>w</sub>)<sup>2</sup> = : P<sub>d</sub> = % (P<sub>c</sub> - 14.4) + 14.4 = : (P<sub>w</sub>)<sup>2</sup> = 0.207  
(P<sub>d</sub>)<sup>2</sup> =

| (P <sub>c</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup> or (P <sub>c</sub> ) <sup>2</sup> - (P <sub>d</sub> ) <sup>2</sup> | (P <sub>c</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup> | Choose formula 1 or 2:<br>1. P <sub>c</sub> <sup>2</sup> - P <sub>w</sub> <sup>2</sup><br>2. P <sub>c</sub> <sup>2</sup> - P <sub>d</sub> <sup>2</sup><br>divided by: P <sub>c</sub> <sup>2</sup> - P <sub>w</sub> <sup>2</sup> | LOG of formula 1, or 2, and divide by: $\frac{P_c^2 - P_w^2}{P_c^2 - P_d^2}$ | Backpressure Curve Slope = "n"<br>Assigned Standard Slope | n x LOG | Antilog | Open Flow Deliverability Equals R x Antilog (Mcfd) |
|------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|-----------------------------------------------------------|---------|---------|----------------------------------------------------|
|                                                                                                                                    |                                                                 |                                                                                                                                                                                                                                 |                                                                              |                                                           |         |         |                                                    |

Open Flow **Mcfd @ 14.65 psia** Deliverability **Mcfd @ 14.65 psia**

The undersigned authority, on behalf of the Company, states that he is duly authorized to make the above report and that he has knowledge of the facts stated therein, and that said report is true and correct. Executed this the **15TH** day of **AUGUST**, 20 **11**.

Witness (if any)

For Company

For Commission

Checked by

I declare under penalty of perjury under the laws of the state of Kansas that I am authorized to request exempt status under Rule K.A.R. 82-3-304 on behalf of the operator JACK EXPLORATION, INC.

and that the foregoing pressure information and statements contained on this application form are true and correct to the best of my knowledge and belief based upon available production summaries and lease records of equipment installation and/or upon type of completion or upon use being made of the gas well herein named.

I hereby request a one-year exemption from open flow testing for the BENSON 2-8 gas well on the grounds that said well:

(Check one)

- is a coalbed methane producer
- is cycled on plunger lift due to water
- is a source of natural gas for injection into an oil reservoir undergoing ER
- is on vacuum at the present time; KCC approval Docket No. \_\_\_\_\_
- is not capable of producing at a daily rate in excess of 250 mcf/D

I further agree to supply to the best of my ability any and all supporting documents deemed by Commission staff as necessary to corroborate this claim for exemption from testing.

Date: 08/15/2011

Signature: *Kelly Carson*  
Title: SECRETARY

**Instructions:** If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.

**RECEIVED**  
**AUG 17 2011**  
**KCC WICHITA**

JACK EXPLORATION, INC.  
 R/D Property Volume Analysis Report  
 By Sales Date from 1/1/2011 to 7/31/2011

Date: 8/15/2011

For All Leases and Selected Wells

|                 |           | GROSS        |             | SHARE        |             |
|-----------------|-----------|--------------|-------------|--------------|-------------|
| Production Date | Sale Date | Sales Volume | Prod Volume | Sales Volume | Prod Volume |

Lease: SLT      Well: SLT13      Well Name: Benson 2-8  
 Ref #: 00000018

Account: 361-01      Department:      Account Name: DRY GAS

|                        |           |                 |                 |                 |                 |
|------------------------|-----------|-----------------|-----------------|-----------------|-----------------|
| 1/31/2011              | 1/31/2011 | 498.15          | 577.50          | 498.15          | 577.50          |
| 2/28/2011              | 2/28/2011 | 499.27          | 578.81          | 499.27          | 578.81          |
| 3/31/2011              | 3/31/2011 | 538.75          | 624.57          | 538.75          | 624.57          |
| 4/30/2011              | 4/30/2011 | 524.88          | 608.50          | 524.88          | 608.50          |
| 5/31/2011              | 5/31/2011 | 528.41          | 614.34          | 528.41          | 614.34          |
| 6/30/2011              | 6/30/2011 | 512.28          | 595.59          | 512.28          | 595.59          |
|                        |           | <u>3,101.74</u> | <u>3,599.31</u> | <u>3,101.74</u> | <u>3,599.31</u> |
| <b>Property Totals</b> |           | <u>3,101.74</u> | <u>3,599.31</u> | <u>3,101.74</u> | <u>3,599.31</u> |
| <b>Report Totals</b>   |           | <u>3,101.74</u> | <u>3,599.31</u> | <u>3,101.74</u> | <u>3,599.31</u> |

RECEIVED  
 AUG 17 2011  
 KCC WICHITA

WellSite: Z7 BENSON 2-8  
 WellSite Number: Z7 BENSON 2-8  
 Pumper ID: ROD GLENNIE  
 Property ID 4:

JACKS EXPLORATION,  
 PRODUCTION GAUGE REPORT

Producer: JACKS EXPLORAT  
 Property Number:  
 Pipeline Code:  
 Reservoir/Site:

Report Run Date: 8/15/11  
 WellSite Name: Z7 BENSON 2-8  
 Property ID 2:  
 Property ID 3:

RECEIVED  
 AUG 17 2011  
 KCC WICHITA

| Date      | WellHead Pressure |     |     | Gas Meter Readings |      |            |                |     | Produced Fluid |    | Tank #1 Oil |       | Oil Tank Readings |     |      |    |     |     |    |     | Water Tank Readings |     |    |     |    |      | Fluid Hauled |     |      | REMARKS |       |        |
|-----------|-------------------|-----|-----|--------------------|------|------------|----------------|-----|----------------|----|-------------|-------|-------------------|-----|------|----|-----|-----|----|-----|---------------------|-----|----|-----|----|------|--------------|-----|------|---------|-------|--------|
|           | CH                | Tub | Cas | Diff               | PSIA | Flow Hours | Gas Volume MCF | Oil | Water          | Ft | In          | BBL   | Ft                | In  | BBL  | Ft | In  | BBL | Ft | In  | BBL                 | Ft  | In | Ft  | In | Ft   | In           | H2  | Sale |         | Waste |        |
|           |                   |     |     |                    |      |            |                |     |                |    |             |       |                   |     |      |    |     |     |    |     |                     |     |    |     |    |      |              |     |      |         |       | Tank # |
| 1/1/2011  | 64                | 50  | 350 | 53.0               | 45   | 24.0       | 20             | 0.0 | 0.0            | 6  | 6.0         | 130.9 | 4                 | 4.0 | 87.3 | 0  | 0.0 | 0.0 | 0  | 0.0 | 0                   | 0.0 | 0  | 0.0 | 4  | 10.0 | 0            | 0.0 | 0.00 | 0.00    | 0.00  | 0      |
| 1/2/2011  | 64                | 50  | 350 | 23.0               | 44   | 24.0       | 20             | 0.0 | 21.8           | 6  | 6.0         | 130.9 | 4                 | 4.0 | 87.3 | 0  | 0.0 | 0.0 | 0  | 0.0 | 0                   | 0.0 | 0  | 0.0 | 5  | 11.0 | 0            | 0.0 | 0.00 | 0.00    | 0.00  | 0      |
| 1/3/2011  | 64                | 50  | 350 | 9.0                | 41   | 24.0       | 17             | 0.0 | 13.4           | 6  | 6.0         | 130.9 | 4                 | 4.0 | 87.3 | 0  | 0.0 | 0.0 | 0  | 0.0 | 0                   | 0.0 | 0  | 0.0 | 6  | 7.0  | 0            | 0.0 | 0.00 | 0.00    | 0.00  | 0      |
| 1/4/2011  | 64                | 50  | 350 | 8.0                | 44   | 24.0       | 15             | 0.0 | 8.4            | 6  | 6.0         | 130.9 | 4                 | 4.0 | 87.3 | 0  | 0.0 | 0.0 | 0  | 0.0 | 0                   | 0.0 | 0  | 0.0 | 7  | 0.0  | 0            | 0.0 | 0.00 | 0.00    | 0.00  | 0      |
| 1/5/2011  | 64                | 50  | 350 | 8.0                | 42   | 24.0       | 14             | 0.0 | 16.8           | 6  | 6.0         | 130.9 | 4                 | 4.0 | 87.3 | 0  | 0.0 | 0.0 | 0  | 0.0 | 0                   | 0.0 | 0  | 0.0 | 7  | 10.0 | 0            | 0.0 | 0.00 | 0.00    | 0.00  | 0      |
| 1/6/2011  | 64                | 50  | 350 | 1.0                | 46   | 24.0       | 15             | 3.4 | 15.1           | 6  | 8.0         | 134.3 | 4                 | 4.0 | 87.3 | 0  | 0.0 | 0.0 | 0  | 0.0 | 0                   | 0.0 | 0  | 0.0 | 8  | 7.0  | 0            | 0.0 | 0.00 | 0.00    | 0.00  | 0      |
| 1/7/2011  | 64                | 50  | 350 | 1.0                | 46   | 24.0       | 14             | 0.0 | 6.7            | 6  | 8.0         | 134.3 | 4                 | 4.0 | 87.3 | 0  | 0.0 | 0.0 | 0  | 0.0 | 0                   | 0.0 | 0  | 0.0 | 1  | 11.0 | 0            | 0.0 | 0.00 | 0.00    | 0.00  | 0      |
| 1/8/2011  | 64                | 50  | 350 | 7.0                | 50   | 24.0       | 13             | 0.0 | 0.0            | 6  | 8.0         | 134.3 | 4                 | 4.0 | 87.3 | 0  | 0.0 | 0.0 | 0  | 0.0 | 0                   | 0.0 | 0  | 0.0 | 1  | 11.0 | 0            | 0.0 | 0.00 | 0.00    | 0.00  | 0      |
| 1/9/2011  | 64                | 50  | 350 | 7.0                | 50   | 24.0       | 13             | 0.0 | 0.0            | 6  | 8.0         | 134.3 | 4                 | 4.0 | 87.3 | 0  | 0.0 | 0.0 | 0  | 0.0 | 0                   | 0.0 | 0  | 0.0 | 1  | 11.0 | 0            | 0.0 | 0.00 | 0.00    | 0.00  | 0      |
| 1/10/2011 | 64                | 50  | 350 | 8.0                | 43   | 24.0       | 13             | 0.0 | 20.1           | 6  | 8.0         | 134.3 | 4                 | 4.0 | 87.3 | 0  | 0.0 | 0.0 | 0  | 0.0 | 0                   | 0.0 | 0  | 0.0 | 2  | 11.0 | 0            | 0.0 | 0.00 | 0.00    | 0.00  | 0      |
| 1/11/2011 | 64                | 50  | 350 | 12.0               | 46   | 24.0       | 15             | 0.0 | 15.1           | 6  | 8.0         | 134.3 | 4                 | 4.0 | 87.3 | 0  | 0.0 | 0.0 | 0  | 0.0 | 0                   | 0.0 | 0  | 0.0 | 3  | 8.0  | 0            | 0.0 | 0.00 | 0.00    | 0.00  | 0      |
| 1/12/2011 | 64                | 50  | 350 | 1.0                | 44   | 24.0       | 15             | 0.0 | 0.0            | 6  | 8.0         | 134.3 | 4                 | 4.0 | 87.3 | 0  | 0.0 | 0.0 | 0  | 0.0 | 0                   | 0.0 | 0  | 0.0 | 3  | 8.0  | 0            | 0.0 | 0.00 | 0.00    | 0.00  | 0      |
| 1/13/2011 | 64                | 50  | 350 | 0                  | 44   | 24.0       | 15             | 0.0 | 20.1           | 6  | 8.0         | 134.3 | 4                 | 4.0 | 87.3 | 0  | 0.0 | 0.0 | 0  | 0.0 | 0                   | 0.0 | 0  | 0.0 | 4  | 8.0  | 0            | 0.0 | 0.00 | 0.00    | 0.00  | 0      |
| 1/14/2011 | 64                | 50  | 350 | 2.0                | 47   | 24.0       | 15             | 0.0 | 13.4           | 6  | 8.0         | 134.3 | 4                 | 4.0 | 87.3 | 0  | 0.0 | 0.0 | 0  | 0.0 | 0                   | 0.0 | 0  | 0.0 | 5  | 4.0  | 0            | 0.0 | 0.00 | 0.00    | 0.00  | 0      |
| 1/15/2011 | 64                | 50  | 350 | 2.0                | 47   | 24.0       | 15             | 0.0 | 15.1           | 6  | 8.0         | 134.3 | 4                 | 4.0 | 87.3 | 0  | 0.0 | 0.0 | 0  | 0.0 | 0                   | 0.0 | 0  | 0.0 | 6  | 1.0  | 0            | 0.0 | 0.00 | 0.00    | 0.00  | 0      |
| 1/16/2011 | 64                | 50  | 350 | 2.0                | 47   | 24.0       | 14             | 0.0 | 0.0            | 6  | 8.0         | 134.3 | 4                 | 4.0 | 87.3 | 0  | 0.0 | 0.0 | 0  | 0.0 | 0                   | 0.0 | 0  | 0.0 | 6  | 1.0  | 0            | 0.0 | 0.00 | 0.00    | 0.00  | 0      |
| 1/17/2011 | 64                | 50  | 350 | 4.0                | 49   | 24.0       | 15             | 5.0 | 26.9           | 6  | 11.0        | 139.3 | 4                 | 4.0 | 87.3 | 0  | 0.0 | 0.0 | 0  | 0.0 | 0                   | 0.0 | 0  | 0.0 | 7  | 5.0  | 0            | 0.0 | 0.00 | 0.00    | 0.00  | 0      |
| 1/18/2011 | 64                | 50  | 350 | 17.0               | 48   | 24.0       | 16             | 0.0 | 13.4           | 6  | 11.0        | 139.3 | 4                 | 4.0 | 87.3 | 0  | 0.0 | 0.0 | 0  | 0.0 | 0                   | 0.0 | 0  | 0.0 | 8  | 1.0  | 0            | 0.0 | 0.00 | 0.00    | 0.00  | 0      |
| 1/19/2011 | 64                | 50  | 350 | 11.0               | 47   | 24.0       | 16             | 0.0 | 15.1           | 6  | 11.0        | 139.3 | 4                 | 4.0 | 87.3 | 0  | 0.0 | 0.0 | 0  | 0.0 | 0                   | 0.0 | 0  | 0.0 | 8  | 10.0 | 0            | 0.0 | 0.00 | 0.00    | 0.00  | 0      |
| 1/20/2011 | 64                | 50  | 350 | 4.0                | 43   | 24.0       | 16             | 0.0 | 0.0            | 6  | 11.0        | 139.3 | 4                 | 4.0 | 87.3 | 0  | 0.0 | 0.0 | 0  | 0.0 | 0                   | 0.0 | 0  | 0.0 | 1  | 10.0 | 0            | 0.0 | 0.00 | 0.00    | 0.00  | 0      |
| 1/21/2011 | 64                | 50  | 350 | 4.0                | 43   | 24.0       | 16             | 0.0 | 0.0            | 6  | 11.0        | 139.3 | 4                 | 4.0 | 87.3 | 0  | 0.0 | 0.0 | 0  | 0.0 | 0                   | 0.0 | 0  | 0.0 | 1  | 10.0 | 0            | 0.0 | 0.00 | 0.00    | 0.00  | 0      |
| 1/22/2011 | 64                | 50  | 350 | 6.0                | 47   | 24.0       | 16             | 0.0 | 0.0            | 6  | 11.0        | 139.3 | 4                 | 4.0 | 87.3 | 0  | 0.0 | 0.0 | 0  | 0.0 | 0                   | 0.0 | 0  | 0.0 | 1  | 10.0 | 0            | 0.0 | 0.00 | 0.00    | 0.00  | 0      |
| 1/23/2011 | 64                | 50  | 350 | 6.0                | 47   | 24.0       | 16             | 0.0 | 0.0            | 6  | 11.0        | 139.3 | 4                 | 4.0 | 87.3 | 0  | 0.0 | 0.0 | 0  | 0.0 | 0                   | 0.0 | 0  | 0.0 | 1  | 10.0 | 0            | 0.0 | 0.00 | 0.00    | 0.00  | 0      |
| 1/24/2011 | 64                | 50  | 350 | 6.0                | 47   | 24.0       | 15             | 0.0 | 23.5           | 6  | 11.0        | 139.3 | 4                 | 4.0 | 87.3 | 0  | 0.0 | 0.0 | 0  | 0.0 | 0                   | 0.0 | 0  | 0.0 | 3  | 0.0  | 0            | 0.0 | 0.00 | 0.00    | 0.00  | 0      |
| 1/25/2011 | 64                | 50  | 350 | 8.0                | 52   | 24.0       | 16             | 0.0 | 16.8           | 6  | 11.0        | 139.3 | 4                 | 4.0 | 87.3 | 0  | 0.0 | 0.0 | 0  | 0.0 | 0                   | 0.0 | 0  | 0.0 | 3  | 10.0 | 0            | 0.0 | 0.00 | 0.00    | 0.00  | 0      |
| 1/26/2011 | 64                | 50  | 350 | 8.0                | 52   | 24.0       | 16             | 0.0 | 0.0            | 6  | 11.0        | 139.3 | 4                 | 4.0 | 87.3 | 0  | 0.0 | 0.0 | 0  | 0.0 | 0                   | 0.0 | 0  | 0.0 | 3  | 10.0 | 0            | 0.0 | 0.00 | 0.00    | 0.00  | 0      |
| 1/27/2011 | 64                | 50  | 350 | 3.0                | 77   | 24.0       | 16             | 0.0 | 26.9           | 6  | 11.0        | 139.3 | 4                 | 4.0 | 87.3 | 0  | 0.0 | 0.0 | 0  | 0.0 | 0                   | 0.0 | 0  | 0.0 | 5  | 2.0  | 0            | 0.0 | 0.00 | 0.00    | 0.00  | 0      |
| 1/28/2011 | 64                | 50  | 350 | 9.0                | 52   | 24.0       | 17             | 0.0 | 0.0            | 6  | 11.0        | 139.3 | 4                 | 4.0 | 87.3 | 0  | 0.0 | 0.0 | 0  | 0.0 | 0                   | 0.0 | 0  | 0.0 | 5  | 2.0  | 0            | 0.0 | 0.00 | 0.00    | 0.00  | 0      |
| 1/29/2011 | 64                | 50  | 350 | 9.0                | 52   | 24.0       | 16             | 0.0 | 13.4           | 6  | 11.0        | 139.3 | 4                 | 4.0 | 87.3 | 0  | 0.0 | 0.0 | 0  | 0.0 | 0                   | 0.0 | 0  | 0.0 | 5  | 10.0 | 0            | 0.0 | 0.00 | 0.00    | 0.00  | 0      |
| 1/30/2011 | 64                | 50  | 350 | 7.0                | 48   | 24.0       | 16             | 0.0 | 0.0            | 6  | 11.0        | 139.3 | 4                 | 4.0 | 87.3 | 0  | 0.0 | 0.0 | 0  | 0.0 | 0                   | 0.0 | 0  | 0.0 | 5  | 10.0 | 0            | 0.0 | 0.00 | 0.00    | 0.00  | 0      |
| 1/31/2011 | 64                | 50  | 350 | 6.0                | 52   | 24.0       | 15             | 3.3 | 13.4           | 7  | 1.0         | 142.7 | 4                 | 4.0 | 87.3 | 0  | 0.0 | 0.0 | 0  | 0.0 | 0                   | 0.0 | 0  | 0.0 | 6  | 6.0  | 0            | 0.0 | 0.00 | 0.00    | 0.00  | 0      |
| 2/1/2011  | 64                | 50  | 350 | 6.0                | 52   | 24.0       | 15             | 0.0 | 0.0            | 7  | 1.0         | 142.7 | 4                 | 4.0 | 87.3 | 0  | 0.0 | 0.0 | 0  | 0.0 | 0                   | 0.0 | 0  | 0.0 | 6  | 6.0  | 0            | 0.0 | 0.00 | 0.00    | 0.00  | 0      |
| 2/2/2011  | 64                | 50  | 350 | 11.0               | 54   | 24.0       | 16             | 0.0 | 13.4           | 7  | 1.0         | 142.7 | 4                 | 4.0 | 87.3 | 0  | 0.0 | 0.0 | 0  | 0.0 | 0                   | 0.0 | 0  | 0.0 | 7  | 2.0  | 0            | 0.0 | 0.00 | 0.00    | 0.00  | 0      |
| 2/3/2011  | 64                | 50  | 350 | 11.0               | 54   | 24.0       | 15             | 0.0 | 0.0            | 7  | 1.0         | 142.7 | 4                 | 4.0 | 87.3 | 0  | 0.0 | 0.0 | 0  | 0.0 | 0                   | 0.0 | 0  | 0.0 | 7  | 2.0  | 0            | 0.0 | 0.00 | 0.00    | 0.00  | 0      |
| 2/4/2011  | 64                | 50  | 350 | 42.0               | 44   | 24.0       | 17             | 1.7 | 36.9           | 7  | 2.0         | 144.4 | 4                 | 4.0 | 87.3 | 0  | 0.0 | 0.0 | 0  | 0.0 | 0                   | 0.0 | 0  | 0.0 | 2  | 0.0  | 0            | 0.0 | 0.00 | 0.00    | 0.00  | 0      |
| 2/5/2011  | 64                | 50  | 350 | 42.0               | 52   | 24.0       | 16             | 0.0 | 0.0            | 7  | 2.0         | 144.4 | 4                 | 4.0 | 87.3 | 0  | 0.0 | 0.0 | 0  | 0.0 | 0                   | 0.0 | 0  | 0.0 | 2  | 0.0  | 0            | 0.0 | 0.00 | 0.00    | 0.00  | 0      |

|           |    |    |     |      |    |      |    |     |      |   |      |       |   |     |      |   |     |     |   |     |     |     |   |      |   |     |       |      |      |   |
|-----------|----|----|-----|------|----|------|----|-----|------|---|------|-------|---|-----|------|---|-----|-----|---|-----|-----|-----|---|------|---|-----|-------|------|------|---|
| 2/6/2011  | 64 | 50 | 350 | 42.0 | 52 | 24.0 | 17 | 0.0 | 18.5 | 7 | 2.0  | 144.4 | 4 | 4.0 | 87.3 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 0.0 | 2 | 11.0 | 0 | 0.0 | 0.00  | 0.00 | 0.00 | 0 |
| 2/7/2011  | 64 | 50 | 350 | 42.0 | 52 | 24.0 | 17 | 0.0 | 0.0  | 7 | 2.0  | 144.4 | 4 | 4.0 | 87.3 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0   | 0.0 | 2 | 11.0 | 0 | 0.0 | 0.00  | 0.00 | 0.00 | 0 |
| 2/8/2011  | 64 | 50 | 350 | 42.0 | 52 | 24.0 | 17 | 0.0 | 0.0  | 7 | 2.0  | 144.4 | 4 | 4.0 | 87.3 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0   | 0.0 | 2 | 11.0 | 0 | 0.0 | 0.00  | 0.00 | 0.00 | 0 |
| 2/9/2011  | 64 | 50 | 350 | 42.0 | 52 | 24.0 | 17 | 0.0 | 0.0  | 7 | 2.0  | 144.4 | 4 | 4.0 | 87.3 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0   | 0.0 | 2 | 11.0 | 0 | 0.0 | 0.00  | 0.00 | 0.00 | 0 |
| 2/10/2011 | 64 | 50 | 350 | 10.0 | 52 | 24.0 | 14 | 0.0 | 0.0  | 7 | 2.0  | 144.4 | 4 | 4.0 | 87.3 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0   | 0.0 | 2 | 11.0 | 0 | 0.0 | 0.00  | 0.00 | 0.00 | 0 |
| 2/11/2011 | 64 | 50 | 350 | 10.0 | 39 | 24.0 | 17 | 0.0 | 0.0  | 7 | 2.0  | 144.4 | 4 | 4.0 | 87.3 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0   | 0.0 | 2 | 11.0 | 0 | 0.0 | 0.00  | 0.00 | 0.00 | 0 |
| 2/12/2011 | 64 | 50 | 350 | 10.0 | 39 | 24.0 | 16 | 0.0 | 0.0  | 7 | 2.0  | 144.4 | 4 | 4.0 | 87.3 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0   | 0.0 | 2 | 11.0 | 0 | 0.0 | 0.00  | 0.00 | 0.00 | 0 |
| 2/13/2011 | 64 | 50 | 350 | 2.0  | 39 | 24.0 | 19 | 3.4 | 40.3 | 7 | 4.0  | 147.7 | 4 | 4.0 | 87.3 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0   | 0.0 | 4 | 11.0 | 0 | 0.0 | 0.00  | 0.00 | 0.00 | 0 |
| 2/14/2011 | 64 | 50 | 350 | 2.0  | 39 | 24.0 | 17 | 0.0 | 0.0  | 7 | 4.0  | 147.7 | 4 | 4.0 | 87.3 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0   | 0.0 | 4 | 11.0 | 0 | 0.0 | 0.00  | 0.00 | 0.00 | 0 |
| 2/15/2011 | 64 | 50 | 350 | 5.0  | 50 | 24.0 | 19 | 0.0 | 0.0  | 7 | 4.0  | 147.7 | 4 | 4.0 | 87.3 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0   | 0.0 | 4 | 11.0 | 0 | 0.0 | 0.00  | 0.00 | 0.00 | 0 |
| 2/16/2011 | 64 | 50 | 350 | 10.0 | 59 | 24.0 | 18 | 3.4 | 57.1 | 7 | 6.0  | 151.1 | 4 | 4.0 | 87.3 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0   | 0.0 | 7 | 9.0  | 0 | 0.0 | 0.00  | 0.00 | 0.00 | 0 |
| 2/17/2011 | 64 | 50 | 350 | 18.0 | 50 | 24.0 | 20 | 0.0 | 0.0  | 7 | 6.0  | 151.1 | 4 | 4.0 | 87.3 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0   | 0.0 | 7 | 9.0  | 0 | 0.0 | 0.00  | 0.00 | 0.00 | 0 |
| 2/18/2011 | 64 | 50 | 350 | 14.0 | 50 | 24.0 | 19 | 0.0 | 0.0  | 7 | 6.0  | 151.1 | 4 | 4.0 | 87.3 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0   | 0.0 | 7 | 9.0  | 0 | 0.0 | 0.00  | 0.00 | 0.00 | 0 |
| 2/19/2011 | 64 | 50 | 350 | 5.0  | 51 | 24.0 | 17 | 0.0 | 0.0  | 7 | 6.0  | 151.1 | 4 | 4.0 | 87.3 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0   | 0.0 | 7 | 9.0  | 0 | 0.0 | 0.00  | 0.00 | 0.00 | 0 |
| 2/20/2011 | 64 | 50 | 350 | 5.0  | 51 | 24.0 | 17 | 0.0 | 0.0  | 7 | 6.0  | 151.1 | 4 | 4.0 | 87.3 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0   | 0.0 | 7 | 9.0  | 0 | 0.0 | 0.00  | 0.00 | 0.00 | 0 |
| 2/21/2011 | 64 | 50 | 350 | 14.0 | 68 | 24.0 | 17 | 0.0 | 12.5 | 7 | 6.0  | 151.1 | 4 | 4.0 | 87.3 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0   | 0.0 | 2 | 2.0  | 0 | 0.0 | 0.00  | 0.00 | 0.00 | 0 |
| 2/22/2011 | 64 | 50 | 350 | 14.0 | 68 | 24.0 | 16 | 0.0 | 0.0  | 7 | 6.0  | 151.1 | 4 | 4.0 | 87.3 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0   | 0.0 | 2 | 2.0  | 0 | 0.0 | 0.00  | 0.00 | 0.00 | 0 |
| 2/23/2011 | 64 | 50 | 350 | 3.0  | 67 | 24.0 | 17 | 0.0 | 18.5 | 7 | 6.0  | 151.1 | 4 | 4.0 | 87.3 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0   | 0.0 | 3 | 1.0  | 0 | 0.0 | 0.00  | 0.00 | 0.00 | 0 |
| 2/24/2011 | 64 | 50 | 350 | 3.0  | 67 | 24.0 | 17 | 0.0 | 0.0  | 7 | 6.0  | 151.1 | 4 | 4.0 | 87.3 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0   | 0.0 | 3 | 1.0  | 0 | 0.0 | 0.00  | 0.00 | 0.00 | 0 |
| 2/25/2011 | 64 | 50 | 350 | 9.0  | 45 | 24.0 | 17 | 5.0 | 18.5 | 7 | 9.0  | 156.1 | 4 | 4.0 | 87.3 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0   | 0.0 | 4 | 0.0  | 0 | 0.0 | 0.00  | 0.00 | 0.00 | 0 |
| 2/26/2011 | 64 | 50 | 350 | 9.0  | 45 | 24.0 | 16 | 0.0 | 0.0  | 7 | 9.0  | 156.1 | 4 | 4.0 | 87.3 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0   | 0.0 | 4 | 0.0  | 0 | 0.0 | 0.00  | 0.00 | 0.00 | 0 |
| 2/27/2011 | 64 | 50 | 350 | 1.0  | 53 | 24.0 | 17 | 0.0 | 18.5 | 7 | 9.0  | 156.1 | 4 | 4.0 | 87.3 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0   | 0.0 | 4 | 11.0 | 0 | 0.0 | 0.00  | 0.00 | 0.00 | 0 |
| 2/28/2011 | 64 | 50 | 350 | 1.0  | 53 | 24.0 | 17 | 0.0 | 0.0  | 7 | 9.0  | 156.1 | 4 | 4.0 | 87.3 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0   | 0.0 | 4 | 11.0 | 0 | 0.0 | 0.00  | 0.00 | 0.00 | 0 |
| 3/1/2011  | 64 | 50 | 350 | 15.0 | 45 | 24.0 | 17 | 1.7 | 42.0 | 7 | 10.0 | 157.8 | 4 | 4.0 | 87.3 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0   | 0.0 | 7 | 0.0  | 0 | 0.0 | 0.00  | 0.00 | 0.00 | 0 |
| 3/2/2011  | 64 | 50 | 350 | 15.0 | 45 | 24.0 | 17 | 0.0 | 0.0  | 7 | 10.0 | 157.8 | 4 | 4.0 | 87.3 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0   | 0.0 | 7 | 0.0  | 0 | 0.0 | 0.00  | 0.00 | 0.00 | 0 |
| 3/3/2011  | 64 | 50 | 350 | 15.0 | 45 | 24.0 | 15 | 0.0 | 20.2 | 7 | 10.0 | 157.8 | 4 | 4.0 | 87.3 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0   | 0.0 | 8 | 0.0  | 0 | 0.0 | 0.00  | 0.00 | 0.00 | 0 |
| 3/4/2011  | 64 | 50 | 350 | 5.0  | 45 | 24.0 | 15 | 0.0 | 0.0  | 7 | 10.0 | 157.8 | 4 | 4.0 | 87.3 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0   | 0.0 | 8 | 0.0  | 0 | 0.0 | 0.00  | 0.00 | 0.00 | 0 |
| 3/5/2011  | 64 | 50 | 350 | 32.0 | 52 | 24.0 | 17 | 1.7 | 3.3  | 7 | 11.0 | 159.5 | 4 | 4.0 | 87.3 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0   | 0.0 | 1 | 2.0  | 0 | 0.0 | 41.00 | 0.00 | 0.00 | 0 |
| 3/6/2011  | 64 | 50 | 350 | 32.0 | 52 | 24.0 | 17 | 0.0 | 0.0  | 7 | 11.0 | 159.5 | 4 | 4.0 | 87.3 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0   | 0.0 | 1 | 2.0  | 0 | 0.0 | 0.00  | 0.00 | 0.00 | 0 |
| 3/7/2011  | 64 | 50 | 350 | 16.0 | 54 | 24.0 | 19 | 0.0 | 13.4 | 7 | 11.0 | 159.5 | 4 | 4.0 | 87.3 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0   | 0.0 | 1 | 10.0 | 0 | 0.0 | 0.00  | 0.00 | 0.00 | 0 |
| 3/8/2011  | 64 | 50 | 350 | 7.0  | 54 | 24.0 | 17 | 0.0 | 0.0  | 7 | 11.0 | 159.5 | 4 | 4.0 | 87.3 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0   | 0.0 | 1 | 10.0 | 0 | 0.0 | 0.00  | 0.00 | 0.00 | 0 |
| 3/9/2011  | 64 | 50 | 350 | 7.0  | 54 | 24.0 | 17 | 0.0 | 0.0  | 7 | 11.0 | 159.5 | 4 | 4.0 | 87.3 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0   | 0.0 | 1 | 10.0 | 0 | 0.0 | 0.00  | 0.00 | 0.00 | 0 |
| 3/10/2011 | 64 | 50 | 350 | 1.0  | 51 | 24.0 | 19 | 0.0 | 13.4 | 7 | 11.0 | 159.5 | 4 | 4.0 | 87.3 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0   | 0.0 | 2 | 6.0  | 0 | 0.0 | 0.00  | 0.00 | 0.00 | 0 |
| 3/11/2011 | 64 | 50 | 350 | 1.0  | 51 | 24.0 | 19 | 0.0 | 0.0  | 7 | 11.0 | 159.5 | 4 | 4.0 | 87.3 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0   | 0.0 | 2 | 6.0  | 0 | 0.0 | 0.00  | 0.00 | 0.00 | 0 |
| 3/12/2011 | 64 | 50 | 350 | 5.0  | 49 | 24.0 | 15 | 1.7 | 11.8 | 8 | 0.0  | 161.1 | 4 | 4.0 | 87.3 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0   | 0.0 | 3 | 1.0  | 0 | 0.0 | 0.00  | 0.00 | 0.00 | 0 |
| 3/13/2011 | 64 | 50 | 350 | 5.0  | 46 | 24.0 | 16 | 0.0 | 0.0  | 8 | 0.0  | 161.1 | 4 | 4.0 | 87.3 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0   | 0.0 | 3 | 1.0  | 0 | 0.0 | 0.00  | 0.00 | 0.00 | 0 |
| 3/14/2011 | 64 | 50 | 350 | 5.0  | 47 | 24.0 | 16 | 5.0 | 68.8 | 8 | 3.0  | 166.2 | 4 | 4.0 | 87.3 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0   | 0.0 | 6 | 6.0  | 0 | 0.0 | 0.00  | 0.00 | 0.00 | 0 |
| 3/15/2011 | 64 | 50 | 350 | 5.0  | 47 | 24.0 | 17 | 0.0 | 6.7  | 8 | 3.0  | 166.2 | 4 | 4.0 | 87.3 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0   | 0.0 | 6 | 10.0 | 0 | 0.0 | 0.00  | 0.00 | 0.00 | 0 |
| 3/16/2011 | 64 | 50 | 350 | 5.0  | 47 | 24.0 | 17 | 0.0 | 0.0  | 8 | 3.0  | 166.2 | 4 | 4.0 | 87.3 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0   | 0.0 | 6 | 10.0 | 0 | 0.0 | 0.00  | 0.00 | 0.00 | 0 |
| 3/17/2011 | 64 | 50 | 350 | 17.0 | 50 | 24.0 | 17 | 3.4 | 18.5 | 8 | 5.0  | 169.5 | 4 | 4.0 | 87.3 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0   | 0.0 | 1 | 0.0  | 0 | 0.0 | 35.97 | 0.00 | 0.00 | 0 |
| 3/18/2011 | 64 | 50 | 350 | 17.0 | 49 | 24.0 | 17 | 0.0 | 0.0  | 8 | 5.0  | 169.5 | 4 | 4.0 | 87.3 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0   | 0.0 | 1 | 0.0  | 0 | 0.0 | 0.00  | 0.00 | 0.00 | 0 |
| 3/19/2011 | 64 | 50 | 350 | 2.0  | 49 | 24.0 | 17 | 0.0 | 18.5 | 8 | 5.0  | 169.5 | 4 | 4.0 | 87.3 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0   | 0.0 | 1 | 11.0 | 0 | 0.0 | 0.00  | 0.00 | 0.00 | 0 |
| 3/20/2011 | 64 | 50 | 350 | 2.0  | 49 | 24.0 | 17 | 0.0 | 0.0  | 8 | 5.0  | 169.5 | 4 | 4.0 | 87.3 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0   | 0.0 | 1 | 11.0 | 0 | 0.0 | 0.00  | 0.00 | 0.00 | 0 |
| 3/21/2011 | 64 | 50 | 350 | 1.0  | 48 | 24.0 | 17 | 0.0 | 11.8 | 8 | 5.0  | 169.5 | 4 | 4.0 | 87.3 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0   | 0.0 | 2 | 6.0  | 0 | 0.0 | 0.00  | 0.00 | 0.00 | 0 |
| 3/22/2011 | 64 | 50 | 350 | 1.0  | 48 | 24.0 | 17 | 0.0 | 0.0  | 8 | 5.0  | 169.5 | 4 | 4.0 | 87.3 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0   | 0.0 | 2 | 6.0  | 0 | 0.0 | 0.00  | 0.00 | 0.00 | 0 |
| 3/23/2011 | 64 | 50 | 350 | 11.0 | 51 | 24.0 | 18 | 1.7 | 13.4 | 8 | 6.0  | 171.2 | 4 | 4.0 | 87.3 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0   | 0.0 | 3 | 2.0  | 0 | 0.0 | 0.00  | 0.00 | 0.00 | 0 |

RECEIVED  
AUG 17 2011  
KCC WICHITA





|           |    |    |     |      |    |      |      |     |      |    |      |       |   |     |      |   |     |     |   |     |     |     |     |     |     |     |     |      |     |      |      |       |      |   |   |
|-----------|----|----|-----|------|----|------|------|-----|------|----|------|-------|---|-----|------|---|-----|-----|---|-----|-----|-----|-----|-----|-----|-----|-----|------|-----|------|------|-------|------|---|---|
| 6/24/2011 | 64 | 50 | 350 | 5.0  | 53 | 24.0 | 17   | 0.0 | 0.0  | 9  | 11.0 | 199.8 | 4 | 4.0 | 87.3 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 0   | 0.0 | 0   | 0.0 | 2   | 9.0 | 0    | 0.0 | 0.00 | 0.00 | 0.00  | 0    |   |   |
| 6/25/2011 | 64 | 50 | 350 | 9.0  | 54 | 24.0 | 15   | 0.0 | 20.2 | 9  | 11.0 | 199.8 | 4 | 4.0 | 87.3 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0   | 0.0 | 0   | 0.0 | 0   | 0.0 | 3   | 9.0  | 0   | 0.0  | 0.00 | 0.00  | 0.00 | 0 |   |
| 6/26/2011 | 64 | 50 | 350 | 15.0 | 55 | 24.0 | 16   | 0.0 | 0.0  | 9  | 11.0 | 199.8 | 4 | 4.0 | 87.3 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0   | 0.0 | 0   | 0.0 | 0   | 0.0 | 3   | 9.0  | 0   | 0.0  | 0.00 | 0.00  | 0.00 | 0 |   |
| 6/27/2011 | 64 | 50 | 350 | 21.0 | 52 | 24.0 | 17   | 0.0 | 0.0  | 9  | 11.0 | 199.8 | 4 | 4.0 | 87.3 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0   | 0.0 | 0   | 0.0 | 0   | 0.0 | 3   | 9.0  | 0   | 0.0  | 0.00 | 0.00  | 0.00 | 0 |   |
| 6/28/2011 | 64 | 50 | 350 | 10.0 | 51 | 24.0 | 17   | 0.0 | 0.0  | 9  | 11.0 | 199.8 | 4 | 4.0 | 87.3 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0   | 0.0 | 0   | 0.0 | 0   | 0.0 | 3   | 9.0  | 0   | 0.0  | 0.00 | 0.00  | 0.00 | 0 |   |
| 6/29/2011 | 64 | 50 | 350 | 10.0 | 51 | 24.0 | 17   | 0.0 | 23.5 | 9  | 11.0 | 199.8 | 4 | 4.0 | 87.3 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0   | 0.0 | 0   | 0.0 | 0   | 0.0 | 4   | 11.0 | 0   | 0.0  | 0.00 | 0.00  | 0.00 | 0 |   |
| 6/30/2011 | 64 | 50 | 350 | 3.0  | 54 | 24.0 | 16   | 1.7 | 15.1 | 10 | 0.0  | 201.4 | 4 | 4.0 | 87.3 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0   | 0.0 | 0   | 0.0 | 0   | 0.0 | 5   | 8.0  | 0   | 0.0  | 0.00 | 0.00  | 0.00 | 0 |   |
| 7/1/2011  | 64 | 50 | 350 | 3.0  | 54 | 24.0 | 16   | 0.0 | 10.1 | 10 | 0.0  | 201.4 | 4 | 4.0 | 87.3 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0   | 0.0 | 0   | 0.0 | 0   | 0.0 | 6   | 2.0  | 0   | 0.0  | 0.00 | 0.00  | 0.00 | 0 |   |
| 7/2/2011  | 64 | 50 | 350 | 13.0 | 52 | 24.0 | 17   | 0.0 | 16.8 | 10 | 0.0  | 201.4 | 4 | 4.0 | 87.3 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0   | 0.0 | 0   | 0.0 | 0   | 0.0 | 7   | 0.0  | 0   | 0.0  | 0.00 | 0.00  | 0.00 | 0 |   |
| 7/3/2011  | 64 | 50 | 350 | 13.0 | 52 | 24.0 | 17   | 0.0 | 0.0  | 10 | 0.0  | 201.4 | 4 | 4.0 | 87.3 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0   | 0.0 | 0   | 0.0 | 0   | 0.0 | 7   | 0.0  | 0   | 0.0  | 0.00 | 0.00  | 0.00 | 0 |   |
| 7/4/2011  | 64 | 50 | 350 | 11.0 | 50 | 24.0 | 17   | 0.0 | 20.2 | 10 | 0.0  | 201.4 | 4 | 4.0 | 87.3 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0   | 0.0 | 0   | 0.0 | 0   | 0.0 | 8   | 0.0  | 0   | 0.0  | 0.00 | 0.00  | 0.00 | 0 |   |
| 7/5/2011  | 64 | 50 | 350 | 11.0 | 50 | 24.0 | 17   | 0.0 | 0.0  | 10 | 0.0  | 201.4 | 4 | 4.0 | 87.3 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0   | 0.0 | 0   | 0.0 | 0   | 0.0 | 8   | 0.0  | 0   | 0.0  | 0.00 | 0.00  | 0.00 | 0 |   |
| 7/6/2011  | 64 | 50 | 350 | 3.0  | 51 | 24.0 | 15   | 0.0 | 18.5 | 10 | 0.0  | 201.4 | 4 | 4.0 | 87.3 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0   | 0.0 | 0   | 0.0 | 0   | 0.0 | 8   | 11.0 | 0   | 0.0  | 0.00 | 0.00  | 0.00 | 0 |   |
| 7/7/2011  | 64 | 50 | 350 | 3.0  | 51 | 24.0 | 15   | 0.0 | 0.0  | 10 | 0.0  | 201.4 | 4 | 4.0 | 87.3 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0   | 0.0 | 0   | 0.0 | 0   | 0.0 | 8   | 11.0 | 0   | 0.0  | 0.00 | 0.00  | 0.00 | 0 |   |
| 7/8/2011  | 64 | 50 | 350 | 5.0  | 52 | 24.0 | 15   | 0.0 | 1.7  | 10 | 0.0  | 201.4 | 4 | 4.0 | 87.3 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0   | 0.0 | 0   | 0.0 | 0   | 0.0 | 2   | 0.0  | 0   | 0.0  | 0.00 | 0.00  | 0.00 | 0 |   |
| 7/9/2011  | 64 | 50 | 350 | 5.0  | 52 | 24.0 | 15   | 0.0 | 0.0  | 10 | 0.0  | 201.4 | 4 | 4.0 | 87.3 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0   | 0.0 | 0   | 0.0 | 0   | 0.0 | 2   | 0.0  | 0   | 0.0  | 0.00 | 0.00  | 0.00 | 0 |   |
| 7/10/2011 | 64 | 50 | 350 | 6.0  | 57 | 24.0 | 17   | 3.3 | 20.1 | 10 | 2.0  | 204.8 | 4 | 4.0 | 87.3 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0   | 0.0 | 0   | 0.0 | 0   | 0.0 | 3   | 0.0  | 0   | 0.0  | 0.00 | 0.00  | 0.00 | 0 |   |
| 7/11/2011 | 64 | 50 | 350 | 6.0  | 57 | 24.0 | 17   | 0.0 | 0.0  | 10 | 2.0  | 204.8 | 4 | 4.0 | 87.3 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0   | 0.0 | 0   | 0.0 | 0   | 0.0 | 3   | 0.0  | 0   | 0.0  | 0.00 | 0.00  | 0.00 | 0 |   |
| 7/12/2011 | 64 | 50 | 350 | 12.0 | 54 | 24.0 | 15   | 0.0 | 18.5 | 10 | 2.0  | 204.8 | 4 | 4.0 | 87.3 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0   | 0.0 | 0   | 0.0 | 0   | 0.0 | 3   | 11.0 | 0   | 0.0  | 0.00 | 0.00  | 0.00 | 0 |   |
| 7/13/2011 | 64 | 50 | 350 | 12.0 | 54 | 24.0 | 15   | 0.0 | 0.0  | 10 | 2.0  | 204.8 | 4 | 4.0 | 87.3 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0   | 0.0 | 0   | 0.0 | 0   | 0.0 | 3   | 11.0 | 0   | 0.0  | 0.00 | 0.00  | 0.00 | 0 |   |
| 7/14/2011 | 64 | 50 | 350 | 5.0  | 50 | 24.0 | 15   | 0.0 | 15.1 | 10 | 2.0  | 204.8 | 4 | 4.0 | 87.3 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0   | 0.0 | 0   | 0.0 | 0   | 0.0 | 4   | 8.0  | 0   | 0.0  | 0.00 | 0.00  | 0.00 | 0 |   |
| 7/15/2011 | 64 | 50 | 350 | 5.0  | 50 | 24.0 | 15   | 0.0 | 0.0  | 10 | 2.0  | 204.8 | 4 | 4.0 | 87.3 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0   | 0.0 | 0   | 0.0 | 0   | 0.0 | 4   | 8.0  | 0   | 0.0  | 0.00 | 0.00  | 0.00 | 0 |   |
| 7/16/2011 | 64 | 50 | 350 | 4.0  | 47 | 24.0 | 14   | 0.0 | 16.8 | 10 | 2.0  | 204.8 | 4 | 4.0 | 87.3 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0   | 0.0 | 0   | 0.0 | 0   | 0.0 | 5   | 6.0  | 0   | 0.0  | 0.00 | 0.00  | 0.00 | 0 |   |
| 7/17/2011 | 64 | 50 | 350 | 5.0  | 47 | 24.0 | 15   | 0.0 | 0.0  | 10 | 2.0  | 204.8 | 4 | 4.0 | 87.3 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0   | 0.0 | 0   | 0.0 | 0   | 0.0 | 5   | 6.0  | 0   | 0.0  | 0.00 | 0.00  | 0.00 | 0 |   |
| 7/18/2011 | 64 | 50 | 350 | 5.0  | 47 | 24.0 | 15   | 0.0 | 0.0  | 10 | 2.0  | 204.8 | 4 | 4.0 | 87.3 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0   | 0.0 | 0   | 0.0 | 0   | 0.0 | 5   | 6.0  | 0   | 0.0  | 0.00 | 0.00  | 0.00 | 0 |   |
| 7/19/2011 | 64 | 50 | 350 | 5.0  | 47 | 24.0 | 15   | 0.0 | 0.0  | 10 | 2.0  | 204.8 | 4 | 4.0 | 87.3 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0   | 0.0 | 0   | 0.0 | 0   | 0.0 | 5   | 6.0  | 0   | 0.0  | 0.00 | 0.00  | 0.00 | 0 |   |
| 7/20/2011 | 64 | 50 | 350 | 5.0  | 47 | 24.0 | 15   | 0.0 | 0.0  | 10 | 2.0  | 204.8 | 4 | 4.0 | 87.3 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0   | 0.0 | 0   | 0.0 | 0   | 0.0 | 5   | 6.0  | 0   | 0.0  | 0.00 | 0.00  | 0.00 | 0 |   |
| 7/21/2011 | 64 | 50 | 350 | 7.0  | 54 | 24.0 | 15   | 1.7 | 60.4 | 10 | 3.0  | 206.5 | 4 | 4.0 | 87.3 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0   | 0.0 | 0   | 0.0 | 0   | 0.0 | 8   | 6.0  | 0   | 0.0  | 0.00 | 0.00  | 0.00 | 0 |   |
| 7/22/2011 | 64 | 50 | 350 | 7.0  | 54 | 24.0 | 15   | 0.0 | 0.0  | 10 | 3.0  | 206.5 | 4 | 4.0 | 87.3 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0   | 0.0 | 0   | 0.0 | 0   | 0.0 | 8   | 6.0  | 0   | 0.0  | 0.00 | 0.00  | 0.00 | 0 |   |
| 7/23/2011 | 64 | 50 | 350 | 8.0  | 62 | 24.0 | 16   | 0.0 | 43.7 | 10 | 3.0  | 206.5 | 4 | 4.0 | 87.3 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0   | 0.0 | 0   | 0.0 | 0   | 0.0 | 2   | 0.0  | 0   | 0.0  | 0.00 | 74.58 | 0.00 | 0 |   |
| 7/24/2011 | 64 | 50 | 350 | 8.0  | 62 | 24.0 | 16   | 0.0 | 0.0  | 10 | 3.0  | 206.5 | 4 | 4.0 | 87.3 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0   | 0.0 | 0   | 0.0 | 0   | 0.0 | 2   | 0.0  | 0   | 0.0  | 0.00 | 0.00  | 0.00 | 0 |   |
| 7/25/2011 | 64 | 50 | 350 | 10.0 | 49 | 24.0 | 16   | 0.0 | 16.8 | 10 | 3.0  | 206.5 | 4 | 4.0 | 87.3 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0   | 0.0 | 0   | 0.0 | 0   | 0.0 | 2   | 10.0 | 0   | 0.0  | 0.00 | 0.00  | 0.00 | 0 |   |
| 7/26/2011 | 64 | 50 | 350 | 10.0 | 49 | 24.0 | 15   | 5.0 | 1.7  | 10 | 6.0  | 211.5 | 4 | 4.0 | 87.3 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0   | 0.0 | 0   | 0.0 | 0   | 0.0 | 2   | 11.0 | 0   | 0.0  | 0.00 | 0.00  | 0.00 | 0 |   |
| 7/27/2011 | 64 | 50 | 350 | 16.0 | 51 | 24.0 | 18   | 0.0 | 0.0  | 10 | 6.0  | 211.5 | 4 | 4.0 | 87.3 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0   | 0.0 | 0   | 0.0 | 0   | 0.0 | 2   | 11.0 | 0   | 0.0  | 0.00 | 0.00  | 0.00 | 0 |   |
| 7/28/2011 | 64 | 50 | 350 | 1.0  | 79 | 24.0 | 14   | 0.0 | 0.0  | 10 | 6.0  | 211.5 | 4 | 4.0 | 87.3 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0   | 0.0 | 0   | 0.0 | 0   | 0.0 | 2   | 11.0 | 0   | 0.0  | 0.00 | 0.00  | 0.00 | 0 |   |
| 7/29/2011 | 64 | 50 | 350 | 1.0  | 55 | 24.0 | 4    | 0.0 | 0.0  | 10 | 6.0  | 211.5 | 4 | 4.0 | 87.3 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0   | 0.0 | 0   | 0.0 | 0   | 0.0 | 2   | 11.0 | 0   | 0.0  | 0.00 | 0.00  | 0.00 | 0 |   |
| 7/30/2011 | 64 | 50 | 350 | 2.0  | 50 | 24.0 | 4    | 0.0 | 0.0  | 10 | 6.0  | 211.5 | 4 | 4.0 | 87.3 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0   | 0.0 | 0   | 0.0 | 0   | 0.0 | 2   | 11.0 | 0   | 0.0  | 0.00 | 0.00  | 0.00 | 0 |   |
| 7/31/2011 | 64 | 50 | 350 | 6.0  | 54 | 24.0 | 5    | 0.0 | 0.0  | 10 | 6.0  | 211.5 | 4 | 4.0 | 87.3 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0   | 0.0 | 0   | 0.0 | 0   | 0.0 | 2   | 11.0 | 0   | 0.0  | 0.00 | 0.00  | 0.00 | 0 |   |
| Total     | 64 | 50 | 350 | 9    | 53 | 5088 | 3457 | 81  | 1672 |    |      |       |   |     |      |   |     |     |   |     |     |     |     |     |     |     |     |      |     |      |      |       | 1710 | 0 | 0 |

RECEIVED  
AUG 17 2011  
KCC WICHITA

Beginning Oil Stock: 218.22  
Ending Oil Stock: 298.8