


STATE OF KANSAS
STATE CORPORATION COMMISSION

WELL PLUGGING RECORD

Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to
Conservation Division
State Corporation Comm.
245 North Water
Wichita, KS 67202

Saline County, Sec. 30 Twp. 15 Rge. 1W E/W
Location as "NE/CNW $\frac{1}{4}$ SW $\frac{1}{4}$ " or footage from lines
330' WEL & 510' NSL NE/4
Lease Owner Reese Oil Company
Lease Name Ellen M. Nelson Well No. 1
Office Address 415 E. Prescott, Saline, Kansas 67401
Character of Well (Completed as Oil, Gas or Dry Hole)
Dry



Date Well completed August 1, 1981
Application for plugging filed 19
Application for plugging approved 19
Plugging commenced 19
Plugging completed August 1, 1981
Reason for abandonment of well or producing formation
Dry

If a producing well is abandoned, date of last production 19

Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes

Name of Conservation Agent who supervised plugging of this well Gilbert Toman, Holyrood, Kansas
Producing formation Depth to top Bottom Total Depth of Well
Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

FORMATION	CONTENT	FROM	TO	SIZE	PUT IN	PULLED OUT
Clay		0	55	8 5/8"	55'	None
Blue Shale		55'	132	8 5/8"	77'	None

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hold. If cement or other plugs were used, state the character of same and depth placed, from feet to feet for each plug set.

Set 1st. plug at 130' and filled with mud to 40' and cemented 2nd plug with 10 sacks of cement, 2 sacks in rathole. Plugging completed at 9:00 P. M., August 1, 1981 by State Plugger, Gilbert Toman, Holyrood, Kansas.

(If additional description is necessary, use BACK of this sheet)

Name of Plugging Contractor Blackstone Drilling, Inc. P.O. Box 1184, McPherson, Kansas


STATE OF Kansas COUNTY OF Saline, ss.
Reese Oil Company (employee of owner) or (owner or operator)
of the above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

REESE OIL COMPANY
(Signature) BY: Dale Reese
415 E. Prescott, Saline, Kansas 67401
(Address)

SUBSCRIBED AND SWORN TO before me this 5th day of August, 1981

Notary Public.

My commission expires Jan.



RECEIVED
STATE CORPORATION COMMISSION
8-6-81
ALM

CONSERVATION DIVISION
Wichita, Kansas



15-69-20141-0000

Blackstone Drilling, Inc.

Box 455 • 523 West Kansas • Phone (316) 241-1250
McPHERSON, KANSAS 67460

August 3, 1981

COMPANY: REESE OIL COMPANY

CONTRACTOR: BLACKSTONE DRILLING, INC.

FARM: ELLEN M. NELSON #1

LOCATION: 330' WEL & 510' NSL NE/4 Section 30-15-1W,
Saline County, Kansas

COMMENCED: July 29, 1981

COMPLETED: August 1, 1981

ELEVATION:

0	to	65	Clay
55	to	138	Blue Shale
138	to	480	Shale & Lime
480	to	1010	Shale
1010	to	1750	Shale & Lime
1750	to	1920	Lime
1920	to	2255	Shale & Lime
2255	to	2510	Lime & Shale
2510	to	2586	Lime
2586	to	2720	Shale & Lime
2720	to	2743	Lime
		2743	T. D.

RECEIVED
KANSAS COMMISSION
OIL & GAS
DIVISION
McPHERSON, KANSAS

Cut 12 1/2" hole to 130' and run 132' of 8 5/8" surface casing, cemented at 130' with 100 sacks of cement. Plug down at 3:15 P. M., July 29, 1981. Hole dry and abandoned. Set 1st. plug at 130' with 20 sacks of cement, filled with mud to 40' and set plug with 10 sacks of cement, 2 sacks in rat-hole. Plugging completed at 9:00 P. M., August 1, 1981 by Gilbert Toman, Holyrood, Kansas, State Plugger.

TOPS: MISSISSIPPI - 2703'

Measurements taken from K. B.

CERTIFICATE

I, P. E. Plouffe, President of Blackstone Drilling, Inc. do hereby certify that the above and foregoing is a true and correct copy of log on your Ellen M. Nelson #1, located on the 330' WEL & 510' NSL NE/4 Section 30-15-1W, Saline County, Kansas as reflected by the files of Blackstone Drilling, Inc.

P. E. Plouffe, President

Subscribed and sworn to before me a Notary Public in and for McPherson County, Kansas this 3rd day of August, 1981.

Johnnie L. Schmidt - Notary Public

JOHNNIE L. SCHMIDT
McPherson County, Kansas
My Appt. Exp. June 23, 1982

15-169-20141-0000

DONALD J. MELLAND ✧ PETROLEUM GEOLOGIST
401 Peoples Bank Building ✧ Post Office Box 783 ✧ McPherson, Kansas 67460
Office (316) 241-7907 ✧ Residence (316) 241-4582

GEOLOGICAL REPORT

Reese Oil Co.
Well No. # 1
E/2 SW NE, Sec. 30-15-1N
Field: Peterson
Saline County, Kansas

August 3, 1981
Elevation: 1314 MSL
Comm: 7/29/81, Comp: 8/1/81
Casing: 8-5/8" @ 130'/100ex.

FORMATION TOPS

Iansing	2871 (-757)
Mississippian	2703 (-1389)
Mississippian Dolomite	2739 (-1425)
NEB	2743 (-1429)

Corres: None

Drill Stem Tests: None

Electrical Logs: None

Gas Detector: None

Measurements: Were taken from hally bushing, 5 feet above ground level.

FORMATION SUMMARY

MISSISSIPPIAN

2739-2743 Dolomite: grayish buff, finely crystalline, poor to fair porosity, slight show of oil, oil lacks life, questionable to faint odor. This zone does not warrant testing.

RECEIVED
STATE CORPORATION COMMISSION

OCT 5 1981

CONSERVATION DIVISION
Wichita Kansas

COPY

RECOMMENDATIONS

Since there were no commercial shows of oil in this well, it was recommended that it be plugged.

Respectfully submitted,

Donald J. Holland

DJM/s

C
O
P
Y

RECEIVED
OIL AND GAS COMMISSION
OCT 5 1941
OIL AND GAS DIVISION
Topeka, Kansas

DRILLING TIME

Reese Oil Co.
Well # 1

Dec. 30-15-18
E/2 SW NE

Elevation: 1314' MS
Saline County, Kansas

Depth	Time	Remarks
1900-1910	1 1/4	1
20	1 1/4	1
30	1 1/4	1
40	1 1/4	1
50	1 1/4	1
60	1 1/4	1
70	1 1/4	1
80	1 1/4	1
90	1 1/4	1
1990-2000	1 1/4	1
10	1 1/4	1
20	1 1/4	1
30	1 1/4	1
40	1 1/4	1
50	1 1/4	1
60	1 1/4	1
70	1 1/4	1
80	1 1/4	1
90	1 1/4	1
2090-2100	1 1/4	1
10	1 1/4	1
20	1 1/4	1
30	1 1/4	1
40	1 1/4	1
50	1 1/4	1
60	1 1/4	1
70	1 1/4	1
80	1 1/4	1
90	1 1/4	1
2190-2200	1 1/4	1
10	1 1/4	1
20	1 1/4	1
30	1 1/4	1
40	1 1/4	1
50	1 1/4	1
60	1 1/4	1
70	1 1/4	1
80	1 1/4	1
90	1 1/4	1
2290-2300	1 1/4	1

COPY

RECEIVED
STATE CORPORATION COMMISSION

OCT 5 1920

CONSERVATION DIVISION
Wichita Kansas

Depth	Time	Remarks
2300-2310	2	
2310-2320	1	
2320-2330	1	
2330-2340	1	
2340-2350	1	
2350-2400	1	
2400-2410	2	
2410-2420	1	
2420-2430	1	
2430-2440	1	
2440-2450	1	
2450-2460	1	
2460-2470	1	
2470-2480	1	
2480-2490	1	
2490-2500	1	
2500-2510	1	
2510-2520	1	
2520-2530	1	
2530-2540	1	
2540-2550	1	
2550-2560	1	
2560-2570	1	
2570-2580	1	
2580-2590	1	
2590-2600	1	
2600-2610	1	
2610-2620	1	
2620-2630	1	
2630-2640	1	
2640-2650	1	
2650-2660	1	
2660-2670	1	
2670-2680	1	
2680-2690	1	
2690-2700	1	
2700-2710	1	
2710-2720	1	
2720-2730	1	
2730-2740	1	
2740-2750	1	
2750-2760	1	
2760-2770	1	
2770-2780	1	
2780-2790	1	
2790-2800	1	
2800-2810	1	
2810-2820	1	
2820-2830	1	
2830-2840	1	
2840-2850	1	
2850-2860	1	
2860-2870	1	
2870-2880	1	
2880-2890	1	
2890-2900	1	
2900-2910	1	
2910-2920	1	
2920-2930	1	
2930-2940	1	
2940-2950	1	
2950-2960	1	
2960-2970	1	
2970-2980	1	
2980-2990	1	
2990-3000	1	

Trp @ 2585'

RECEIVED
STATE CORPORATION COMMISSION

OCT 5 1928

CONSERVATION DIVISION
Wichita, Kansas

Str. @ 2700'

Str. @ 2743'

COPY