For KCC Use:	11-1-2011	
Effective Date: _		
District #		
~~.~  \forall L		

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
March 2010
Form must be Typed
Form must be Signed
All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Soud Date: November 1, 2011	
Expected Spud Date: NOVERTIDE: 1, 2011	Spot Description:
month day	year <u>E#2</u> - <u>SW. NE</u> - <u>SW</u> <sub>Sec.</sub> <u>27</u> <sub>Twp.</sub> <u>25</u> s. <u>R. 16</u> ∏E ∑W
OPERATOR: License# 30705	1725 feet from N / X S Line of Section
Name: Younger Energy Company	1328 feet from E / X W Line of Section
Address 1: 453 S. Webb Rd., Suite 100	is SECTION: Regular X Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City: Wichita State: KS Zip: 6	7207 + 1310 Edwards
Contact Person: Diane Rebstock	lease Name: Cudnev R Well # 1
Phone: 316-681-2542	Field Name: Wil- Wil
CONTRACTOR: License# 5929	Is this a Prorated / Spaced Field?  Yes XNo
	Target Formation(s): Conglomerate / Mississippi
	Magnet Lease or unit boundary line (in footage): 405'
	Sound Surface Floration 2070 foot MSI
	Mud Rotary Water well within one-quarter mile:
Gas Storage X Pool Ext.	Air Rotary  Public water supply well within one mile:
Disposal Wildcat	Depth to bottom of fresh water: 200'
Seismic : # of HolesOther	Depth to bottom of usable water: 220'
Other:	Surface Pipe by Alternate: X I II
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 400'
Operator:	to another of Country bear Disco (if any)
Well Name:	Projected Total Depth: 4/50
Original Completion Date: Original Tot	
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Yes X No X Well Farm Pond Other:
If Yes, true vertical depth:	
Detter Hele Leading	
Bottom Hole Location:	
KCC DKT #:	Will Cores be taken?
KCC DKT #:  The undersigned hereby affirms that the drilling, com	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  spletion and eventual plugging of this well will comply with K.S.A. 55 et. seq.
The undersigned hereby affirms that the drilling, com It is agreed that the following minimum requirements  1. Notify the appropriate district office <i>prior</i> to spi 2. A copy of the approved notice of intent to drill s 3. The minimum amount of surface pipe as specific through all unconsolidated materials plus a min 4. If the well is dry hole, an agreement between the superpropriate district office will be notified be 5. The appropriate district office will be notified be 6. If an ALTERNATE II COMPLETION, production Or pursuant to Appendix "B" - Eastern Kansas must be completed within 30 days of the spud.	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  Inpletion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  will be met:  udding of well;  shall be posted on each drilling rig;  filed below shall be set by circulating cement to the top; in all cases surface pipe shall be set inimum of 20 feet into the underlying formation.  the operator and the district office on plug length and placement is necessary prior to plugging;  efore well is either plugged or production casing is cemented in;  In pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  True and to the best of my knowledge and belief.  Diane Rebstock
The undersigned hereby affirms that the drilling, com It is agreed that the following minimum requirements  1. Notify the appropriate district office <i>prior</i> to spi 2. A copy of the approved notice of intent to drill s 3. The minimum amount of surface pipe as specific through all unconsolidated materials plus a min 4. If the well is dry hole, an agreement between the superpropriate district office will be notified be 5. The appropriate district office will be notified be 6. If an ALTERNATE II COMPLETION, production Or pursuant to Appendix "B" - Eastern Kansas must be completed within 30 days of the spud.	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  Inpletion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  will be met:  udding of well;  shall be posted on each drilling rig;  fined below shall be set by circulating cement to the top; in all cases surface pipe shall be set nimum of 20 feet into the underlying formation.  the operator and the district office on plug length and placement is necessary prior to plugging;  efore well is either plugged or production casing is cemented in;  n pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  true and to the best of my knowledge and belief.  Diane Rebstock
The undersigned hereby affirms that the drilling, com It is agreed that the following minimum requirements  1. Notify the appropriate district office <i>prior</i> to spice. A copy of the approved notice of intent to drill an animum amount of surface pipe as specific through all unconsolidated materials plus a minum animum animum angreement between the surface propriate district office will be notified be found in the surface propriate district office will be notified be found in the surface propriate district office will be notified be found in the surface propriate district office will be notified be found in the surface propriate district office will be notified be found in the surface propriate district office will be notified be found in the surface propriate district office will be notified be found in the surface propriate district office will be notified be found in the surface propriate district office will be notified be found in the surface propriate district office will be notified be found in the surface propriate district office will be notified be found in the surface propriate district office will be notified be found in the surface propriate district office will be notified be found in the surface propriate district office will be notified be found in the surface propriate district office will be notified by the surface propriate district office will be notified by the surface propriate district office will be notified by the surface propriate district office will be notified by the surface propriate district office will be notified by the surface propriate district office will be notified by the surface propriate district office will be notified by the surface propriate district office will be notified by the surface propriate district office will be notified by the surface propriate district office will be notified by the surface propriate district office will be notified by the surface propriate district office will be notified by the surface propriate district office will be notified by the surfa	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  Inpletion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  will be met:  udding of well;  shall be posted on each drilling rig;  fined below shall be set by circulating cement to the top; in all cases surface pipe shall be set nimum of 20 feet into the underlying formation.  the operator and the district office on plug length and placement is necessary prior to plugging;  efore well is either plugged or production casing is cemented in;  In pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  true and to the best of my knowledge and belief.  Diane Rebstock  Title: Executive Vice President
The undersigned hereby affirms that the drilling, com It is agreed that the following minimum requirements  1. Notify the appropriate district office <i>prior</i> to spice. A copy of the approved notice of intent to drill significant and the spice of intent to drill significant and the spice as specificant through all unconsolidated materials plus a min significant spice of the well is dry hole, an agreement between the spice of the sp	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  Inpletion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  will be met:  udding of well;  shall be posted on each drilling rig; filed below shall be set by circulating cement to the top; in all cases surface pipe shall be set  nimum of 20 feet into the underlying formation.  the operator and the district office on plug length and placement is necessary prior to plugging;  efore well is either plugged or production casing is cemented in;  n pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  true and to the best of my knowledge and belief.  Diane Rebstock  Title: Executive Vice Presider
The undersigned hereby affirms that the drilling, com It is agreed that the following minimum requirements  1. Notify the appropriate district office <i>prior</i> to spice. A copy of the approved notice of intent to drill and 3. The minimum amount of surface pipe as specific through all unconsolidated materials plus a mine. If the well is dry hole, an agreement between the surface pipe as specific through all unconsolidated materials plus a mine. The appropriate district office will be notified be suffered to the surface of the surface of the surface of the spice. The appropriate district office will be notified be suffered to the surface of the su	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  Inpletion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  will be met:  udding of well;  shall be posted on each drilling rig;  fined below shall be set by circulating cement to the top; in all cases surface pipe shall be set nimum of 20 feet into the underlying formation.  the operator and the district office on plug length and placement is necessary prior to plugging;  efore well is either plugged or production casing is cemented in;  In pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  true and to the best of my knowledge and belief.  Diane Rebstock  Title: Executive Vice President
The undersigned hereby affirms that the drilling, com It is agreed that the following minimum requirements  1. Notify the appropriate district office <i>prior</i> to spr.  2. A copy of the approved notice of intent to drill s.  3. The minimum amount of surface pipe as specific through all unconsolidated materials plus a min.  4. If the well is dry hole, an agreement between the strict office will be notified be found in the surface of the spr. The appropriate district office will be notified be found in the surface of the spr. The surface of the spr.  Signature of Operator of the surface of the surface of the spr.  For KCC Use ONLY 1 Signature of Operator of the surface of the	AFFIDAVIT  Inpletion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  will be met:  udding of well;  shall be posted on each drilling rig; filed below shall be set by circulating cement to the top; in all cases surface pipe shall be set nimum of 20 feet into the underlying formation.  the operator and the district office on plug length and placement is necessary prior to plugging; efore well is either plugged or production casing is cemented in; in pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  true and to the best of my knowledge and belief.  Diane Rebstock  Title: Executive Vice Presider  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, com It is agreed that the following minimum requirements  1. Notify the appropriate district office <i>prior</i> to spice. A copy of the approved notice of intent to drill and 3. The minimum amount of surface pipe as specific through all unconsolidated materials plus a minum and the surface pipe as specific through all unconsolidated materials plus a minum and the surface pipe as specific through all unconsolidated materials plus a minum and the surface of the specific through all unconsolidated materials plus a minum and the surface of the specific through all unconsolidated materials plus a minum and the surface of the specific through all the surface of the specific through a surface of the surface of the specific through a surface of the surface of the surface of the specific through a surface of the surface of the surface of the surface of the specific through a surface of the surface	AFFIDAVIT  Inpletion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  will be met:  udding of well;  shall be posted on each drilling rig; filed below shall be set by circulating cement to the top; in all cases surface pipe shall be set nimum of 20 feet into the underlying formation.  the operator and the district office on plug length and placement is necessary prior to plugging; efore well is either plugged or production casing is cemented in; in pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  true and to the best of my knowledge and belief.  Diane Rebstock  Title: Executive Vice Presider  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, com It is agreed that the following minimum requirements  1. Notify the appropriate district office <i>prior</i> to sp.  2. A copy of the approved notice of intent to drill s  3. The minimum amount of surface pipe as specific through all unconsolidated materials plus a min  4. If the well is dry hole, an agreement between the surface pipe as specific through all unconsolidated materials plus a min  5. The appropriate district office will be notified by the surface of the surface of the surface of the specific to the surface of the su	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  Inpletion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  will be met:  udding of well;  shall be posted on each drilling rig; field below shall be set by circulating cement to the top; in all cases surface pipe shall be set  nimum of 20 feet into the underlying formation.  the operator and the district office on plug length and placement is necessary prior to plugging; efore well is either plugged or production casing is cemented in;  n pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  true and to the best of my knowledge and belief.  To ragent:  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workeyer or re-entry.
The undersigned hereby affirms that the drilling, com It is agreed that the following minimum requirements  1. Notify the appropriate district office <i>prior</i> to sp. 2. A copy of the approved notice of intent to drill s 3. The minimum amount of surface pipe as specific through all unconsolidated materials plus a min 4. If the well is dry hole, an agreement between the surface of the appropriate district office will be notified by 6. If an ALTERNATE II COMPLETION, production or pursuant to Appendix "B" - Eastern Kansas must be completed within 30 days of the spud is hereby certify that the statements made herein are set to be completed.  The provided of the surface of the su	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  Inpletion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  will be met:  udding of well;  shall be posted on each drilling rig; field below shall be set by circulating cement to the top; in all cases surface pipe shall be set  nimum of 20 feet into the underlying formation.  the operator and the district office on plug length and placement is necessary prior to plugging; efore well is either plugged or production casing is cemented in;  n pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  true and to the best of my knowledge and belief.  To ragent:  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workeyer or re-entry.
The undersigned hereby affirms that the drilling, com It is agreed that the following minimum requirements  1. Notify the appropriate district office <i>prior</i> to spice. A copy of the approved notice of intent to drill significant and through all unconsolidated materials plus a minimum amount of surface pipe as specification. The well is dry hole, an agreement between the surface propriate district office will be notified be found in the surface of the surface of the spice. If an ALTERNATE II COMPLETION, production or pursuant to Appendix "B" - Eastern Kansas must be completed within 30 days of the spud in hereby certify that the statements made herein are surface.  For KCC Use ONLY  API # 15 - O 47 - 21600000  Minimum surface pipe required Minimum surface pipe required Approved by: Further 10-27-2011  This authorization expires: 10-27-201	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  Inpletion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  will be met:  udding of well;  shall be posted on each drilling rig; filed below shall be set by circulating cement to the top; in all cases surface pipe shall be set nimum of 20 feet into the underlying formation.  In pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  true and to the best of my knowledge and belief.  Diane Rebstock  Executive Vice Preside  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, com It is agreed that the following minimum requirements  1. Notify the appropriate district office <i>prior</i> to sp. 2. A copy of the approved notice of intent to drill s. 3. The minimum amount of surface pipe as specific through all unconsolidated materials plus a min service of the well is dry hole, an agreement between the surface of the well is first appropriate district office will be notified by the first appropriate district office will be notified by the surface of the surface of the specific or pursuant to Appendix "B" - Eastern Kansas must be completed within 30 days of the spud in hereby certify that the statements made herein are surface.  1. Date: 10-24-2011 Signature of Operator Operator of the surface of the specific of the surface of the surf	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  Inpletion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  will be met:  udding of well;  shall be posted on each drilling rig;  filed below shall be set by circulating cement to the top; in all cases surface pipe shall be set nimum of 20 feet into the underlying formation.  The operator and the district office on plug length and placement is necessary prior to plugging; efore well is either plugged or production casing is cemented in;  In pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  The and to the best of my knowledge and belief.  Diane Rebstock  Title:  Diane Rebstock  Title:  Executive Vice Presider  Act (KSONA-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File completion Form ACO-1 within 120 days of spud date;  File completion Form ACO-1 within 120 days of spud date;  File completion Form ACO-1 within 120 days of spud date;  File completion Form ACO-1 within 120 days of spud date;  File completion Form ACO-1 within 120 days of spud date;  File completion Form ACO-1 within 120 days of spud date;  File completion Form ACO-1 within 120 days of spud date;  File completion Form ACO-1 within 120 days of spud date;  File completion Form ACO-1 within 120 days of spud date;  File completion Form ACO-1 within 120 days of spud date;  File completion Form ACO-1 within 120 days of spud date;  File completion Form ACO-1 within 120 days of spud date;  File completion Form ACO-1 within 120 days of spud date;  File completion Form ACO-1 within 120 days of spud date;  File will plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.  If well will not be drilled or permit has expired (See: au
The undersigned hereby affirms that the drilling, com It is agreed that the following minimum requirements  1. Notify the appropriate district office <i>prior</i> to spi 2. A copy of the approved notice of intent to drill s 3. The minimum amount of surface pipe as specific through all unconsolidated materials plus a min 4. If the well is dry hole, an agreement between the specific of the appropriate district office will be notified be found in the surface of the spirit of the sp	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  In pletion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  will be met:  udding of well;  shall be posted on each drilling rig; filed below shall be set by circulating cement to the top; in all cases surface pipe shall be set nimum of 20 feet into the underlying formation.  The operator and the district office on plug length and placement is necessary prior to plugging;  efore well is either plugged or production casing is cemented in;  In pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  The and to the best of my knowledge and belief.  Diane Rebstock  Title: Executive Vice Preside:  Remember to:  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.  If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, com It is agreed that the following minimum requirements  1. Notify the appropriate district office <i>prior</i> to sp. 2. A copy of the approved notice of intent to drill s. 3. The minimum amount of surface pipe as specific through all unconsolidated materials plus a min serious plus and serious propriate district office will be notified by the serious plus and to Appropriate district office will be notified by the surface pipe and serious plus production or pursuant to Appendix "B" - Eastern Kansas must be completed within 30 days of the spud in hereby certify that the statements made herein are serious plus plus plus plus plus plus plus pl	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  Inpletion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  will be met:  udding of well;  shall be posted on each drilling rig;  filed below shall be set by circulating cement to the top; in all cases surface pipe shall be set nimum of 20 feet into the underlying formation.  The operator and the district office on plug length and placement is necessary prior to plugging; efore well is either plugged or production casing is cemented in;  In pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  The and to the best of my knowledge and belief.  Diane Rebstock  Title:  Diane Rebstock  Title:  Executive Vice Presider  Act (KSONA-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File completion Form ACO-1 within 120 days of spud date;  File completion Form ACO-1 within 120 days of spud date;  File completion Form ACO-1 within 120 days of spud date;  File completion Form ACO-1 within 120 days of spud date;  File completion Form ACO-1 within 120 days of spud date;  File completion Form ACO-1 within 120 days of spud date;  File completion Form ACO-1 within 120 days of spud date;  File completion Form ACO-1 within 120 days of spud date;  File completion Form ACO-1 within 120 days of spud date;  File completion Form ACO-1 within 120 days of spud date;  File completion Form ACO-1 within 120 days of spud date;  File completion Form ACO-1 within 120 days of spud date;  File completion Form ACO-1 within 120 days of spud date;  File completion Form ACO-1 within 120 days of spud date;  File will plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.  If well will not be drilled or permit has expired (See: au

**KCC WICHITA** 

For KCC Use ONLY	
API # 15 - 047-21600-0000	İ


### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator: Younger Energy Company	Location of Well: County:	Edwards
Lease Cudney R	1725	feet from N / X S Line of Section
Well Number: 1	1328	_ feet from E / X W Line of Section
Field: Wil	Sec. <u>27</u> Twp. <u>25</u>	s. r. <u>16</u> _ 🗍 e 🗶 w
Number of Acres attributable to well: 560  QTR/QTR/QTR/QTR of acreage: N/2 6W- NE/4 - SE/4	Is Section: Regular or	X Irregular
NW SU ME-SW	If Section is irregular, locate Section corner used: Ne	e well from nearest corner boundary.

#### **PLAT**

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired.



#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections,
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells RECEIVED) CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

OCT 2 5 2011

## Kansas Corporation Commission Oil & Gas Conservation Division

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (Ca	thodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)		
OPERATOR: License # 30705  Name: Younger Energy Company  Address 1: 453 S. Webb Rd., Suite 100  Address 2:	Well Location:  E72 SW NE SW Sec. 27 Twp. 25 S. R. 16 Eas X West County: Edwards  Lease Name: Cudney R Well #: 1		
City: Wichita State: KS zip: 67207 + 1310 Contact Person: Diane Rebstock  Phone: ( 316 ) 681-2542 Fax: ( 316 ) 681-1190 Grebstock@youngerenergy.com	If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below:  8865 E Baseline # 1052 Mesa, AZ US 85209-5300		
Surface Owner Information:  Name: Rex E. Cudney Family Trust & Roberta A. Cudney Trust  Address 1: 8865 E. Baseline #1052  Address 2: City: Mesa State: AZ zip: 85209 + 5300	When filing a Form T-1 involving multiple surface owners, attach an additional sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the county, and in the real estate property tax records of the county treasurer.		
If this form is being submitted with a Form C-1 (Intent) or CB-1 (Cathodia the KCC with a plat showing the predicted locations of lease roads, tank the are preliminary non-binding estimates. The locations may be entered on the Select one of the following:	patteries, pipelines, and electrical lines. The locations shown on the plat		
I certify that, pursuant to the Kansas Surface Owner Notice Act owner(s) of the land upon which the subject well is or will be loc CP-1 that I am filing in connection with this form; 2) if the form be form; and 3) my operator name, address, phone number, fax, and	cated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form change ing filed is a Form C-1 or Form CB-1, the plat(s) required by this demail address.		
KCC will be required to send this information to the surface own task, I acknowledge that I am being charged a \$30.00 handling fe   If choosing the second option, submit payment of the \$30.00 handling fe	ee with this form. If the fee is not received with this form, the KSONA-1		
I hereby certify that the statements made herein are true and correct to the Date: 10/24/2011 Signature of Operator or Agent: 12/24/2011	he best of my knowledge and belief.		

RECEIVED OCT 2 5 2011

# Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate Operator Name: Younger Energy Company License Number: 30705 Operator Address: 453 S. Webb Rd., Suite 100, Wichita, KS 67207-1310 Phone Number: 316-681-2542 Contact Person: Diane Rebstock Lease Name & Well No.: Cudney R #1 Pit Location (QQQQ): <del>E/2</del> .SW .NE .SW Type of Pit: Pit is: Sec. 27 Twp. 25 R. 16 East X West X Proposed Existing Emergency Pit Burn Pit X Drilling Pit Settling Pit If Existing, date constructed: 1725 Feet from North / X South Line of Section Haul-Off Pit Workover Pit 1328 Feet from East / X West Line of Section Pit capacity: (If WP Supply API No. or Year Drilled) 5000 Edwards (bbls) Is the pit located in a Sensitive Ground Water Area? X Yes No Chloride concentration: mg/l (For Emergency Pits and Settling Pits only) is the bottom below ground level? **Artificial Liner?** How is the pit fined if a plastic liner is not used? Yes X No X Yes No bentonite & solids from drilling operation 100 100 Pit dimensions (all but working pits): Length (feet) N/A: Steel Pits Depth from ground level to deepest point: No Pit If the pit is lined give a brief description of the liner Describe procedures for periodic maintenance and determining material, thickness and installation procedure. liner integrity, including any special monitoring. 200 Distance to nearest water well within one-mile of pit: Depth to shallowest fresh water Source of information: KCC 70-CO 6001 1-140 1240 KDWR measured well owner electric log Depth of water well \_ feet **Drilling, Workover and Haul-Off Pits ONLY: Emergency, Settling and Burn Pits ONLY:** Type of material utilized in drilling/workover: Chemical Mud Producing Formation: \_\_\_\_\_ Number of working pits to be utilized: \_ Number of producing wells on lease: Abandonment procedure: Allow to dry, backfill & level Barrels of fluid produced daily: Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must be closed within 365 days of spud date. I hereby certify that the above statements are true and correct to the best of my knowledge and belief. 10/24/2011 Signature of Applicant or Agent KCC OFFICE USE ONLY Steel Pit Liner Date Received: 10-25-11 Permit Number: Permit Date: 10 -27-11 \_ Lease Inspection:

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

OCT 2 5 2011

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Ward Loyd, Commissioner Thomas E. Wright, Commissioner

October 27, 2011

Younger Energy Company 453 S. Webb Rd Ste 100 Wichita, KS 67207-1310

Re: Drilling Pit Application

Cudney R Lease Well No. 1 SW/4 Sec. 27-25S-16W Edwards County, Kansas

Dear Sir or Madam:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again within 96 hours after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Kathy Haynes

**Environmental Protection and Remediation Department** 

cc: File