#### For KCC Use: Effective Date: District #

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

### NOTICE OF INTENT TO DRILL

	December	2	2011	Spot Description:	
xpected Spud Date:	month ,	day	year	E2 _ SW Sec. 2 _ Twp. 17 S. R. 13	]ε ⊠w
	33483				
PERATOR: License# _				1,320 feet from N / X S Line 1,980 feet from E / X W Line	of Section
ame: Valhalla Explorat				Is SECTION: Regular Irregular?	
ddress 1: 133 N. Glend	dale			·	
ddress 2:			7200	(Note: Locate well on the Section Plat on reverse side)	
ity: Wichita	State: NS	Zip:0/	<u> </u>		
Contact Person: Kelly B	ranum	··		Lease Name: Morgenstern Well # 2-2	·································
hone: 785-324-1414		<u> </u>		Field Name: Trapp	
CONTRACTOR: License	e# 33793			1 V 11 / 11 / 11 / 11 / 11 / 11 / 11 /	s 🔀 No 🛧
lame: H2 Drilling	Mary and the second sec				
	\4/="\ O(===	Time	s Equipment:	Nearest Lease or unit boundary line (in footage): 660	
Well Drilled For:		_	e Equipment: n	Ground Surface Elevation: 1860 est	feet MSL
⊠Oii	h Rec Xinfield		Mud Rotary		s XNo
Gas Sto	orage Pool Ex		Air Rotary		s X No
	sposal Wildcat	L	Cable	Depth to bottom of fresh water: 180	<u> </u>
<b>—</b>	# of Holes Other			Depth to bottom of usable water: 396_320	
Other:				Surface Pipe by Alternate: XI III	
THEOMAND: Ald W	rell information as follow	vs.		Length of Surface Pipe Planned to be set: 760	
<del></del>					
Operator:			. , ,	Length of Conductor Pipe (if any):	
				Projected Total Depth: 3400	
Original Completion	Date: C	riginal Tota	l Depth:		
	_			Water Source for Drilling Operations:	
Directional, Deviated or			Yes∑ No	Well Farm Pond Other:	
f Yes, true vertical depth	Υ:			DIAP Provide	
				DWR Permit #:	
Bottom Hole Location:				(Note: Apply for Permit with DWR	
Bottom Hole Location: CCC DKT #:				— (Note: Apply for Permit with DWR ☐ Ye  Will Cores be taken? ☐ Ye	es <b>N</b> o
CCC DKT #	by affirms that the dril	ling, comp	<b>A</b> letion and eventual	(Note: Apply for Permit with DWR	es ⊠No
The undersigned herel t is agreed that the fol 1. Notify the appro 2. A copy of the ap 3. The minimum ar through all unco 4. If the well is dry 5. The appropriate 6. If an ALTERNAT Or pursuant to A	by affirms that the dril lowing minimum requipriate district office properties of intermount of surface pipe insolidated materials problem an agreement but the complete of th	ling, comp irements w rior to spurat to drill st as specific as sp	A letion and eventual vill be met: dding of well; hall be posted on ea ed below shall be s mum of 20 feet into e operator and the c fore well is either plu pipe shall be cemer surface casing order	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  tet by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging ugged or production casing is cemented in;  ted from below any usable water to surface within 120 DAYS of spud date #133,891-C, which applies to the KCC District 3 area, alternate II cement	<i>g;</i>
The undersigned herel t is agreed that the fol 1. Notify the appro 2. A copy of the ap 3. The minimum ar through all unco 4. If the well is dry 5. The appropriate 6. If an ALTERNAT Or pursuant to A	by affirms that the dril lowing minimum requipriate district office properties of intermount of surface pipe insolidated materials problem an agreement but the complete of th	ling, comp irements w rior to spurat to drill st as specific as sp	A letion and eventual vill be met: dding of well; hall be posted on ea ed below shall be s mum of 20 feet into e operator and the c fore well is either plu pipe shall be cemer surface casing order	(Note: Apply for Permit with DWR   Ye Will Cores be taken? If Yes, proposed zone:  FFIDAVIT plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging agged or production casing is cemented in;	<i>g;</i>
The undersigned herel t is agreed that the fol 1. Notify the appro 2. A copy of the ap 3. The minimum ar through all unco 4. If the well is dry 5. The appropriate 6. If an ALTERNAT Or pursuant to A must be comple	by affirms that the dril lowing minimum requ priate district office property of inter- information of surface pipe insolidated materials in hole, an agreement build be in district office will be in E II COMPLETION, in Appendix "B" - Easterrited within 30 days of	ling, comp irements w rior to spud t to drill sh as specific blus a mini letween the notified bef production a Kansas s the spud d	A letion and eventual vill be met: dding of well; hall be posted on ea ed below shall be s mum of 20 feet into e operator and the c fore well is either plu pipe shall be cemer surface casing order ate or the well shall	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  tet by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging agged or production casing is cemented in;  need from below any usable water to surface within 120 DAYS of spud date #133,891-C, which applies to the KCC District 3 area, alternate If cement be plugged. In all cases, NOTIFY district office prior to any cementing.	y; e. ing
The undersigned herel t is agreed that the fol 1. Notify the appro 2. A copy of the ap 3. The minimum ar through all unco 4. If the well is dry 5. The appropriate 6. If an ALTERNAT Or pursuant to A must be comple	by affirms that the dril lowing minimum requipriate district office proposed notice of intermount of surface pipe mount of surface pipe hole, an agreement be district office will be real if COMPLETION, papendix "B" - Eastern ted within 30 days of e statements made he	ling, comp irements w rior to spud t to drill sh as specific blus a mini letween the notified bef production a Kansas s the spud d	A letion and eventual vill be met: dding of well; hall be posted on ea ed below shall be s mum of 20 feet into e operator and the c fore well is either plu pipe shall be cemer surface casing order ate or the well shall	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  tet by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging ugged or production casing is cemented in;  anted from below any usable water to surface within 120 DAYS of spud date #133,891-C, which applies to the KCC District 3 area, alternate It cement be plugged. In all cases, NOTIFY district office prior to any cementing.	e; eng
The undersigned herel t is agreed that the fol 1. Notify the appro 2. A copy of the ap 3. The minimum ar through all unco 4. If the well is dry 5. The appropriate 6. If an ALTERNAT Or pursuant to A must be comple	by affirms that the dril lowing minimum requipriate district office proposed notice of intermount of surface pipe mount of surface pipe hole, an agreement be district office will be real if COMPLETION, papendix "B" - Eastern ted within 30 days of e statements made he	ling, comp irements w rior to spud t to drill sh as specific blus a mini letween the notified bef production a Kansas s the spud d	A letion and eventual vill be met: dding of well; hall be posted on ea ed below shall be s mum of 20 feet into e operator and the c fore well is either plu pipe shall be cemer surface casing order ate or the well shall ue and to the best of	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  tet by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging ugged or production casing is cemented in;  anted from below any usable water to surface within 120 DAYS of spud date #133,891-C, which applies to the KCC District 3 area, alternate If cement be plugged. In all cases, NOTIFY district office prior to any cementing.  Title: Managing Memb	e; ing <b>EIVE</b> D
The undersigned herel t is agreed that the fol 1. Notify the appro 2. A copy of the ap 3. The minimum ar through all unco 4. If the well is dry 5. The appropriate 6. If an ALTERNAT Or pursuant to A must be comple	by affirms that the dril lowing minimum requipriate district office proposed notice of intermount of surface pipe mount of surface pipe hole, an agreement be district office will be real if COMPLETION, papendix "B" - Eastern ted within 30 days of e statements made he	ling, comp irements w rior to spud t to drill sh as specific blus a mini letween the notified bef production a Kansas s the spud d	A letion and eventual vill be met: dding of well; hall be posted on ea ed below shall be s mum of 20 feet into e operator and the c fore well is either plu pipe shall be cemer surface casing order ate or the well shall ue and to the best of	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  tet by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. this trict office on plug length and placement is necessary prior to plugging ugged or production casing is cemented in; anted from below any usable water to surface within 120 DAYS of spud date #133,891-C, which applies to the KCC District 3 area, alternate It cement be plugged. In all cases, NOTIFY district office prior to any cementing.  Title:  Managing Membalov.	e; ing <b>EIVE</b> D
The undersigned herel t is agreed that the fol 1. Notify the appro 2. A copy of the ap 3. The minimum ar through all unco 4. If the well is dry 5. The appropriate 6. If an ALTERNAT Or pursuant to A must be comple I hereby certify that the	by affirms that the dril lowing minimum requipriate district office proposed notice of intermount of surface pipe insolidated materials phole, an agreement be district office will be a TE II COMPLETION, papendix "B" - Eastern ted within 30 days of the statements made here.	ling, comp irements we rior to spud at to drill sh as specific ollus a mini between the notified beforeduction in Kansas s the spud d erein are tr	A letion and eventual vill be met: dding of well; nall be posted on ea ed below shall be so mum of 20 feet into e operator and the co fore well is either plu pipe shall be cemer surface casing order ate or the well shall ue and to the best of	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  tet by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging ugged or production casing is cemented in; anted from below any usable water to surface within 120 DAYS of spud date #133,891-C, which applies to the KCC District 3 area, alternate It cement be plugged. In all cases, NOTIFY district office prior to any cementing.  Title:  Managing Membana	eived er 0 201
The undersigned herel t is agreed that the fol 1. Notify the appro 2. A copy of the ap 3. The minimum ar through all unco 4. If the well is dry 5. The appropriate 6. If an ALTERNAT Or pursuant to A must be comple I hereby certify that the	by affirms that the dril lowing minimum requipriate district office proposed notice of intermount of surface pipe insolidated materials phole, an agreement be district office will be a TE II COMPLETION, papendix "B" - Eastern ted within 30 days of the statements made here.	ling, comp irements we rior to spud at to drill sh as specific ollus a mini between the notified beforeduction in Kansas s the spud d erein are tr	A letion and eventual vill be met: dding of well; nall be posted on ea ed below shall be s mum of 20 feet into e operator and the c fore well is either plu pipe shall be cemer surface casing order ate or the well shall ue and to the best of	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  tet by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging ugged or production casing is cemented in;  anted from below any usable water to surface within 120 DAYS of spud date #133,891-C, which applies to the KCC District 3 area, alternate It cement be plugged. In all cases, NOTIFY district office prior to any cementing.  Title:  Managing Membalor  Remember to:  - File Certification of compliance with the Kansas Surface Ower Notifice.	eived er 0 201
The undersigned herel t is agreed that the fol 1. Notify the appro 2. A copy of the ap 3. The minimum ar through all unco 4. If the well is dry 5. The appropriate 6. If an ALTERNAT Or pursuant to A must be comple I hereby certify that the Date: November 28, For KCC Use ONLY API # 15	by affirms that the dril lowing minimum requipriate district office properties of intermount of surface pipe insolidated materials phole, an agreement but district office will be a TE II COMPLETION, pappendix "B" - Eastern ted within 30 days of the statements made here.	ling, comp irements we rior to spud to drill shas specified between the production in Kansas so the spud do erein are tr	A letion and eventual vill be met: dding of well; hall be posted on ea ed below shall be some of 20 feet into the operator and the core well is either plupipe shall be cemerate or the well shall ue and to the best or Agent:	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  tet by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging ugged or production casing is cemented in; anted from below any usable water to surface within 120 DAYS of spud date #133,891-C, which applies to the KCC District 3 area, alternate It cement be plugged. In all cases, NOTIFY district office prior to any cementing.  Title:  Managing Membana	eived er 0 201
The undersigned herel t is agreed that the fol 1. Notify the appro 2. A copy of the ap 3. The minimum ar through all unco 4. If the well is dry 5. The appropriate 6. If an ALTERNAT Or pursuant to A must be comple I hereby certify that the Date: November 28,  For KCC Use ONLY API # 15 - OO Conductor pipe require	by affirms that the dril lowing minimum requipriate district office proposed notice of intermount of surface pipe insolidated materials problem in the district office will be reall COMPLETION, pappendix "B" - Eastern ted within 30 days of the statements made here 2011 Signature of the complete statements and the complete statement	ling, comp irements we rior to spud as specifications and to letween the notified beforeduction a Kansas s the spud derein are tr Operator of	A letion and eventual vill be met: dding of well; hall be posted on ea ed below shall be so mum of 20 feet into the operator and the composition of the composition of the well is either plupipe shall be cemerate or the well shall ue and to the best of Agent:	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  the top circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging agged or production casing is cemented in; all cases within 120 DAYS of spud date #133,891-C, which applies to the KCC District 3 area, alternate II cement be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.  Remember to:  - File Certification of compliance with the Kansas Surface Owner Notific Act (KSONA-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date.	EIVED er 201
The undersigned herel t is agreed that the fol 1. Notify the appro 2. A copy of the ap 3. The minimum ar through all unco 4. If the well is dry 5. The appropriate 6. If an ALTERNAT Or pursuant to A must be comple 1 hereby certify that the Date: November 28, For KCC Use ONLY API # 15	by affirms that the dril lowing minimum requipriate district office proposed notice of intermount of surface pipe insolidated materials in hole, an agreement build district office will be read within 30 days of the statements made here.  2011 Signature of 25643.	ling, comp irements we rior to spuc at to drill sh as specific blus a mini letween the notified beforeduction a Kansas s the spud d erein are tr	A letion and eventual vill be met: dding of well; hall be posted on ea ed below shall be some of 20 feet into the operator and the core well is either plupipe shall be cemerate or the well shall ue and to the best or Agent:	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  the top circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging agged or production casing is cemented in; all cases within 120 DAYS of spud date #133,891-C, which applies to the KCC District 3 area, alternate II cement be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.  Remember to:  - File Certification of compliance with the Kansas Surface Owner Notific Act (KSONA-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date.	eived er 0 201
The undersigned herel t is agreed that the fol 1. Notify the appro 2. A copy of the ap 3. The minimum ar through all unco 4. If the well is dry 5. The appropriate 6. If an ALTERNAT Or pursuant to A must be comple I hereby certify that the Date: November 28, For KCC Use ONLY API # 15	by affirms that the dril lowing minimum requiprized district office proposed notice of intermount of surface pipe insolidated materials in hole, an agreement build district office will be real in Eli COMPLETION, papendix "B" - Eastern ted within 30 days of the statements made here.  2011 Signature of 25643.  2012 Signature of 25643.	ling, comp irements we rior to spud to drill shas specificate olus a mini- letween the notified beforeduction in Kansas sethe spud derein are transpured operator of	A letion and eventual vill be met: dding of well; hall be posted on ea ed below shall be so mum of 20 feet into the operator and the composition of the composition of the well is either plupipe shall be cemerate or the well shall ue and to the best of Agent:	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  tet by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging agged or production casing is cemented in;  nited from below any usable water to surface within 120 DAYS of spud date #133,891-C, which applies to the KCC District 3 area, alternate If cement be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Remember to:  - File Certification of compliance with the Kansas Surface Owner Notific Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;  - Notify appropriate district office 48 hours prior to workover or re-entry;	EIVED er 201
The undersigned herel t is agreed that the fol  1. Notify the appro 2. A copy of the ap 3. The minimum ar through all unco 4. If the well is dry 5. The appropriate 6. If an ALTERNAT Or pursuant to A must be comple 1 hereby certify that the Date: November 28, For KCC Use ONLY API # 15 - OO Conductor pipe requir Minimum surface pipe Approved by:	by affirms that the dril lowing minimum requipriate district office proposed notice of intermount of surface pipe mount of surface pipe hole, an agreement be district office will be real li COMPLETION, papendix "B" - Eastern ted within 30 days of the statements made he statements made he will be required 1971 Signature of 1971 Signatu	ling, comp irements we rior to spud to drill shas specificate olus a mini- letween the notified beforeduction in Kansas sethe spud derein are transpured operator of	A letion and eventual vill be met: dding of well; hall be posted on ea ed below shall be so mum of 20 feet into the operator and the composition of the composition of the well is either plupipe shall be cemerate or the well shall ue and to the best of Agent:	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  tet by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging ugged or production casing is cemented in;  anted from below any usable water to surface within 120 DAYS of spud date #133,891-C, which applies to the KCC District 3 area, alternate if cement be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Remember to:  - File Certification of compliance with the Kansas Surface Owner Notific Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;  - Notify appropriate district office 48 hours prior to workover or re-entry;  - Submit plugging report (CP-4) after plugging is completed (within 60 days)	EIVED er 201
The undersigned herel t is agreed that the fol 1. Notify the appro 2. A copy of the ap 3. The minimum ar through all unco 4. If the well is dry 5. The appropriate 6. If an ALTERNAT Or pursuant to A must be comple 1 hereby certify that the Date: November 28, For KCC Use ONLY API # 15 - OO Conductor pipe require Minimum surface pipe Approved by: Lum This authorization exp	by affirms that the dril lowing minimum requipriate district office proposed notice of intermount of surface pipe mount of surface pipe hole, an agreement be district office will be real li COMPLETION, papendix "B" - Eastern ted within 30 days of the statements made he statements made he will be required 1971 Signature of 1971 Signatu	ling, compirements water to drill shape as specification of the footbase of the specification of Kansas souther spud derein are transported to the spud of the spu	A letion and eventual vill be met: dding of well; nall be posted on eaced below shall be s mum of 20 feet into e operator and the ce operator and the ce operator and the stall be cemer surface casing order ate or the well shall ue and to the best of Agent:	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  tet by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging agged or production casing is cemented in;  need from below any usable water to surface within 120 DAYS of spud date #133,891-C, which applies to the KCC District 3 area, alternate II cement be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Remember to:  - File Certification of compliance with the Kansas Surface Owner Notific Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;  - Notify appropriate district office 48 hours prior to workover or re-entry;  - Submit plugging report (CP-4) after plugging is completed (within 60 days).	EIVED er 201 CHIT
The undersigned herel t is agreed that the fol 1. Notify the appro 2. A copy of the ap 3. The minimum ar through all unco 4. If the well is dry 5. The appropriate 6. If an ALTERNAT Or pursuant to A must be comple 1 hereby certify that the Date: November 28, For KCC Use ONLY API # 15 - OO Conductor pipe require Minimum surface pipe Approved by: Lum This authorization exp	by affirms that the dril lowing minimum requipriate district office proproved notice of intermount of surface pipe insolidated materials phole, an agreement but district office will be represented within 30 days of a statements made here. 2011 Signature of 25643 required 2464 required 2465 requires: 11-30-2011 pires: 11-30-2011	ling, compirements water to drill shape as specification of the footbase of the specification of Kansas souther spud derein are transported to the spud of the spu	A letion and eventual vill be met: dding of well; nall be posted on eaced below shall be s mum of 20 feet into e operator and the ce operator and the ce operator and the stall be cemer surface casing order ate or the well shall ue and to the best of Agent:	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  tet by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging agged or production casing is cemented in;  need from below any usable water to surface within 120 DAYS of spud date #133,891-C, which applies to the KCC District 3 area, alternate II cement be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Remember to:  - File Certification of compliance with the Kansas Surface Ower Notific Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days)  Obtain written approval before disposing or injecting salt water.  - If well will not be drilled or permit has expired (See: authorized expiration)	EIVED er 201 CHIT
The undersigned herel t is agreed that the fol 1. Notify the appro 2. A copy of the ap 3. The minimum ar through all unco 4. If the well is dry 5. The appropriate 6. If an ALTERNAT Or pursuant to A must be comple 1 hereby certify that the Date: November 28, For KCC Use ONLY API # 15 - OO Conductor pipe require Minimum surface pipe Approved by: Lum This authorization exp	by affirms that the dril lowing minimum requipriate district office proposed notice of intermount of surface pipe insolidated materials problems. It is district office will be a statements and a statements made here. It is completed within 30 days of the statements made here. It is signature of the statements of the statements made here. It is signature of the statements made he	ling, compirements water to drill shape as specification of the footbase of the specification of Kansas souther spud derein are transported to the spud of the spu	A letion and eventual vill be met: dding of well; nall be posted on eaced below shall be s mum of 20 feet into e operator and the ce operator and the ce operator and the stall be cemer surface casing order ate or the well shall ue and to the best of Agent:	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  tet by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging agged or production casing is cemented in;  need from below any usable water to surface within 120 DAYS of spud date #133,891-C, which applies to the KCC District 3 area, alternate II cement be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Remember to:  - File Certification of compliance with the Kansas Surface Owner Notific Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;  - Notify appropriate district office 48 hours prior to workover or re-entry;  - Submit plugging report (CP-4) after plugging is completed (within 60 days).	EIVED er 201 ation   CHIT

For KCC Use ONLY
API # 15 - 09-25643-0000

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

stor: Va	athalla Exploration, LLC		Location of Well: C	ounty: Barton			
ator. ≟≃ o. Morg			1,320				
Numbe	r 2-2		1,980		Line of Section		
Trapp	)		Sec. 2 Tw	p. <u>17</u> S. R. <u>13</u> E	⊠ w		
		0		anda a Describer			
	Acres attributable to well: 1  OTR/OTR of acreage: E2			egular or 🔲 Irregular			
/QTR/C	⊋TR/QTR of acreage ≘≘.			ular, locate well from nearest corner t	ooundary.		
			Section corner use				
			PLAT				
	Show location of the	e well. Show footage to the near	est lease or unit boundary li	ine. Show the predicted locations of	201		
	lease roads, tank batteries	; pipelines and electrical lines, a	s required by the Kansas Su	urface Owner Notice Act (House Bill 203	54).		
		You may attaci	n a separate plat if desired.				
ĺ							
				LEGEND			
i	!						
		: :		O Well Location	*		
				Tank Battery Locat	ion		
				Pipeline Location Electric Line Location	ion		
				Lease Road Locati			
Z.				Lease Road Local	1011		
			:				
‡ 92				EXAMPLE :			
3		<u> </u>	- Addition of the second of th				
& Æ							
>							
			: :				
		_ o   ·		0-3	1980' FSL		
	1980	:		Y			
	1980	10					
	7480	1320	1		1		
	7488	1320					
	7480	1320			RECFI		
	7488	1320		SEWARD CO. 3390' FEL	RECEI		

### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections. 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

KCC WICHITA

## 15-009-25643-000

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form KSONA-1 July 2010 Form Must Be Typed Form must be Signed All blanks must be Filled

## CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

OPERATOR: License # 33483	Well Location:
OPERATOR: License # 33483  Name: Valhalla Exploration, LLC  Address 1: 133 N. Glendale	E2 SW Sec. 2 Twp. 17 S. R. 13 Eas X West
Address 1 133 N. Glendale	County: Barton
	Lease Name: Morgenstern Well #: 2-2
Address 2:  City: Wichita  State: KS  Zip: 67208  Contact Person: Kris Kennedy  Phone: ( 316 ) 644-2939  Fax: ( 316 ) 558-5402  Email Address: kk@valhallaexploration.com	If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below:
Phone: (316 ) 644-2939 Fax: (316 ) 558-5402	
Email Address: kk@valhallaexploration.com	
Surface Owner Information:  Name: Don Morgenstern  Address 1: 1274 NE 20th Avenue  Address 2:  City: Hoisington State: KS Zip: 67544 +	When filing a Form T-1 involving multiple surface owners, attach an additional sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City: Hoisington State: KS Zip: 67544 +	
	k batteries, pipelines, and electrical lines. The locations shown on the plat n the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.
	ocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this
	cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this lee, payable to the KCC, which is enclosed with this form.
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.
	RECEIVED
I hereby certify that the statements made herein are true and correct to	the best of my knowledge and belief.
<b>97</b> . /	Managing Man NUV 3 0 2011
Date: November 28, 2011 Signature of Operator or Agent:	Managing Member 3 0 2011

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1
May 2010
Form must be Typed

### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Valhalla Exploration,	License Number: 33483						
Operator Address: 133 N. Glendale	)			Wichita	KS	67208	
Contact Person: Kelly Branum	Phone Number:	785-324-1414					
Lease Name & Well No.: Morgensterr	Pit Location (QQQQ):						
Lease Name & Well No.: Morgenstern 2-2  Type of Pit: Pit is:			E2 SW				
Emergency Pit Burn Pit	X Proposed	Existing	Sec. 2 Twp. 17 R. 13 East X West				
Settling Pit	If Existing, date co	onstructed:	1,320 Feet from North / X South Line of Section				
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity: 3,000 (bbls)		1,980 Feet from East / X West Line of Section  Barton County				
Is the pit located in a Sensitive Ground Water A	rea? Yes 🔀	No	Chloride concentra	ition: r Emergency Pits and Setti			
Is the bottom below ground level?  X Yes No	Artificial Liner?	No		if a plastic liner is not u			
Pit dimensions (all but working pits): 11	0 Length (fe	,			N/A: Steel P	its	
Distance to nearest water well within one-mile of	pit:	Depth to shallow	west fresh water	150 15 feet.			
13 / 6 feet Depth of water well	<b>⊋o</b> feet	Source of inform measured	nation: well owner		X KDV	vr I	
Emergency, Settling and Burn Pits ONLY:		Drilling, Worko	ver and Haul-Off Pit	s ONLY:			
Producing Formation:		utilized in drilling/wor	B				
Number of producing wells on lease:	Number of work	ing pits to be utilized:	3				
Barrels of fluid produced daily:	Abandonment procedure: Haul off free fluids after the salt. Allow pits to dry. Squeeze and backfill once pits Griff						
Does the slope from the tank battery allow all spi flow into the pit? Yes No	Drill pits must be	closed within 365 da			3 0 2011		
I hereby certify that the above stateme	nts are true and corre	ect to the best of m	ny knowledge and bel	lief.		VICHITA	
November 28, 2011  Date		Zh.(	A Karme	Agent		VICHI (A	
	KCC C	FFICE USE ON	LY				
Date Received: 11-30-11 Permit Numbe	r:	Permit I	Liner  Date: 11 - 30 - 1	Steel Pit F	RFAC []	RFAS	