

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1065201

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	33977		API No. 15 - 15-001-30220-00-00
Name: E K Energy			Spot Description:
Address 1: 12220 SW	COLONY RD	-	NE_NE_NE_NE_Sec12_Twp24_S. R18_
Address 2: PO BOX 26	67		
City: COLONY	State: KS Zi	p: 66015 ₊ 4017	165 Feet from ▼ East / West Line of Section
Contact Person: David			Footages Calculated from Nearest Outside Section Corner:
	6-6257		□ NE □ NW ☑ SE □ SW
CONTRACTOR: License	33977		County: Allen
Name: E K Energy LI			Lease Name: Meiwes Well #: 11
Wellsite Geologist: Chri			Field Name: lola North East
D			Producing Formation: Tucker
Designate Type of Comp			Elevation: Ground: 978 Kelly Bushing: 0
✓ New Well	Re-Entry	Workover	Total Depth: 943 Plug Back Total Depth:
	ysw □ swd	☐ SIOW	Amount of Surface Pipe Set and Cemented at: 21 Feet
✓ Oil W		☐ sigw	Multiple Stage Cementing Collar Used? ☐ Yes ☑ No
□ og	GSW	Temp. Abd.	If yes, show depth set:Feet
CM (Coal Bed Met	hane)		If Alternate II completion, cement circulated from: 21
☐ Cathodic ☐ O	ther (Core, Expl., etc.):		feet depth to: 0 w/ 5 sx cmt.
If Workover/Re-entry: O	ld Well Info as follows:		ice depth to
Operator:	winawanala	*	D. W. El J. M. C.
Well Name:			Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Original Comp. Date:	Original T	otal Depth:	Chloride content: 0 ppm Fluid volume: 0 bbls
Deepening	Re-perf. Conv. to	ENHR Conv. to SWD	Dewatering method used: Evaporated
	Conv. to	o GSW	Dewatering method used.
Plug Back:	Plu	ug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled	Permit #:		Operator Name:
Dual Completion	Permit #:		Lease Name: License #:
SWD	Permit #:		
ENHR	Permit #:		QuarterSecTwpS. R East West
☐ GSW	Permit #:		County: Permit #:
7/21/2011	7/25/2011	7/25/2011	
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date	1.

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Letter of Confidentiality Received
Date:
Confidential Release Date:
Wireline Log Received
Geologist Report Received
UIC Distribution
ALT I I III Approved by: Deanna Gardsor Date: 10/14/2011

Side Two

<u>,</u> #



Operator Name: EK	Energy LLC		Lease Name	: Meiwes		_ Well #: <u>11</u> _	
Sec. 12 Twp.24	s. R. <u>18</u>	✓ East ☐ West	County: All	en			
INSTRUCTIONS: Show time tool open and clos recovery, and flow rates line Logs surveyed. Att	ed, flowing and shut- s if gas to surface tes	in pressures, whethe t, along with final cha	er shut-in pressure i	eached static leve	I, hydrostatic pres	sures, bottom h	ole temperature, fluid
Drill Stem Tests Taken (Attach Additional St.	neets)	Yes No		Log Formati	on (Top), Depth a	nd Datum	Sample
Samples Sent to Geological Survey		☐ Yes ✓ No	Yes ✓ No oil san			Top 932	Datum 943
Cores Taken Electric Log Run Electric Log Submitted Electronically (If no, Submit Copy)		Yes No		adia ruckei		332	
List All E. Logs Run:							
			ING RECORD 🗸	New Used intermediate, produ	ction, etc.		
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
surface	12.25	8.6250	23	21	portland	5	
long string	6.7500	4.50	11.5	931	portland	105	
		ADDITIO	NAL CEMENTING /	SQUEEZE RECOR	D		
Purpose: Perforate Protect Casing Plug Back TD	Depth Top Bottom	Type of Cement # 5		ı	Type and Percent Additives		
Plug Off Zone	-	•					
Shots Per Foot		ON RECORD - Bridge Footage of Each Interva		Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)			d Depth
				frac 1000#	12-20 sand	•	931-943
TUBING RECORD:	Size:	Set At:	Packer At:	Liner Run:	Yes N	lo	
Date of First, Resumed I	Production, SWD or EN	HR. Producing		Gas Lift	Other (Explain)		
Estimated Production Per 24 Hours	0il 1	Bbls. Gas	Mcf	Water 15	Bbis.	Gas-Oil Ratio	Gravity 18
DISPOSITIO	✓ Used on Lease	✓ Open Hole	(Su	ually Comp.	Submit ACO-4)	PRODUCTI 931 943	ON INTERVAL:

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588

QBB (P)



CONDITIONS

Concrete to be defirered to the nearest accessible point over passable road, under truck's own power. Due to defivery at owner's or intermediary's direction, seder assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrutbery, etc., which are at customer's fisk. The modrimum allotted time for unbodding trucks is 5 minutes per yard's A charge will be made for holding trucks longer. This concrete contains correct water contents for sthength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request. NOTICE TO OWNER

Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filling of a mechanic's lien on the property which ic the cublert of thic contract

FROM (.... E.K. ENERGY 1495 3000 ST. FKIM/2 E.K. ENERGY 1800 SOUTH DAKOTA

THIN YE ECTIO

		and and		LULLTAI	W 4447.72	Michael Spanning Thin	
TIME	FORMULA	LOAD SIZE	YARDS ORDERED		DRIVER/TRUCK		PLANT/TRANSACTION #
01:46:44p	WELL	10.50 yd	11.00 yd	% CAL 0.00	ΩP 31	% AIR 0.00	
DATE	176-6	LOAD#	YARDS DEL	BATCH#,	WATER TRIM	SLUMP	TICKET NUMBER
07-25-11	o Date Today	********* !	10.50 yd 10.50 yd	17683	G/yd -70.0	4.00 in	29671
	1676 BAIINTO		PROPERTY DAMAGE RELEASE		Excessive Water	is Detrimental to Concr	ete Performance

WARNING

IRRITATING TO THE SKIN AND EYES
Contains Portland Cement. Wear Rubber Bodis and Gloves. PROLONGED CONTACT MAY.
CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Sim. In Case of
Contact With Sien or Eyes. Plush Thoroughly With Water, It Initiation Persists, Get Medical
Attention. KEEP CHILDREN AWAY.

CONCRETE IS A PERISHABILE CONMIDDITY and RECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT, ANY CHANGES OR CANCELLATION OF ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The understand provises to pay at costs, including reasonable attornays less, incurred in collecting any sums oxide.

At accounts not perduration 30 days of delivery will been interest at the rate of 24% per acrosm.

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Reamed Checks. Excess Delay Time Charged @ \$50 HR

(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURRILINE).

DEAR CENTERS—The other of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his back may possibly clease "George to the premises and/or deficient property if it places the material in this load where you desire it it is our which to help you in every very flest we can, that in order to do this the direct is requesting that you sign this RELEASE reserving him and this augulate from any responsibility from any directly directly to the premises antide ediplement property, bristings, standards, and develope, cutthe, etc., by the otherwy of this materials, and that you say agree to help him remove midd from the whose of this vehicle as size agree to bein him remove must from the threets of its vertice so that he will not like the public street. Further, so dedictional consideration, the undersigned agrees to indemnity and foot harmless the other of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be cleaned by anyone-to-have arisen out-of-defreey of this order. SIGNED

H₂0 Added By Request/Authorized By

WEIGHMASTER

NOTICE MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE I NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY	HEALTH WARNING
NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY	DAMAGE CAUSED
	AND STANCES OF THE
LOAD RECEPTED STA	
	· ·

CODE DESCRIPTION QUANTITY

UNIT PRICE

EXTENDED PRICE

10.50 1.00

WELL TRUCKING WELL (10 SACKS PER UNIT)

TRUCKING CHARGE

10.50

well Meiwes 11 9-

(
RETURNED TO PLANT	LEFT JOB FINISH UNLOADING		DELAY EXPLANATION/CYL	TIME ALLOWED			
2:54	2.45		1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB	6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION			
LEFT PLANT	ARRIVED JOB	START UNLOADING	CONTRACTOR BROKE DOWN ADDED WATER	9. OTHER	TIME DUE		
1158	2: 12	:					
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME			DELAY TIME		
S VALUE				1			

ADDITIONAL CHARGE 1

ADDITIONAL CHARGE 25

GRAND TOTAL