

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1065778

Form ACO-1
June 2009
Form Must Be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #32710	API No. 15
Name: Laymon Oil II, LLC	Spot Description:
Address 1: 1998 SQUIRREL RD	NE_NW_NW_NW Sec. 35 Twp. 23 S. R. 16 ▼ East West
Address 2:	165 Feet from 🗹 North / 🗌 South Line of Section
City: NEOSHO FALLS State: KS Zip: 66758 + 712	4 Feet from East / 🗹 West Line of Section
Contact Person: Michael Laymon	
Phone: (620) 963-2495	NE ☑NW ☐SE ☐SW
CONTRACTOR: License # 32710	County: Woodson
Name: Laymon Oil II, LLC	Lease Name: Section 35 Well #: 93-11
Wellsite Geologist: None	·
Purchaser:	Producing Formation: Mississippi
Designate Type of Completion:	Elevation: Ground: 1047 Kelly Bushing: 1052
✓ New Well Re-Entry Workover	Total Depth: 1510 Plug Back Total Depth:
✓ Oil	Amount of Surface Pipe Set and Cemented at: 40 Feet
☐ Gas ☐ D&A ☐ ENHR ☐ SIGW	Multiple Stage Cementing Collar Used? ☐ Yes ☑ No
☐ OG ☐ GSW ☐ Temp. A	Abd. If yes, show depth set: Feet
CM (Coal Bed Methane)	If Alternate II completion, cement circulated from:
Cathodic Other (Core, Expl., etc.):	feet depth to: 40w/ 10sx cmt.
If Workover/Re-entry: Old Well Info as follows:	
Operator:	Drilling Fluid Management Plan
Well Name:	
Original Comp. Date: Original Total Depth:	Chloride content: 0 ppm Fluid volume: 80 bbls
☐ Deepening ☐ Re-perf. ☐ Conv. to ENHR ☐ Conv. to	
Conv. to GSW	· ·
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Permit #:	Operator Name.
Dual Completion Permit #:	Lease Name: License #:
SWD Permit #:	Quarter See Two S P Fact West
ENHR Permit #:	County: Permit #:
GSW Permit #:	- Terrine #.
08/30/2011 09/05/2011 09/26/2011	
Spud Date or Date Reached TD Completion Date on Recompletion Date	

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY								
Letter of Confidentiality Received								
Date:								
Confidential Release Date:								
☑ Wireline Log Received								
Geologist Report Received								
UIC Distribution								
ALT I I III Approved by: Deanna Garrison Date: 10/24/2011								



Operator Name: Layn	non Oil II, LLC		Lease Na	ame: 🖁	Section 35		_ Well #:93-	11	
Sec. 35 Twp.23	s. _{R.} <u>16</u>	✓ East	County: _						
time tool open and close	ed, flowing and shu if gas to surface te	d base of formations per t-in pressures, whether s st, along with final charte well site report.	shut-in pressu	re read	ched static level,	hydrostatic pres	sures, bottom h	ole temp	erature, fluid
Drill Stem Tests Taken (Attach Additional Sh	eets)	☐ Yes ✓ No			og Formation	n (Top), Depth a	nd Datum		Sample
Samples Sent to Geological	gical Survey	☐ Yes ✔ No		Nam Attach			Top Attached		Datum ttached
Cores Taken Electric Log Run Electric Log Submitted (If no, Submit Copy)		Yes No Yes No Yes No	:	AllaGi	eu		Attacrieu	, and the second	·
List All E. Logs Run:									
Gamma Ray Neutron									
		CASING Report all strings set		✓ Ne		on, etc.			
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weigh Lbs. / F	t	Setting Depth	Type of Cement	# Sacks Used		and Percent Additives
Surface	10.2500	8.6250	24		40	portland	10		
Production	6.1250	4.5000	10		1505	common	280		
	· · · · · · · · · · · · · · · · · · ·	ADDITIONA	L CEMENTING	3 / SQL	JEEZE RECORD				
Purpose: —— Perforate	Depth Top Bottom	Type of Cement	# Sacks U	# Sacks Used		Type and Percent Additives			
Protect Casing Plug Back TD Plug Off Zone	-								
- Plug Oil Zone	-								
Shots Per Foot		ON RECORD - Bridge Plu Footage of Each Interval Pe				cture, Shot, Ceme	•	d	Depth
	· · · · · · · · · · · · · · · · · · ·								
	-								
									·
TUBING RECORD: 2.	Size: 3750	Set At: 1500	Packer At:		Liner Run:	Yes N	0		
Date of First, Resumed P	roduction, SWD or EN	HR. Producing Me	thod:		Gas Lift 0	Other (Explain)			
Estimated Production Per 24 Hours	Oil	Bbls. Gas	Mcf	Wat		bls.	Gas-Oil Ratio		Gravity
Dioposition	NOT CAS:	1	METHOD OF C	CMPL	ETION:		PRODUCTION	ON INTER	2\/Δ1
DISPOSITION Vented Sold	N OF GAS:	Open Hole	Perf.	Dually	y Comp. 🔲 Cor	nmingled	PRODUCIN	>(4 (14) EP	
(Submit ACO-4)									

Form	ACO1 - Well Completion	
Operator	Laymon Oil II, LLC	
Well Name	Section 35 93-11	
Doc ID	1065778	

Tops

Keime	তিহ	Delium
Soil	0	20
Shale	20	160
Shale & Lime	160	660
Big Shale	660	820
Lime	820	960
Shale	960	1000
5' Lime	1000	1004
Shale	1004	1042
Cap Rock	1042	1043
Shale	1043	1046
Cap Rock	1046	. 1047
Shale	1047	1426
Mississippi Lime	1426	1446
Lime	1146	1510

Phone 365-2201

Since 1903

"Courtesy" - "Quality" - "Service" THE NEW KLEIN LUMBER CO., INC.

Ð#	MADISON & WALNUT IOLA, KANSAS,	ســ	7-23	, 20
)LD TQ.	aymon Out BILLING ADDRESS_			
ilivered To	Loaded By	Ha	uled By	
YTTTHAUG	. DESCRIPTION	FEET	PRICE	TOTAL
200	Sorby Portland Cement	200	945	1890 0
			toy	1616
*				20514
Shepa Shepa Shepa Shepa Shepa Shepa Shepa Shepa	and 5-11 - 10 Dacks and 7-11 - 10 Dacks and 9-11 - 10 Dacks and 10-11 - 10 Dacks and 10-11 - 10 Dacks and 12-11 10 Dacks and 13-11 10 Dacks	5 9 5 9	1 10 2-11 3-11	D Dack

802 N. Industrial Rd. . P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588



CONDITIONS
Concrete to be delivered to the nagrest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction. under ruck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, chiveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strongth set when water is added at customer's required. strength test when water is added at customer's request.

Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

JHS TO:

agit w LA005 LAYMON DIL II, L.L.C. 1998 SQUIRREL KD.

> MEDSHO FALLS KS 56758

> > DESCRIPTION

HELL (10 SREKS PER UNIT)

LA11/2 LHYMON OIL 54 H TO UTLIBY IS 18 200TH IN N TO SOUTRREL ROS E SD SEXTON 35 WELL# 93-11 NEODERO FALLS, KS SCHIB

TIME	FORMULA	LOAD SIZE	YARDS ORDERED	,	DRIVER/TRUCK	,)_	PLANT/TRANSACTION #
11:35:15a	VELL .	14.00 yd	28. 00 yd	0.80	38	0.50	MOGCO
DATE		LOAD#	YARDS DEL.	I BATCH#	WATER TRIM	SLUMP	JICKET NUMBER
09-07-11	oday.	A COMMENT OF STREET OF STREET	28.00 yd	18366	6/yd -75.8	4.00 1	30068

WARNING

IRRITATING TO THE SKIN AND EYES
Contains Portland Cement, Wear Rubber Boots and Gloves, PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water, If Irritation Persists, Get Medical Attention. KEEP CHILDREN AWAY.

CONCRETE Is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

WELL

QUANTITY

14.00

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Raturned Checks. Excess Delay Time Charged @ \$50/HR. CODE

PROPERTY DAMAGE RELEASE (TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

Dear Customer-The driver of this truck in presenting this RELEASE to you tor your signature is of the opinion that the stre and weight of his truck may possibly cause damage to the premises and/or adjacent property #10 places the material in this load where you dealer #1, it is our wish to help you in every way that we can, but in order to do this our way to resp you in every way use the ELEASE releving him and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent properly, buildings, sidewalls, of/weways, curbs, etc., by the delivery of this material, and that yet also agree to help him remove much from the wheels of his vehi you that he will not litter the public street. Further, as additional considerathat he will be take to place serve the control of a double to the form of the

Excessive Water is Detrimental to Concrete Performance H₂0 Added By Request/Authorized By

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.

LOAD RECEIVED BY:

28.00

WEIGHMASTER

UNIT PRICE EXTENDED PRICE

2.00	TRUCKING	TRUCKING C	CHARGE	4.60	
Let I was a sure					
RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED 2	
<i>_</i>	,		1. JOB NOT READY 6. TRUCK BROKE DOW 2. SLOW POUR OR PUMP 7. ACCIDENT 3. TRUCK AHEAD ON JOB 8. CITATION	, m	
LEFT PLANT	ARRIVED JOB	START UNLOADING	4. CONTRACTOR BROKE DOWN 9. OTHER 5. ADDED WATER	TIME DUE	lacksquare .
NSU	120	**	7		ADDITIONAL CHARGE 1
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		DELAY TIME .	ADDITIONAL CHARGE 2
				•	GRAND TOTAL

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588



CONDITIONS

CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road, under fruck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum altotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength est when water is added at customer's request.

NOTICE TO OWNER

Failure of this contrador to not those persons supplying material or services to

Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's liem on the property which is the subject of this contract.

LA095 LAYMON DIL II, L.L.C. 1998 SOUTRREL RD.

NEOSHO FALLS 1/3

LALLT LAYMEL OIL 34 U TO WILLOW IN TO COUTH RD W TO SOUTHHEL RUS E SD SEXTURE TO LIEULE 93-11 REDSHIJ FALLS, KS 66758

TIME	FORMULA	LOAD SIZE	YARDS ORDERED		DRIVER/TRUCK	34, 54, 54	PLANT/TRANSACTION #
11:09:34a	i ELL	14.00 yd	28. 6 9 yd	9.09	35	Ø. 00	Muaco
DATE	* 5	LOAD#	, YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
ନମ−07 ·11	oday	. 1/	14.00 yd	10863	G/yd -78.0	4.00 in	30988

WARNING

IRRITATING TO THE SKIN AND EYES
Contains Porlland Cement, Wear Rubber Boots and Gloves, PROLONGED CONTACT MAY CAUSE BURNS, Avoid Contact With Eves and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water, If Irritation Persists, Get Medical Attention, KEEP CHILDREN AWAY.

CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT, ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' lees, incurred in collecting

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum. Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks. Excess Delay Time Charged @ \$50/HR.

PROPERTY DAMAGE RELEASE

(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE). Des Customer-The driver of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if it places the material in this load where you desire it. It is our with to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE relieving him and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, driveways, curbs, etc., by the delivery of this material, and that you also agree to help him remove mud from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises, and/or adjacent property which may be claimed by anyone to have arisin out of delivery of this order. SIGNED

Excessive Water is Detrimental to Concrete Performance H₂0 Added By Request/Authorized By

WEIGHMASTER

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED.

ADDITION

DESCRIPTION EXTENDED PRICE QUANTITY CODE UNIT PRICE

14.00 2.00 WELL TRUCKING LIELL (10 SACKS PER UNIT)

THUCKING CHARGE

- 1					
	RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED
\				1. JOB NOT READY 6. TRUCK BROKE DOWN 2. SLOW POUR OR PUMP 7. ACCIDENT 7. ACCID	
•	LEFT PLANT	ARRIVED JOB	START UNLOADING	4. CONTRACTOR BROKE DOWN 9. OTHER ^A 5. ADDED WATER	TIME DUE
	11:50	DIM.	7 37 37	1	and the first year
-1	TOTAL ROUND TRIP,	, TOTAL AT JOB	UNLOADING TIME		DELAY TIME
,			A STATE OF THE STA	The state of the s	