

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1061654

Form ACO-1
June 2009
Form Must Be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #3895	API No. 15
Name: Bobcat Oilfield Services, Inc.	Spot Description:
Address 1: 30805 COLD WATER RD	NE_SE_NE_SW Sec. 5 Twp. 20 S. R. 23 F East West
Address 2:	
City: LOUISBURG State: KS Zip: 66053 + 8108	2789 Feet from ✓ East / ☐ West Line of Section
Contact Person: Bob Eberhart	Footages Calculated from Nearest Outside Section Corner:
Phone: (913) 285-0873	□ NE □ NW ☑ SE □ SW
CONTRACTOR: License #_4339	County: Linn
Name:Jackson, Dale E & Sue Ellen dba Dale E. Jackson Production Co.	Lease Name: North Baker Well #: F-8
Wellsite Geologist: N/A	Field Name: LaCygne-Cadmus
Purchaser: High Sierra Crude Oil	Producing Formation: Peru
Designate Type of Completion:	Elevation: Ground: 925 Kelly Bushing: 0
✓ New Well Re-Entry Workover	Total Depth: 320 Plug Back Total Depth:
✓ oil □wsw □swb □slow	Amount of Surface Pipe Set and Cemented at: 20 Feet
Gas D&A ENHR SIGW	Multiple Stage Cementing Collar Used? ☐ Yes ☑ No
☐ OG ☐ GSW ☐ Temp. Abd.	If yes, show depth set:Feet
CM (Coal Bed Methane)	If Alternate II completion, cement circulated from: 319
Cathodic Other (Core, Expl., etc.):	feet depth to: 0 w/ 50 sx cmt.
f Workover/Re-entry: Old Well Info as follows:	sx cm.
Operator:	
Well Name:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth:	
Deepening Re-perf. Conv. to ENHR Conv. to SWD	Chloride content: ppm Fluid volume: bbls
Conv. to GSW	Dewatering method used:
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Permit #:	Operator Name:
Dual Completion Permit #:	Lease Name: License #:
SWD Permit #:	Quarter Sec TwpS. R East West
ENHR Permit #:	County: Permit #:
GSW Permit #:	Permit #
6/28/2011 6/29/2011 10/19/2011	
Spud Date or Date Reached TD Completion Date or Recompletion Date	

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Letter of Confidentiality Received
Date:
Confidential Release Date:
☑ Wireline Log Received
Geologist Report Received
UIC Distribution
ALT I I II Approved by: Deanna Garrisor Date: 10/25/2011

Side Two



Operator Name: Bob	cat Oilfield Servi	ices, Inc.	Lease N	ame: _	North Baker		Well #: F-	8	
Sec. 5 Twp. 20	s. R. <u>23</u>	✓ East West	County:	Linn					
time tool open and clo	sed, flowing and shues if gas to surface to	nd base of formations per ut-in pressures, whether s est, along with final chart(well site report.	hut-in press	ure rea	ched static level,	hydrostatic press	ures, bottom	hole temp	erature, fluid
Drill Stem Tests Taken (Attach Additional S		☐ Yes ✓ No		 ✓L	og Formation	n (Top), Depth and	d Datum		Sample
Samples Sent to Geol	ogical Survey	☐ Yes 🗸 No		Nam Peru	e	,	Top 259	[Gi	Datum '
Cores Taken Electric Log Run Electric Log Submitted (If no, Submit Copy)	•	✓ Yes No ✓ Yes No ✓ Yes No		reid					-
List All E. Logs Run:		•				ì			
.Gamma Ray/Neutro	n/CCL		٠,						
	r	CASING	RECORD	□ Ne	ew V Used				
		Report all strings set-	Τ		Γ		·		·
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weigh Lbs. / I		Setting Depth	Type of Cement	# Sacks Used		and Percent dditives
Surface casing	8.75	6.25	8		20	Portland	5		
Production casing	5.625	2.875	6		319	Portland/Fly Ash	50	60/40 F	Poz Mix
		ADDITIONAL	OF MENTING	0 1001			in-		
Purpose:	Depth	Type of Cement			JEEZE RECORD	Time and Dr	nacus Aululisius		
Perforate Protect Casing Plug Back TD	Top Bottom	, special content	# Sacks Used		Type and Percent Additives				
Plug Off Zone	-								
Shots Per Foot		ON RECORD - Bridge Plug Footage of Each Interval Per				cture, Shot, Cement mount and Kind of Mat		rd	Depth
3	264-289				Acid 500 gal	7.5% HCL			
		•							
				•					
TUBING RECORD:	Size:	Set At:	Packer At:		Liner Run:	Yes No			
Date of First, Resumed F	Production, SWD or EN	HR. Producing Meth	nod:		Gas Lift O	ther (Explain)			
Estimated Production Per 24 Hours	Oil	Bbis. Gas	Mcf	Wate	er 8b	ols. G	as-Oil Ratio	· · · · · · · · · · · · · · · · · · ·	Gravity
DISPOSITIO	N OF GAS:	N	METHOD OF C	OMPLE	ETION:		PRODUCTION	ON INTERV	/AL:
Vented Sold	Used on Lease		Perf.	Dually		nmingled nit ACO-4)			
(If vented, Subi	nit ACO-18.)	Other (Specify)							

Lease:	NORTH BAK	ER
Owner:	BOBCAT OIL	FIELD/SERVICES INC
OPR#:	3895	14.025 M 23.03
Contractor:	DALE JACKS	ON PRODUCTION CO.
OPR#:	4339	
Surface: 20FT, 6IN	Cemented: 5 SACKS	Hole Size: 8 3/4
Longstring 319' 2 7/8" 8RD	Cemented: 50	Hole Size: 5 5/8

Well Log

Dale Jackson Production Co.

Box 266, Mound City, Ks 66056

Cell # 620-363-2683

Office # 913-795-2991

٦,	Well #: F-8
I	Location: NE,SE,NE,SW-S5,T20,R23E
Ą	Sounty: LINN
į	SL: 1875 1866
į	EL: 2805 2799
1	API#: 15-107-24404-00-00
•	Started: 6/28/11
•	Completed: 6/29/11

SN: 256 Packer: TD: 320'
Plugged: Bottom Plug:

TKN	8TM Depth	Formation	TKN	BTM Depth	Formation ,
1	1	TOP SOIL		· · · · · · · · · · · · · · · · · · ·	
2	3	CLAY	t		
13	16:	UME			
4	20	SHALE			
2	22	BLACK SHALE			SURFACE 6/28/11
4.	26	SHALE	<u> </u>		SET TIME 4:00P.M. RYAN
19	45	UME .			CALLED 1:00 P.M.
2	47	SHALE			
2	49	BLACK SHALE			LONGSTRING 319' 27/8" 8RD PIPE TD320'
3	52.	UME	T		SET TIME 2:30 P.M. 6/29/11 BECKY
3	55	SHALE			CALLED 1:10P.M.
6	61	LIME			
1.	62.	BLACK SHALE			
9	71	SHALE (LIMEY			
32	103	SHALE			
10	113	SANDY SHALE(DRY SAND			
98	211	SHALE			
1.	212	BLACK SHALE			
7	219	SHALE			
8	227	LIME			· · · · · · · · · · · · · · · · · · ·
19	246	SHALE			
10	256	LIME			
2	258	SHALE (LIMEY(FLOW	-		
5	263	OIL SAND(SHALEY, WATER, POOR BLEED, SOME OIL			
3	266	OIL SAND(SOME SHALE, OIL&WATER, GOOD BLEED			
7 .	273	OIL SAND(SOME SHALE, GOOD BLEED)			
2	275	LIME (BLEED GOOD AFTER BREAKING CORE)			
2.5	277.5	OIL SAND (SOME SHALE, GOOD BLEED			A
1	278.5	SANDY SHALE			
1.5	280	OIL SAND(SHALEY ,GOOD BLEED)			
1	281	SANDY SHALE(SOME OIL SAND STRK, POOR BLEED			
4	285	OIL SAND (SHALEY , GOOD BLEED)			
4	289	OIL SAND (SOME SHALE ,GOOD BLEED)	-	*****	
1.5	290.5	OIL SAND (LIMEY , POOR BLEED)		,,	
1.5	292	OIL SAND (LIMEY , BLACK SAND STRK, FAIR BLEED	·		
15	307	SHALE			
2	309	COAL			· · · · · · · · · · · · · · · · · · ·
3	312	SHALE			· · · · · · · · · · · · · · · · · · ·
TD	320:5	LIME			





Dale Jackson Production Co. Box 266, Mound City, Ks 66056 Cell # 620-363-2683 Office # 913-795-2991

Lease :	NORTH EAST BAKER	
Owner:	BOBCAT OILFIELD SERVICES INC.	_
OPR#:	3895	_
Contractor:	DALE JACKSON PRODUCTION CO.	
OPR#:	4339	

4	_	
Core	Run	#1

Well #: F-8	
Location: NE,SE,NE,SW-S5,T20,R23E	
County: LINN	
FSL: 1875 Slde	
FEL:-2805 2789	
API#: 15-107-24404-00-00	-
Started: 6/28/11	
Completed: 6/29/11	

FT	Depth	Clock	Time	Formation/Remarks	Depth
0	260			OI CANO	<u> </u>
1	261		1	OIL SAND (WATE SOME OIL) (SHALEY)	263
				(SHALEY) (POOR BLEED)	
2	262	:	1		
3	263	:	1.5		
4	264		1		
5	265		1.5	OIL SAND (SOME SHALE) (OIL &WATER) (GOOD BLEED)	266
6	266		1.5		
7	267	· · · · ·	2	· ·	
8	268		2.5	OIL SAND (SOME SHALE)	273
9	269		2.5	(GOOD BLEED)	
10	270		2		
11	271		3		
12	272		2		
13	273		2.5		. 3
13	:2/3		2.5		
14	274		4,5	LIME (BLEED GOOD AFTER BREAKING CORE)	275
15	275		5		
16	276		1	OIL SAND (SOME SHALE) (GOOD BLEED)	277.5
17	277		1.5		
18	278		1.5		
••	370			SANDY SHALE	278.5
19	279		1		
20	280		1	OIL SAND (SHALEY) (GOOD BLEED)	
-					

3783.20

0.00

Sales tax

TOTAL

238.34

\$4021.54

Taxable

Tax#

Non-taxable

Avery Lumber

P.O. BOX 66 MOUND CITY, KS 66056 {913} 795-2210 FAX (913) 795-2194 Customer Copy
INVOICE
PLEASE REFER TO INVOICE NUMBER
ON ALL CORRESPONDENCE

Page: 1 Involce: 10032294 Special 13:50:16 Time: Instructions Ship Date: 08/28/11 Invoice Date: 07/01/11 Sale rep #: MAVERY MIKE 08/05/11 Acci rep code: Due Date: Sold To: BOBCAT OILFIELD SRVC,INC Ship To: BOBCAT OILFIELD SRVC,INC C/O BOB EBERHART (913) 637-2823 30805 COLDWATER RD LOUISBURG, KS 66053 (913) 837-2823 Customer #: 3570021

Customer PO: Order By:TERRY popimg01 ORDER SHIP : L U/M DESCRIPTION PRICE Alt Price/Uom 280.00 280.00 Li BAG CPPC PORTLAND CEMENT 8.2900 BAG 8.2900 2321.20 240.00 240.00 L BAG CPPM POST SET FLY ASH 75# 1224.00 5.1000 BAG 5.1000 14.00 14.00 L EA CPOP QUIKRETE PALLETS 17.0000 EA 17.0000 236.00 PHONE DEDER BY TERRY DIRECT DECIVERY DATE SHIPPED FILLED BY CHECKED BY \$3783.20 Sales total

2 - Customer Copy

SHIP VIA

LINN COUNTY
RECEIVED COMPLETE AND IN GOOD COND

