KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

| Type Test | t: | | | (| See Instruct | tions on Re | verse Side |) | | | | | |
|---|--------------------------|---|---|--|---|---|--------------------------------------|--|---------------------------------------|---------------------|---|--|--|
| Open Flow | | | | Took Date | Toot Date: | | | | N- 45 | | | | |
| Deliverabilty | | | | | Test Date: 7/26/2011 | | | | API No. 15 075-20729 - 0000 | | | | |
| Company Chesapeake Operating, Inc. | | | | | . Lease Gould | | | | | 3-6 | Well Number 3-6 | | |
| County Location Hamilton NW SE SE | | | Section 06 | | | | RNG (E/ | W) | | Acres Attributed | | | |
| Field Bradshaw | | | | | Reservoir Winfield | | | Gas Gathering Connection OneOk Energy Services | | | | | |
| Completion Date 9/16/00 | | | | Plug Bac 2820 | Plug Back Total Depth 2820 | | | | et at | | | | |
| Casing Size Weight 4.5 10.5 | | | Internal E 4.052 | Diameter | | | Perfor | rations 2 | To 2742 | то 2742 | | | |
| | ubing Size Weight | | t | Internal Diameter | | Set at 2787 | | Perforations | | То | | | |
| | | (Describe) | | | Type Fluid Production | | | Pump Unit or Traveling Plunger? Yes / No Pump Unit | | | | | |
| Producing | g Thru (| Annulus / Tubing | j) | · · · · · · · · · · · · · · · · · · · | % Carbon Dioxide | | | % Nitrog | | | ravity - G _g | | |
| Annulus | | | | | D | T | | | | .764 | D \ /D \ O'- | | |
| Vertical Depth(H) 2829 | | | | | Pressure Taps | | | | | 2.067 | (Meter Run) (Prover) Size 2.067 | | |
| Pressure | Buildup | : Shut in | 5 20 | 0_11_at_7 | | (AM) (PM) | Taken_7/ | 27 " | 20 | 11 at 7 | (AM) (PM) | | |
| Well on L | ine: | Started | 20 | 0 at | | (AM) (PM) | Taken | | 20 | at | (AM) (PM) | | |
| | | - Civit | | | OBSERVE | D SURFAC | | I | | Duration of Shut | in 24 Hours | | |
| Static / Dynamic Property | Orific Size (inche | Meter Prover Pressu | Pressure Differential in Inches H ₂ 0 | Flowing Well Head Temperature t | | (P _w) or (P _t) or (P _c) | | Tubing Wellhead Pressure (P _w) or (P ₁) or (P _c) | | Duration (Hours) | Liquid Produced RECEIVED | | |
| Shut-In | | , , | | | | psig 55 | 69.4 | psig 31 | 45.5 | 24 S | P 2 3 2011 WICHITA | | |
| Flow | | | | | , | | | | | KCC | 2011 | | |
| | | | , | | FLOW STR | EAM ATTR | IBUTES | ······································ | | | VVICHITA | | |
| Plate Coeffiec (F _b) (F Mcfd | ient ,,) | Circle one: Meter or Prover Pressure psia | Press Extension P _m x h | Grav Fact | or T | Flowing Femperature Factor F ₁₁ | Fa | ation ctor | Metered Flow R (Mcfd) | | eet/ Fluid Gravity | | |
| | | | | | | | | | | | | | |
| (P)2 - | | · (P)2- | | (OPEN FLO | OW) (DELIV | |) CALCUL P _c - 14.4) + | | | | ² = 0.207 ² = | | |
| (' c/ | | · (w/ - | Choose formula 1 or 2: | 'a- | | | | | | (d/ | | | |
| $(P_c)^2 - (P_a)^2$ or $(P_c)^2 - (P_d)^2$ | | (P _c) ² - (P _w) ² | P_c² - P_a² P_c² - P_d² divided by: P_c² - P_w² | LOG of formula 1. or 2. and divide by: | P _c ² - P _w ² | Backpressure Curve Slope = "n" or Assigned Standard Slope | | nxl | .og | Antilog | Open Flow Deliverability Equals R x Antilog (Mcfd) | | |
| | | | | | · | | | | | | | | |
| 0 | | | Maria C. 111 | 05 | *************************************** | D-11: | . IFIA | | | Marid @ 44.05 | <u> </u> | | |
| Open Flow Mcfd @ 14.6 | | | | os psia | 5 psia Deliverability | | | | , Mcfd @ 14.65 psia | | | | |
| | _ | ned authority, or | | | | - | | | e above repo | | as knowledge of, 20 | | |
| | | Witness (i | any) | | | - | 1 | bry | For C | Tompany | | | |
| | | For Comm | ission | | | - | | | Chec | ked by | | | |

| | are under penalty of perjury under the laws of the state of Kansas that I am authorized to reature under Rule K.A.R. 82-3-304 on behalf of the operator Chesapeake Operating, Inc | quest |
|---|---|---------|
| and that correct to of equipn I here | the foregoing pressure information and statements contained on this application form are true the best of my knowledge and belief based upon available production summaries and lease re ent installation and/or upon type of completion or upon use being made of the gas well herein no by request a one-year exemption from open flow testing for the Gould 3-6 | cords |
| gas well | n the grounds that said well: | |
| | is a coalbed methane producer is cycled on plunger lift due to water is a source of natural gas for injection into an oil reservoir undergoing ER is on vacuum at the present time; KCC approval Docket No is not capable of producing at a daily rate in excess of 250 mcf/D er agree to supply to the best of my ability any and all supporting documents deemed by Corecessary to corroborate this claim for exemption from testing. | nmissic |
| Date: <u>9/2</u> | 1/2011 | |
| | Signature: Title: Erin Carson, Regulatory Compliance Analyst | |

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.