

R: 1090351 10-22

STATE CORPORATION COMMISSION
CONSERVATION DIVISION - PLUGGING SECTION
200 COLORADO DERBY BUILDING
WICHITA, KANSAS 67202

API NUMBER 15-071-20,611-00-00
290' N of
NW SW SE, SEC. 11, T. 17 S, R. 43 W/EX

TECHNICIAN'S PLUGGING REPORT

Operator License # 30606

Operator: Murfin Drilling, Co. Inc.
Name & Address: 250 N. Water, Ste. 300
Wichita, KS 67202

1280 feet from S section line

2290 feet from E section line

Lease Name T. Rex Well # 1-11

County Greeley

Well Total Depth 5229 - 169.94 feet

Conductor Pipe: Size _____ feet

Surface Casing: Size 8 5/8 feet 309

Abandoned Oil Well _____ Gas Well _____ Input Well _____ SWD Well _____ D&A

Other well as hereinafter indicated _____

Plugging Contractor Murfin Drilling Co. Inc. License Number 30606

Address 250 N. Water, Ste. 300, Wichita, KS 67202

Company to plug at: Hour: _____ Day: 22 Month: 10 Year: 19 93

Plugging proposal received from Ed McKenna

(company name) Murfin Drilling Company, Inc. (phone) 316-267-3241

were: to fill hole with heavy mud and spot cement through drill pipe Anhydrite 2662'

1st plug at 2670' with 50 sx cement, 2nd plug at 1900' with 80 sx cement,

3rd plug at 900' with 50 sx cement, 4th plug at 340' with 50 sx cement,

5th plug at 40' with 10 sx cement, 6th plug to circulate rathole with 15 sx cement,

7th plug to circulate mousehole with 10 sx cement.

Plugging Proposal Received by Steve Middleton (TECHNICIAN)

Plugging Operations attended by Agent?: All _____ Part _____ None

Operations Completed: Hour: 6 a.m. Day: 22 Month: 10 Year: 19 93

ACTUAL PLUGGING REPORT 1st plug' at 2670' with 50 sx cement,

2nd plug at 1900' with 80 sx cement,

3rd plug at 900' with 50 sx cement,

4th plug at 340' with 50 sx cement,

5th plug at 40' with 10 sx cement, 6th plug to circulate rathole with 15 sx cement,

7th plug to circulate mousehole with 10 sx cement.

Remarks: Used 60/40 Pozmix 6% gel 1/4# floseal by Allied.

INVOICED

DATE 11-18-93

WIL. NO. 39223

Signed [Signature] (TECHNICIAN)

RECEIVED STATE CORPORATION COMMISSION NOV 09 1993 CONSERVATION DIVISION Wichita, Kansas

EFFECTIVE DATE: 10-16-93
DISTRICT #
SGAT Yes No

State of Kansas
NOTICE OF INTENTION TO DRILL

071-20,611-0002

FORM C-1 7/91
FORM MUST BE TYPED
FORM MUST BE SIGNED
ALL BLANKS MUST BE FILLED

Must be approved by the K.C.C. five (5) days prior to commencing well

Expected Spud Date 10 11 93
month day year

Spot 290' N NW SW SE 11 17 43 East
Sec Twp S. Rg X West

OPERATOR: License # 30606
Name: Murfin Drilling Co., Inc.
Address: 250 N. Water, Suite 300
City/State/Zip: Wichita, Ks. 67202
Contact Person: Scott Robinson
Phone: 316-267-3241

1280 feet from South North line of Section
2290 feet from East West line of Section
IS SECTION REGULAR X IRREGULAR?

(NOTE: Locate well on the Section Plat on Reverse Side)
County: Greeley
Lease Name: T. REX Well #: 1-11
Field Name: Wildcat

CONTRACTOR: License #: 30606
Name: Murfin Drilling Company, Inc.

Is this a Prorated/Spaced Field? yes X no
Target Formation(s): Morrow
Nearest lease or unit boundary: 1280

Well Drilled For: Well Class: Type Equipment:
X Oil ... Enh Rec ... Infield X Mud Rotary
... Gas ... Storage ... Pool Ext. ... Air Rotary
... OUVUO ... Disposal X Wildcat ... Cable
... Seismic: ... # of Holes ... Other
... Other

Ground Surface Elevation: 3862 feet MSL
Water well within one-quarter mile: yes X no
Public water supply well within one mile: yes X no

If OUVUO: old well information as follows:
Operator:
Well Name:
Comp. Date: Old Total Depth

Depth to bottom of fresh water: 215'
Depth to bottom of usable water: 1900'
Surface Pipe by Alternate: 1 X 2
Length of Surface Pipe Planned to be set: 240'

Directional, Deviated or Horizontal wellbore? yes X no
If yes, true vertical depth:
Bottom Hole Location:

Length of Conductor pipe required: n/A
Projected Total Depth: Mississippian
Formation at Total Depth:

Water Source for Drilling Operations:
... well ... farm pond ... other X

DWR Permit #:
Will Cores Be Taken?: yes no
If yes, proposed zone:

AFFIDAVIT

240' Alt. II Req.

Exp. 4/11/94

The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55-101, et. seq.

It is agreed that the following minimum requirements will be met:

Pusher Ed McKenna
SPUD DATE 10-13-93 INIT. GB
LENGTH SURFACE PLANNED 240'
RESERVE PIT STATUS- REMOVE FLUID LINED
after salt sect. bbls. when done bbls.
RATHOLED AHEAD? Y N SIZE HOLE
SURFACE PIPE 8 1/2" @ 309 CONDUCTOR
ANHYDRITE T- B-2662 ELEVATION
TD 5229 FORMATION
RAN PIPE @ DV TOOL ALT II DONE
SX SX Y N
Arbuckle Plug @ Ft. W/ SX
Hug./Council @ Ft. W/ SX
Anhydrite Base @ 2670 Ft. W/ 50 SX
1/2 Base Anyh. @ 1900 Ft. W/ 80 SX
1/2, 1/2 Plug @ 900 Ft. W/ 50 SX
Bottom Surface @ 340 Ft. W/ 50 SX
40' Plug @ 40 Ft. W/ 10 SX
RAT HOLE CIRC/W SX MOUSE HOLE W/D SX

WATER WELL SX (Irr. Well Pond Hauling)
TECHNICIAN DATE
TYPE OF CEMENT 80/40 670 1/4/16 K/6 seal
STARTING TIME NOV (AM/PM) DATE
COMPLETION TIME (AM/PM) DATE 10-22
CEMENT COMPANY

RECEIVED
WICHITA COUNTY COMMISSION
OCT 21 1993
CONSERVATION DIVISION
Wichita, Kansas