

1 120866

12-11

API NUMBER 15- 071-20,614-00-00

TO: STATE CORPORATION COMMISSION
CONSERVATION DIVISION - PLUGGING SECTION
200 COLORADO DERBY BUILDING
WICHITA, KANSAS 67202

E/2 SE SW SE, SEC. 11, T 17 S, R 43 W ~~XX~~
330 feet from S section line
1500 feet from E section line

TECHNICIAN'S PLUGGING REPORT

Operator License # 30606
Operator: Murfin/Axem/DCX
Name & Address: 250 N. Water, Ste. 300
Wichita, KS 67202

Lease Name T. Rex Well # 2-11
County Greeley
Well Total Depth 5180 168.35 feet
Conductor Pipe: Size _____ feet
Surface Casing: Size 8 5/8 feet 266

Abandoned Oil Well _____ Gas Well _____ Input Well _____ SWD Well _____ D&A X

Other well as hereinafter indicated _____

Plugging Contractor Murfin Drilling Company, Inc. License Number 30606

Address 250 N. Water, Ste. 300, Wichita, KS 67202

Company to plug at: Hour: _____ Day: 11 Month: 12 Year: 19 93

Plugging proposal received from Bernie Meyer

(company name) Murfin Drilling Company (phone) 316-267-3241

was: to fill hole with heavy mud and spot cement through drill pipe

1st plug at 2640' with 50 sx cement, 2nd plug at 1950' with 50 sx cement,

3rd plug at 850' with 80 sx cement, 4th plug at 300' with 50 sx cement,

5th plug at 40' with 10 sx cement, 6th plug to circulate rathole with 15 sx cement,

7th plug to circulate mousehole with 10 sx cement.

Plugging Proposal Received by Duane Rankin (TECHNICIAN)

Plugging Operations attended by Agent?: All _____ Part _____ None X

Operations Completed: Hour: 6:30 p.m. Day: 11 Month: 12 Year: 19 93

ACTUAL PLUGGING REPORT 1st plug at 2640' with 40 sx cement,

2nd plug at 1950' with 50 sx cement, 3rd plug at 850' with 80 sx cement,

4th plug at 300' with 50 sx cement,

5th plug at 40' with 10 sx cement,

6th plug to circulate rathole with 15 sx cement,

7th plug to circulate mousehole with 10 sx cement.

Remarks: Used 60/40 Pozmix 6% gel 1/4# floseal by Allied.
(If additional description is necessary, use BACK of this form)

DO NOT SIGN (Do not observe this plugging.)
INVOICED

DATE 12-15-93
INV. NO. 39540

Signed Duane Rankin (TECHNICIAN)
CONSERVATION DIVISION
Wichita, Kansas

RECEIVED
STATE CORPORATION COMMISSION

DEC 14 1993

EFFECTIVE DATE: 12-6-93

DISTRICT # 1
SEA? Yes No

State of Kansas
NOTICE OF INTENTION TO DRILL 071-20,614-000
ALL BLANKS MUST BE FILLED

Must be approved by the K.C.C. five (5) days prior to commencing well

Expected Spud Date _____
month day year

Spot E/2 SE-SW SE Sec 11... Twp 17.. S. Rg 43.. X East
_____ West

OPERATOR: License # 30606
Name: Murfin/Axem/DCX
Address: 250 N. Water, Suite 300
City/State/Zip: Wichita, Ks. 67202
Contact Person: Scott Robinson
Phone: 316-267-3241

330 feet from South North line of Section
1500 feet from East West line of Section
IS SECTION REGULAR X IRREGULAR?

(NOTE: Locate well on the Section Plat on Reverse Side)
County: Greeley
Lease Name: T, REX Well #: 2-11
Field Name: Wildcat

CONTRACTOR: License #: 30606
Name: Murfin Drilling Company, Inc.

Is this a Prorated/Spaced Field? yes X no
Target Formation(s): Marrow
Nearest lease or unit boundary: 330

Well Drilled For: Well Class: Type Equipment:
X Oil ... Enh Rec ... Infield X Mud Rotary
... Gas ... Storage ... Pool Ext. ... Air Rotary
... OUVO ... Disposal X Wildcat ... Cable
... Seismic: ... # of Holes ... Other
... Other

Ground Surface Elevation: 3850 feet MSL
Water well within one-quarter mile: yes X no
Public water supply well within one mile: yes X no

If OUVO: old well information as follows:
Operator: _____
Well Name: _____
Comp. Date: _____ Old Total Depth _____

Depth to bottom of fresh water: 215
Depth to bottom of usable water: 1900
Surface Pipe by Alternate: 1 X 2
Length of Surface Pipe Planned to be set: 240

Directional, Deviated or Horizontal wellbore? yes X no
If yes, true vertical depth: _____
Bottom Hole Location: _____

Length of Conductor pipe required: N/A
Projected Total Depth: 5300
Formation at Total Depth: Mississippian
Water Source for Drilling Operations:
... well ... farm pond X other

Exp. 6/1/94

AFFIDAVIT

240' Alt. II Req.

The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55-101, et. seq.
It is agreed that the following minimum requirements will be met:

Pusher Bennet
SPUD DATE 12-5-93 INIT. ML
LENGTH SURFACE PLANNED 240
RESERVE PIT STATUS- REMOVE FLUID LINED
after salt sect. bbls. when done bbls.
RATHOLED AHEAD? Y N SIZE HOLE
SURFACE PIPE 8 5/8 @ 2 1/2 CONDUCTOR
ANHYDRITE T- 2615 B- _____ ELEVATION
ML @ 5140
TD 5130 FORMATION _____

RAN PIPE @ DV TOOL ALT II DONE
SX Y N
Arbuckle Plug @ _____ Ft. W/ _____ SX
Hug./Council @ _____ Ft. W/ _____ SX
Anhydrite Base @ 2640 Ft. W/ 50 SX
1/2 Base Anyh. @ 1950 Ft. W/ 50 SX
1/2, 1/2 Plug @ 850 Ft. W/ 80 SX
Bottom Surface @ 300 Ft. W/ 80 SX
40' Plug @ 40 Ft. W/ 10 SX

RAT HOLE CIRC/W 15 SX MOUSE HOLE W/ 10 SX 235
WATER WELL _____ SX (Irr. Well _____ Pond _____)
Hauling _____
TECHNICIAN APR DATE 12-11-93
TYPE OF CEMENT 60-40-670 & FS

STARTING TIME _____ (AM/PM) DATE _____
COMPLETION TIME _____ (AM/PM) DATE 12-11
CEMENT COMPANY Miller
STATE CORPORATION COMMISSION
NOV 14 1993
WICHITA DIVISION
KANSAS