## Kansas Corporation Commission One Point Stabilized Open Flow or Deliverability Test (See Instructions on Reverse Side)

| Not   | Type Test:   | ;             |  |  |  | (Se                          | e Instruc | tions on                                      | Revers  | e Side)                                | ·                   | -  |  |  |                                  |  |
|---|--|---------------|--|--|--|------------------------------|-----------|---|---------|--|---------------------|--|--|--|----------------------------------|--|
| Note  |  |               |  |  | Test Date  | : .                          | 09        | /15/201                                       | 11      |  | API No.             |  | 1517520  | 4770   | 0001                             |  |
| Select   S  | Company<br>OXY USA                                 | A Inc         |  |  |  |                              |           |   |         | ······································ |                     |  | V  | Vell N   | umber                            |  |
| HUCK NORTH Chester Plug Back Total Depth On/6/2006 6,180*  Plug Back Total Depth On/6/2006 6,180*  Asing Size Weight Internal Diameter Set at Perforations To 3/8" 17.0# 4.892" 6,242" 5,849" 5,990*  Using Size Weight Internal Diameter Set at Perforations To 3/8" 1,995* 6,031*  Purp Unit or Traveling Plunger? Yes / No WATER Purp Unit or Traveling Plunger? Yes / No INGLE-GAS WATER Perforations To 6,031*  Purp Unit or Traveling Plunger? Yes / No INGLE-GAS WATER Purp Unit or Traveling Plunger? Yes / No INGLE-GAS WATER Purp Unit or Traveling Plunger? Yes / No On66 Perforations The Carbon Dioxide Set of   | County<br>Seward                                   | 3             |  |  |  |                              |           |   |         | R                                      |                     |  | Α  |  |                                  |  |
| Official 2006   6,180'   170.0#   4.892"   6,242'   5,849'   5,990'   | Field<br>SHUCK N                                   | NORTH         |  |  |  |                              |           |   |         |  |                     |  | on .   |  | . <u> </u>                       |  |
| 1/2"  |  |               |  |  | F  | •                            | Total Dep | th  |         | Р                                      | acker Set at        |  |  |  |                                  |  |
| 1,995   | Casing Siz<br>5 1/2"                               | e             |  | •                                      | lr   |                              |           |   |         |  |                     | ns   |  | 90'  |                                  |  |
| NGLE-GAS   WATER   Yes - Beam Pump  | Tubing Siz<br><b>2 3/8"</b>                        | е             |  | •                                      |  |                              | meter     |   |         |  | Perforation         | ns   | То   |  |                                  |  |
| Annulus   | Type Completion (Describe) SINGLE-GAS              |               |  |  |  | • •                          |           |   |         | Р                                      |                     |  |  |  |                                  |  |
| ressure Buildup: Shut in 09/14 20 11 at 9:00 Taken 09/15 20 11 at 7aken 09/15 20 11 at 7aken 09/15 20 11 at 9:00 Taken 09/15 20 11 at 7aken 0  | Producing  | •             |  | ubing)                                 |  | % C                          |           |   |         | %                                      | -                   |  |  | •  | Gg                               |  |
| Continue   Shut in   20   |  |               |  |  | -  |                              |           | •   | s       |  |                     |  | (Meter R   | , ,  | •                                |  |
| Casing   Tubing   T  | Pressure B   | Buildup:      | Shut in  | 09/                                    | 14 :   | 20 11                        | at 9:00   | _   |         | Taken_                                 | 09/15               | 20 11  | at !   | 9:00   | •                                |  |
| Static / Orifice / Pressure   Pre  | Well on Lir  | ne:           | Shut ir  | 1                                      | 2  | 20                           | at        | _   |         | Taken                                  |                     | 20   | at _   |  | •                                |  |
| Static / Crifice Meter Prover Pressure Property (inches) psig (Pm)  |  |               |  |  | -:   |                              | OBSERV    | /ED SU  | RFACE   | DATA                                   |                     | Duration of                                  |  |  | Hours                            |  |
| Shut-In   175.0   189.4   24  |  |               |  | Meter                                  | Differential Flor  |                              |           | ead Wellhead Pressur                          |         | d Pressure                             | e Wellhead Pressure |  |  |  | Liquid Produced                  |  |
| FLOW STREAM ATTRIBUTES  Plate Coefficient (F <sub>0</sub> ) (F <sub>0</sub> ) Prover Prassure psia P <sub>m</sub> x h F <sub>0</sub> F <sub>0</sub> P <sub>m</sub> x h P <sub>m</sub> |  | (inches       | <u> </u>   | osig (Pm)                              | Inches H <sub>2</sub> (  | ) t                          | t         |   |         | †                                      | psig                | psia   | <del>†                                    </del> |  | (Barrels)                        |  |
| FLOW STREAM ATTRIBUTES  Plate Coefficient (F <sub>o</sub> ) (F <sub>p</sub> ) Prover Pressure psia Prover Pressure psia Prover Prover Pressure Pressu  |  |               |  |  | <del></del>  | <del></del>                  |           |   | 1/5.0   | 189.4                                  | +                   |  | 24   |  |                                  |  |
| Plate Coefficient (F <sub>o</sub> ) (F <sub>o</sub> ) Meter or psia Press Extension Factor F <sub>o</sub> Prover Pressure psia Prove Pressure psia Prove Pressure psia Prove Prover P  | Flow   |               |  |  |  | <u> </u>                     |           |   |         | <u></u>                                |                     |  |  |  |                                  |  |
| Coefficient (F <sub>n</sub> ) (F <sub>p</sub> ) Prover Pressure psia P <sub>m</sub> x h P            |  |               |  | <u> </u>                               |  |                              | FLOW S    | TREAM   | ATTRI   | BUTES                                  |                     | · · · · · ·                                  |  |  |                                  |  |
| P <sub>c</sub> /2 = : (P <sub>w</sub> ) <sup>2</sup> = 0.0 : P <sub>d</sub> = % (P <sub>c</sub> - 14.4) + 14.4 = : (P <sub>d</sub> ) <sup>2</sup> = 0  Choose Formula 1 or 2: 1. P <sub>c</sub> <sup>2</sup> - P <sub>e</sub> <sup>3</sup> or (P <sub>c</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup>   2. P <sub>c</sub> <sup>2</sup> - P <sub>w</sub> <sup>2</sup>   1. or 2. and divided by: P <sub>c</sub> <sup>2</sup> - P <sub>w</sub> <sup>2</sup>   2. P <sub>c</sub> <sup>2</sup> - P <sub>w</sub> <sup>2</sup>   2. P <sub>c</sub> <sup>2</sup> - P <sub>w</sub> <sup>2</sup>   3. or 2. and divided by: P <sub>c</sub> <sup>2</sup> - P <sub>w</sub> <sup>2</sup>   4.65 psia  The undersigned authority, on behalf of the Company, states that he is duly authorized to make the above report and that he has knowledge of or facts stated therein, and that said report is true and correct. Executed this the 13 day of October 2011  Oxyr USA Inc.  For Company  David Ogden Oxyr USA Inc.   | Coefficient<br>(F <sub>b</sub> ) (F <sub>p</sub> ) |               | Meter or Extention Extension   Extension |  | tension  | Factor                       | Tem;      | perature<br>actor                             | Fa      | octor                                  | R                   |  |  |  | Fluid Gravity                    |  |
| P <sub>c</sub> /2 = : (P <sub>w</sub> ) <sup>2</sup> = 0.0 : P <sub>d</sub> = % (P <sub>c</sub> - 14.4) + 14.4 = : (P <sub>d</sub> ) <sup>2</sup> = 0  Choose Formula 1 or 2: 1. P <sub>c</sub> <sup>2</sup> - P <sub>e</sub> <sup>3</sup> or (P <sub>c</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup>   2. P <sub>c</sub> <sup>2</sup> - P <sub>w</sub> <sup>2</sup>   1. or 2. and divided by: P <sub>c</sub> <sup>2</sup> - P <sub>w</sub> <sup>2</sup>   2. P <sub>c</sub> <sup>2</sup> - P <sub>w</sub> <sup>2</sup>   2. P <sub>c</sub> <sup>2</sup> - P <sub>w</sub> <sup>2</sup>   3. or 2. and divided by: P <sub>c</sub> <sup>2</sup> - P <sub>w</sub> <sup>2</sup>   4.65 psia  The undersigned authority, on behalf of the Company, states that he is duly authorized to make the above report and that he has knowledge of or facts stated therein, and that said report is true and correct. Executed this the 13 day of October 2011  Oxyr USA Inc.  For Company  David Ogden Oxyr USA Inc.   |  |               |  |  |  |                              |           |   |         |  |                     |  |  |  |                                  |  |
| (P <sub>c</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup> or (P <sub>c</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup>  | (P <sub>c</sub> ) <sup>2</sup> =                   | :             | (P.  | <sub>w</sub> ) <sup>2</sup> = <u> </u> |  |                              |           |   |         |  |                     | <u>.                                    </u> | 1).<br>1)  | P <sub>a</sub> ) <sup>2</sup> =<br>P <sub>d</sub> ) <sup>2</sup> = | 0.207                            |  |
| The undersigned authority, on behalf of the Company, states that he is duly authorized to make the above report and that he has knowledge of a facts stated therein, and that said report is true and correct. Executed this the 13 day of October 2011  OXY USA Inc.  For Company  David Ogden Oxy USA Inc.  | $(P_c)^2 - (P_a)^2$<br>or<br>$(P_c)^2 - (P_d)^2$   |               | $(P_w)^2 - (P_w)^2 = \frac{1. P_c^2 - 1. P_c^2}{2. P_c^2}$   |  | - P <sub>a</sub> <sup>2</sup><br>- P <sub>d</sub> <sup>2</sup> | formula 1. or 2.  and divide |           | <sup>2</sup> - P <sub>w</sub> <sup>2</sup> SI |         | n"<br>n                                | ×LOG                |  | Antilog  |  | Deliverability quals R x Antilog |  |
| The undersigned authority, on behalf of the Company, states that he is duly authorized to make the above report and that he has knowledge of a facts stated therein, and that said report is true and correct. Executed this the 13 day of October 2011  OXY USA Inc.  For Company  David Ogden Oxy USA Inc.  |  |               |  |  |  | <del> </del>                 |           |   | ·       |  |                     | _  |  | +  |                                  |  |
| The undersigned authority, on behalf of the Company, states that he is duly authorized to make the above report and that he has knowledge of a facts stated therein, and that said report is true and correct. Executed this the 13 day of October 2011  OXY USA Inc.  For Company  David Ogden Oxy USA Inc.  | Open Flow  |               | 0  | M                                      | cfd @ 14.65  | psia                         |           | Delivera                                      | ability |  |                     | Mcfd @                                       | 14.65 psia                                       |  |                                  |  |
| OXY USA Inc. For Company  David Ogden Oxy USA Inc.  | he facts stated                                    | d therein, ar |  |  |  |                              |           |   |         |  | _                   |  | nowledge of                                      | ,  | 2011 .                           |  |
| David Ogden Oxy USA Inc.  |  | •             |  |  |  |                              |           |   |         |  |                     |  |  |  | <del></del>                      |  |
|   |  |               |  | Witness                                |  |                              |           |   |         | •                                      |                     |  | (  |  | ( ) )                            |  |
|   |  |               | Fr   | r Commission                           |  |                              | · ·       |   |         |  | David (             | Ogden Ox                                     | cy USA ir  | 1C   | - H                              |  |

RECEIVED

OCT 1 9 2011

KCC WICHITA

| oregoing pressure information and statements ef based upon available production summaries ng made of the gas well herein named. for the gas well on the grounds that |
|--|
|  |
|  |
|  |
|  |
| •  |
| •  |
|  |
| ned by Commission staff as necessary to  |
|  |
|  |
|  |
|  |
|  |
|  |

**Instructions:** If a gas well meets one of the eligibility criteria set out in the KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31st of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.

RECEIVED

OCT 1 9 2011

KCC WICHITA