

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

1065644

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

## WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #33551	API No. 15 - 15-011-23839-00-00					
Name: S & K Oil Production, Inc.	Spot Description:					
Address 1: PO BOX 184	SE_NE_NW_SE_Sec18Twp25S. R22					
Address 2:						
City: BLUE MOUND State: KS Zip: 66010 + 0184	1485 Feet from ✓ East / ☐ West Line of Section					
Contact Person: Steve Jackson	Footages Calculated from Nearest Outside Section Corner:					
Phone: ( 913 ) 756-2622	□ NE □ NW ☑ SE □ SW					
CONTRACTOR: License # 33551	County: Bourbon					
Name: S & K Oil Production, Inc.	Lease Name: Page Well #: 8					
Wellsite Geologist: None	Field Name:					
Purchaser:	Producing Formation: Bartlesville					
Designate Type of Completion:	Elevation: Ground: 1041 Kelly Bushing: 0					
✓ New Well  Re-Entry  Workover	Total Depth: 757 Plug Back Total Depth:					
☑ Oil	Amount of Surface Pipe Set and Cemented at: 20 Feet  Multiple Stage Cementing Collar Used? ☐ Yes ✓ No					
☐ OG ☐ GSW ☐ Temp. Abd.	If yes, show depth set: Feet  If Alternate II completion, cement circulated from: 0					
Cathodic Other (Core, Expl., etc.):						
If Workover/Re-entry: Old Well Info as follows:	feet depth to: 20 w/ 5 sx cmt.					
Operator:						
Well Name:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)					
Original Comp. Date: Original Total Depth:	Chloride content: ppm Fluid volume: bbls					
☐ Deepening ☐ Re-perf. ☐ Conv. to ENHR ☐ Conv. to SWD ☐ Conv. to GSW	Dewatering method used:					
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:					
Commingled Permit #:	Operator Name:					
Dual Completion Permit #:						
SWD Permit #:	Lease Name: License #:					
ENHR Permit #:	QuarterSecTwpS. R East West					
GSW Permit #:	County: Permit #:					
8/17/2011 8/23/2011 10/4/2011						
Spud Date or Date Reached TD Completion Date or Recompletion Date						

## **AFFIDAVIT**

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

**Submitted Electronically** 

KCC Office Use ONLY				
Letter of Confidentiality Received				
Date:				
Confidential Release Date:				
☑ Wireline Log Received				
Geologist Report Received				
UIC Distribution				
ALT I I III Approved by: Described Date: 10/24/2011				

Side Two



Operator Name: S &	K Oil Production	, Inc.		Lease	Name: _	Page	·- <u></u> -	_ Well #: <u>8</u> _		
Sec. 18 Twp.25	s. r. <u>22</u>	✓ East	☐ West	County	: Bour	bon				
INSTRUCTIONS: Sho time tool open and clos recovery, and flow rate line Logs surveyed. At	sed, flowing and shu s if gas to surface te	t-in pressu st, along w	res, whether s ith final chart(	shut-in pres	sure rea	ched static level,	hydrostatic pres	sures, bottom	hole temp	erature, fluid
Drill Stem Tests Taken (Attach Additional S	heets)	T Ye	s 📝 No		<b></b> ✓L	og Formation	n (Top), Depth a	nd Datum		Sample
Samples Sent to Geological Survey			Name Bartlesville			Top Datu 686 725		Datum Se		
Cores Taken Electric Log Run Electric Log Submitted (If no, Submit Copy)	•	☐ Ye ☑ Ye ☐ Ye	s 🔲 No			OVIIIO		000		
List All E. Logs Run:										
Gamma Ray/Neutron	n/CCL									
		Repor		RECORD	Ne	ew Used	on, etc.	· · · · ·		<u>-</u>
Purpose of String	Size Hole Drilled		Casing (In O.D.)	Welq Lbs.		Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives	
Surface	8.8750	6.2500	6			20	One	5	None	
Casing	5.6250	2.8750	<u>-</u>	6		752	One	88	88 None	
			ADDITIONAL	CEMENTI	NG / SQL	JEEZE RECORD				·
Purpose:  —— Perforate	Depth Top Bottom	Туре		# Sacks Used			Type and Percent Additives			
— Protect Casing — Plug Back TD — Plug Off Zone	-							· · · · · · · · · · · · · · · · · · ·		
Shots Per Foot	PERFORATION Specify I	ON RECORD	) - Bridge Plug ach Interval Per	s Set/Type			ture, Shot, Cemen		rd	Da-sh-
		- Constant		-		(cu	Cont and Raid of Ma	aterial Oseu)		Depth
							<del></del>			
	- ·			<del></del>						
TUBING RECORD:	Size:	Set At:		Packer At	<u> </u>	Liner Run:	Yes No			
Date of First, Resumed P	roduction, SWD or EN	HR.	Producing Meth	nod:	9 🗆	Gas Lift 0	ther (Explain)			
Estimated Production Per 24 Hours	Oil I	3bis.	Gas	Mcf	Wate	er Bb	ls.	Gas-Oil Ratio		Gravity
DISPOSITIO	N OF GAS:			METHOD OF	COMPLE	TION:		PRODUCTION	ON INTER	/AL:
Vented Sold	Used on Lease	□ o₁		Perf. [	Dually	Comp. Com	mingled			
(if vented, Subn	nit ACO-18.)		her (Snacify)		(Submit A	(Subn	iit ACO-4)			

## S & K Oil Production, Inc. Blue Mound, Kansas 1-193-756-2622

Lease _F	2000								
Contractor	S & K	Oil Production Start	& K Oil	Producti	ion #15-011- 23836-00-00				
Total Danti	h 7/4:	) Carr	ed <del>Z.a.</del> n	Hala Ci	Completed 9.5-11				
Surfac	Contractor S& K Oil Production Started 4.2-11 Completed 9.5-11  Total Depth 142: Well 4.5 Hole Size 35/8  Surface Pipe 21' 6 1/4  Dept of Seat Nipple - None Rag Packer At None  Lenght And Size of Casing - 137' 218 Sacks of Cement 85  Leval Description 18 No. 85 3 1/4 Sec. 18 Table Sacks of Cement 85								
Dept of	Seat N:	ipple None	Rec Pock	CALA+	NAME				
Lenght And Size of Casing - 137 A 718 Secks of Company 85									
Legal Description NENWSE SE'H Sec 18 TWP 25 Range 22 County Fourbon									
Thick	Depth		-		- Country				
1	- pepru		Thick	Depth					
<del> </del>	1 2	Top Soil	45 "	565	Shale				
	1 3	Rock	1-1-	566	Coal				
1 4	+ -		<u> </u>	593	Shale ! Lime Strak				
· · · · · · · · · · · · · · · · · · ·	42	Shale	ao_	613	Shale				
a	44	Black Shale	<del> </del> _	1014	Mrs. 1				
4	48	Lime	46	660	Shale & Sand				
a	50	Shale	1,0	630	Sand Dry Some Shale Soft				
34	84	Lime W/ Shale Streak	<u> </u>	676	Sand Shale Strong Odoc				
ao		Shale	<u>a</u>	618	Oil Sand Some Shale Good Blood				
a		Lime	4	682	Oil Sand Little Shale Heavy Alced				
a	108	Black Shale	4	484	Oil Sand Some Shale Fair Bleed				
<u> </u>	133	Shale	a	688	Oil Sand Little Shale Good Bleed				
a	135		a	690	Sand & Shale Poor Bleed				
109		lime	4	694	Sand Shale Streak				
107	244	Shale Willime Streak	<u> </u>	ماقها	Dry Sand Shely Good Oder				
21	250	Lime Shale & Lime	4 4	<u> 70a</u>	Band Shale Good Odor				
<u> </u>			4	706	Band, Shale Little Show				
12		Red Bed	l à	708	Sandy Shale Odor				
17	328	Shale Limey	à	710	Oil Sand Fair Bleed				
30	1-302	Sand Dry Shale Sand	8	718	SandyShale				
			a	120	Light brown Sand little Stow				
19	341	Shale	22	742	SandyShale				
19		lime.	<del> </del>	74a	ITD '				
<del>                                     </del>		Dark Shale 1	<del> </del>	<del> </del>	<u> </u>				
20		lime	<del></del>	<del> </del>					
্ হুঁ০	400	DarkShale	<del> </del>						
` <u>5</u>	405	Light Shale	<del></del>	<del>                                     </del>	<u> </u>				
		lime	<del></del>	<del> </del>					
<u> </u>	434	Black Shale	<b></b>	<del> </del>	<b>_</b>				
<u> </u>	439	lime	<b> </b>	<del>                                     </del>	-				
<del>  3</del>		light Shale	<b></b>	∔					
<del>                                   </del>	445	Shale & Sand Odor	<b></b>	<del> </del>					
1 7		Oil Sand Good Bleed	<del> </del>	<del></del>	<del> </del>				
2/	451	Dry Sand	<del> </del>	<del> </del>	<del> </del>				
36	487	Sand & Shale	<b> </b>	<del> </del>					
22		Shale	<b></b>	4					
	520	Dark Shale.							