

KANSAS CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION  
**WELL COMPLETION FORM**  
WELL HISTORY - DESCRIPTION OF WELL & LEASE

ORIGINAL

Form ACO-1

June 2009

Form Must Be Typed

Form must be Signed

All blanks must be Filled

OPERATOR: License # 31751  
Name: JV Oil LLC  
Address 1: PO Box 151  
Address 2: \_\_\_\_\_  
City: Chanute State: KS Zip: 66720 + \_\_\_\_\_  
Contact Person: John E Gale  
Phone: (918) 629-1776  
CONTRACTOR: License # 31751  
Name: Company Tools  
Wellsite Geologist: \_\_\_\_\_  
Purchaser: Coffeyville Resources

Designate Type of Completion:

- ☒ New Well ☐ Re-Entry ☐ Workover
- ☒ Oil ☐ WSW ☐ SWD ☐ SIOW  
☐ Gas ☒ D&A ☐ ENHR ☐ SIGW  
☐ OG ☐ GSW ☐ Temp. Abd.  
☐ CM (Coal Bed Methane)  
☐ Cathodic ☐ Other (Core, Expl., etc.): \_\_\_\_\_

If Workover/Re-entry: Old Well Info as follows:

Operator: \_\_\_\_\_  
Well Name: \_\_\_\_\_

Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_

- ☐ Deepening ☐ Re-perf. ☐ Conv. to ENHR ☐ Conv. to SWD  
☐ Conv. to GSW

- ☐ Plug Back: \_\_\_\_\_ Plug Back Total Depth \_\_\_\_\_  
☐ Commingled Permit #: \_\_\_\_\_  
☐ Dual Completion Permit #: \_\_\_\_\_  
☐ SWD Permit #: \_\_\_\_\_  
☐ ENHR Permit #: \_\_\_\_\_  
☐ GSW Permit #: \_\_\_\_\_

9-26-11 9-28-11 10-4-11  
Spud Date or Date Reached TD Completion Date or  
Recompletion Date Recompletion Date

API No. 15 - 205-27907-00-00

Spot Description:

NW SW SW Sec. 13 Twp. 28 S. R. 15 ☒ East ☐ West  
1,305 Feet from ☐ North / ☒ South Line of Section  
170 Feet from ☐ East / ☒ West Line of Section

Footages Calculated from Nearest Outside Section Corner:

☐ NE ☐ NW ☒ SE ☐ SW

County: Wilson

Lease Name: Morton Well #: 4-H

Field Name: Benedict

Producing Formation: Bartlesville

Elevation: Ground: 916 est Kelly Bushing: \_\_\_\_\_

Total Depth: 1100 Plug Back Total Depth: \_\_\_\_\_

Amount of Surface Pipe Set and Cemented at: 20 Feet

Multiple Stage Cementing Collar Used? ☐ Yes ☐ No

If yes, show depth set: \_\_\_\_\_ Feet

If Alternate II completion, cement circulated from: surface

feet depth to: \_\_\_\_\_ w/ 170 sx cmt.

Drilling Fluid Management Plan

(Data must be collected from the Reserve Pit)

Chloride content: \_\_\_\_\_ ppm Fluid volume: \_\_\_\_\_ bbls

Dewatering method used: \_\_\_\_\_

Location of fluid disposal if hauled offsite: \_\_\_\_\_

Operator Name: \_\_\_\_\_

Lease Name: \_\_\_\_\_ License #: \_\_\_\_\_

Quarter \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_ ☐ East ☐ West

County: \_\_\_\_\_ Permit #: \_\_\_\_\_

RECEIVED  
OCT 17 2011

KCC WICHITA

**INSTRUCTIONS:** An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: John E Gale

Title: Column Date: 10-13-11

KCC Office Use ONLY

- ☐ Letter of Confidentiality Received  
Date: \_\_\_\_\_  
☐ Confidential Release Date: \_\_\_\_\_  
☐ Wireline Log Received  
☐ Geologist Report Received  
☐ UIC Distribution  
ALT ☐ I ☒ II ☐ III Approved by: Dag Date: 10/20/11

Operator Name: JV Oil LLC Lease Name: Morton Well #: 4-H  
 Sec. 13 Twp. 28 S. R. 15 ☒ East ☐ West County: Wilson

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach complete copy of all Electric Wire-line Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(Attach Additional Sheets)</i>  Samples Sent to Geological Survey <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Submitted Electronically <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(If no, Submit Copy)</i>  List All E. Logs Run:	<input type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample Name Top Datum
--	---

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
	13"	7"		20	portland	6	0
	dry hole						

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
	dry hole		

TUBING RECORD: Size: Set At: Packer At:		Liner Run: <input type="checkbox"/> Yes <input type="checkbox"/> No	
Date of First, Resumed Production, SWD or ENHR.		Producing Method: <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain) _____	
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls. Gas-Oil Ratio Gravity

DISPOSITION OF GAS: <input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i>	METHOD OF COMPLETION: <input type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <i>(Submit ACO-5) (Submit ACO-4)</i> <input type="checkbox"/> Other (Specify) _____	PRODUCTION INTERVAL: _____ _____
---	--	--

802 N. Industrial Rd.  
P.O. Box 664  
Iola, Kansas 66749  
Phone: (620) 365-5588

# Payless Concrete Products, INC.



**CONDITIONS**  
Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength lost when water is added at customer's request.

**NOTICE TO OWNER**  
Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

CASH CUSTOMER

10/23  
JV OIL P.O. BOX 151 CHARLITE  
30 W TO INMAN RD (4 MI PAST  
BENEDICT) S 1.5 MI  
E ED GRAVEL RD EAST

TIME	FORMULA	LOAD SIZE	YARDS ORDERED	% CAL	DRIVER/TRUCK	PLANT/TRANSACTION #
12:54:44p	WELL	8.50 yd	17.00 yd	0.00	JE	WILCO
DATE		LOAD #	YARDS DEL	BATCH#	WATER TRIM	TICKET NUMBER
10-03-11	To Date	1	8.50 yd	18720	6/yd - 70.0	30387
	Today	1	8.50 yd		4.00 in	

**WARNING**  
**IRRITATING TO THE SKIN AND EYES**  
Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes. Flush Thoroughly With Water. If Irritation Persists, Get Medical Attention. KEEP CHILDREN AWAY.

CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.  
Two undersigned promises to pay all costs, including reasonable damage fees, incurred in collecting any sums owed.  
All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.  
Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.  
A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks.  
Excess Delay Time Charged @ \$50/hr.

**PROPERTY DAMAGE RELEASE**  
(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)  
Dear Customer-The driver of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property. If it places the material in this load where you desire it, it is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE, releasing him and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, driveways, curbs, etc., by the delivery of this material, and that you also agree to help him remove mud from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisen out of delivery of this order.

X

Excessive Water is Detrimental to Concrete Performance  
H<sub>2</sub>O Added By Request/Authorized By

GAL X

WEIGHMASTER

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.

LOAD RECEIVED BY:

X

QUANTITY	CODE	DESCRIPTION	UNIT PRICE	EXTENDED PRICE
8.50	WELL	WELL (10 SACKS PER UNIT)	79.00	671.50
4.00	TRUCKING	TRUCKING CHARGE	50.00	200.00

Pd 12/25 H-H

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED
			1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB 4. CONTRACTOR BROKE DOWN 5. ADDED WATER	
			6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION 9. OTHER	
LEFT PLANT	ARRIVED JOB	START UNLOADING		
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		

SubTotal \$ 871.50  
Tax % 6.300 54.90  
Total \$ 926.40  
Order \$ 926.40  
ADDITIONAL CHARGE 1  
ADDITIONAL CHARGE 2  
GRAND TOTAL

RECEIVED  
OCT 17 2011  
MICHITA

802 N. Industrial Rd.  
P.O. Box 664  
Topeka, Kansas 66679  
Phone: (620) 365-5588

# Payless Concrete Products, INC.



**CONDITIONS**  
Concrete to be delivered to the nearest accessible point over possible road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allocated time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.

**NOTICE TO OWNER**  
Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

JV9/23  
J4 OIL P.O. BOX 151 CHANUTE  
39 W TO INMAN RD (4 MI PAST  
BENEDICT) S 1.5 MI  
E SD GRAVEL RD EAST

TIME	FORMULA	LOAD SIZE	YARDS ORDERED	% CAL	DRIVER/TRUCK	PLANT/TRANSACTION #
12:59:58p	WELL	8.50 yd	17.00 yd	0.00	JE 32	WILCO
DATE	LOAD #	YARDS DEL	BATCH#	WATER TRIM	% AIR	TICKET NUMBER
10-03-11	2	17.00 yd	18721	G/yd -70.0	0.00	303BA
Today	2	17.00 yd			SLUMP	

Excessive Water is Detrimental to Concrete Performance  
H<sub>2</sub>O Added By Request/Authorized By  
GAL X

WEIGHMASTER

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.

LOAD RECEIVED BY:  
X *[Signature]*

**WARNING**  
**IRRITATING TO THE SKIN AND EYES**  
Contains Portland Cement. Wear rubber boots and gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid contact with eyes and prolonged contact with skin. In case of contact with skin, eyes or clothes, flush thoroughly with water. If irritation persists, get medical attention. KEEP TO BEHIND CURB LINE.

CONCRETE IS A PERISHABLE COMMODITY AND BECOMES THE PROPERTY OF THE PURCHASER UPON LEAVING THE PLANT. ANY CHARGES OR CANCELLATION OF ORIGINAL INSTRUCTIONS MUST BE TELEPHONED TO WIN OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorney's fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

Not Responsible for Reactive Aggregate or Color Quality. No Claims Allowed Unless Made at Time Material is Delivered.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Orders.

Excess Delay Time Charged @ \$500-H.

QUANTITY	CODE	DESCRIPTION	UNIT PRICE	EXTENDED PRICE
8.50	WELL	10 SACKS PER (UNIT)	17.00	79.00
				671.50

*Pd CH 125*  
*4-H*

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION (CYLINDER TEST TAKEN)	TIME ALLOWED
	455		1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK HEAD ON JOB 4. CONTRACTOR BROKE DOWN 5. ADDED WATER	
		START UNLOADING	6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION 9. OTHER	
LEFT PLANT	ARRIVED JOB			
110	270			
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		

SubTotal \$ 671.50  
Tax % 6.300 42.30  
Total \$ 713.80  
Order \$ 1640.20

ADDITIONAL CHARGE 1  
ADDITIONAL CHARGE 2  
GRAND TOTAL

RECEIVED  
OCT 17 2011  
CHICATA