KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION
Form Must Be Typod
Form must be Signed
All blanks must be Filled

WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 34002	API No. 15 - 137-20547-00-00					
Name: Kinder Morgan Interstate Gas Transmission LLC	Spot Description:					
Address 1: 145 N. Country Club Drive	SW_NW_SW_SW Sec. 10 Twp. 5 S. R. 25 East V West					
Address 2:	685 Feet from North / South Line of Section					
City: Colby State: KS Zip: 67701 +	50 Feet from East / West Line of Section					
Contact Person: Mark Bredemeier	Footages Calculated from Nearest Outside Section Corner:					
Phone: (785) 462-6815 ext. 223 - Cell - 785-443-1252	□NE □NW □SE ☑SW					
CONTRACTOR: License # 554 53421	County: Norton					
Name: Woofter Pump And Weil	Lease Name: PXP #62 Well #: 1					
Wellsite Geologist: NA	Field Name: NA					
Purchaser: NA	Producing Formation: NA					
Designate Type of Completion:	Elevation: Ground: 2528' Kelly Bushing: NA					
✓ New Well Re-Entry Workover	Total Depth: 260' Plug Back Total Depth: 3' Below Ground Level					
□ Oil □ WSW □ SWD □ SIOW	Amount of Surface Pipe Set and Cemented at: 20' Feet					
Gas D&A DENHR SIGW	Multiple Stage Cementing Collar Used? Yes No					
☐ OG ☐ GSW ☐ Temp. Abd.	If yes, show depth set: Feet					
CM (Coal Bed Methane)	If Alternate II completion, cement circulated from:					
Cathodic Other (Core, Expl., etc.):	feet depth to:w/sx cmt.					
If Workover/Re-entry: Old Well Info as follows:						
Operator: NA	D. W. El VIA					
Well Name: NA	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)					
Original Comp. Date: Original Total Depth:	RECEIVED					
☐ Deepening ☐ Re-perf. ☐ Conv. to ENHR ☐ Conv. to SWD	Chloride content: ppm Fluid volume; bbls Dewatering method used: DCT 1 3 2011					
Conv. to GSW	Dewatering method used: UCT 1 3 2011					
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite: KCC WICHITA					
Commingled Permit #:	Operator Name:					
Dual Completion Permit #:	Lease Name: License #:					
SWD Permit #:	Quarter Sec TwpS. R East _ West					
☐ ENHR Permit #: ☐ GSW Permit #:	County: Permit #:					
05-06-11 05-06-11 05-06-11						
Spud Date or Date Reached TD Completion Date or						
Recompletion Date Recompletion Date						
Kansas 67202, within 120 days of the spud date, recompletion, workover or c of side two of this form will be held confidential for a period of 12 months if rec	the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information quested in writing and submitted with the form (see rule 82-3-107 for confidenell report shall be attached with this form. ALL CEMENTING TICKETS MUST orm with all temporarily abandoned wells.					
AFFIDAVIT	KCC Office Use ONLY					
I am the affiant and I hereby certify that all requirements of the statutes, rules and	regu-					
lations promulgated to regulate the oil and gas industry have been fully complied	1 a .					
and the statements herein are complete and correct to the best of my knowled	ge.					
maki Barlance	Wireline Log Received					
Signature / pull light with	Geologist Report Received					
Title: [Summer Jakuman Date: 08/15/1/	ALT I II Approved by: Dis_ Date: 10(8)					
	(

Operator Name: Kinder	Morgan Interstat	e Gas Trans	mission LLC	C Lease Nar	me: _F	PXP #62		Well #:1_			
Sec. 10 Twp.5	_s. r. <u>25</u>	☐ East [] West	County: _	Norto	n					
INSTRUCTIONS: Show time tool open and closed recovery, and flow rates if line Logs surveyed. Attack	I, flowing and shu gas to surface te	rt-in pressure est, along with	s, whether s h final chart(s	hut-in pressure	e read	hed static level,	hydrostatic pressi	ures, bottom l	hole temper	ature, fluid	
(Attach Additional Sheets)		Yes	Yes No		☐Log Forma		n (Top), Depth and	Sample			
		✓ Yes			Name	1	Тор		Datum		
Cores Taken Electric Log Run Electric Log Submitted Electric Log Submit Copy)	ectronically	☐ Yes ☐ Yes ☐ Yes	✓ No ✓ No ✓ No								
List All E. Logs Run:											
					_						
		Report a		_	New	v Used mediate, producti	on, etc.				
Purpose of String	Size Hole Orliled	Size C Set (In	Casing	Welght Lbs. / Ft.		Setting Depth	Type of Cement	# Sacks Used		d Percent	
Surface 16"		10"		SCH. 40 PVC		20'	Bentonite Chips	11	100% Bentonite		
		i 	:								
			ADDITIONAL	CEMENTING /	/ SQUE	EZE RECORD					
Purpose: Perforate	Depth Top Bottom	Type of Cement		# Sacks Use	# Sacks Used		Type and Pe	Type and Percent Additives			
Protect Casing Plug Back TD						······························					
Plug Off Zone									D=-		
Shots Per Foot PERFORATION RECORD - Bridge Plugs State Specify Footage of Each Interval Perforate					T	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Dept				'ED	
	olareo	o (Amount and Kink			KCC WICHITA						
					-				· ' ' ' '		
							.	KC	C WICI		
								KC	C WIC	ATIL	
								KC	C WIC	HITA	
								KC	C WIC	HITA	
TUBING RECORD:	Size:	Set At:		Packer At:		Liner Run:	Yes No	KC	C WIC	HITA	
TUBING RECORD: Date of First, Resumed Prod		HR. Pi	roducing Meth	·			Yes No	KC	C WIC	HITA	
	luction, SWD or EN	HR. Pi	Flowing	od;	G	Sas Lift 0	ther (Explain)	KC		HITA Gravity	
Date of First, Resumed Prod	luction, SWD or EN	HR. Pi	Flowing Gas	od:	Water	Sas Lift O	ther (Explain)	as-Oil Ratio		Gravity	

