

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1066490

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15 - 15-091-23584-00-00
Name: ST Petroleum, Inc.	Spot Description:
Address 1: 18800 Sunflower Rd	SW_NW_SW_NE Sec. 29 Twp. 14 S. R. 22 F East West
Address 2:	3355 Feet from ☐ North / ☑ South Line of Section
City: Edgerton State: KS Zip: 66021 +	2375 Feet from ▼ East / West Line of Section
Contact Person: Rick Singleton	Footages Calculated from Nearest Outside Section Corner:
Phone: (913) 638-6398	□ NE □ NW ☑ SE □ SW
CONTRACTOR: License #_33715	County: Johnson
Name: Town Oilfield Service	Lease Name: Thomas A Well #: 10
Wellsite Geologist: NA	Field Name: Gardner South
Purchaser:	Producing Formation: Bartlesville
Designate Type of Completion:	Elevation: Ground: 1021 Kelly Bushing: 0
✓ New Well	Total Depth: 918 Plug Back Total Depth:
☑ Oil □ wsw □ swo □ slow	Amount of Surface Pipe Set and Cemented at: 22 Feet
☐ Gas ☐ D&A ☐ ENHR ☐ SIGW	Multiple Stage Cementing Collar Used? ☐ Yes ✓ No
☐ OG ☐ GSW ☐ Temp. Abd.	If yes, show depth set: Feet
CM (Coel Bed Methane)	If Alternate II completion, cement circulated from:
Cathodic Other (Core, Expl., etc.):	il Alternate il completion, cement circulated from:
If Workover/Re-entry: Old Well Info as follows:	feet depth to: 22 w/ 3 sx cmt.
Operator:	
Well Name:	Drilling Fluid Management Plan (Date must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth:	
☐ Deepening ☐ Re-perf. ☐ Conv. to ENHR ☐ Conv. to SWD	Chloride content: 1500 ppm Fluid volume: 80 bbls
Conv. to GSW	Dewatering method used: Evaporated
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Permit #:	
Dual Completion Permit #:	Operator Name:
SWD Permit #:	Lease Name: License #:
ENHR Permit #:	Quarter Sec TwpS. R 🗌 East 🗌 West
GSW Permit #:	County: Permit #:
10/10/2011 10/11/2011 10/31/2011	
Spud Date or Date Reached TD Completion Date or Recompletion Date	·

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Letter of Confidentiality Received
Date:
Confidential Release Date:
Wireline Log Received
Geologist Report Received
UIC Distribution
ALT I I II Approved by: Dearns Gartisor Date: 11/02/2011

Side Two



Operator Name: ST	Petroleum, Inc.		Lease Name	e: Thomas A		_well #:10)
Sec. 29 Twp. 14	S. R. <u>22</u>	✓ East West	County: <u>JC</u>	hnson		<u>-</u>	
time tool open and clo	sed, flowing and shu es if gas to surface to	nd base of formations per ut-in pressures, whether s est, along with final chart(I well site report.	hut-in pressure	reached static level,	hydrostatic press	ures, bottom	hole temperature, fluid
Drill Stem Tests Taken (Attach Additional S		☐ Yes 🗸 No	Ε	Log Formatio	n (Top), Depth an	d Datum	☐ Sample
Samples Sent to Geol Cores Taken Electric Log Run Electric Log Submittee (If no, Submit Copy	d Electronically	Yes No Yes No Yes No Yes No	'	lame imma Ray		Тор	Datum
List All E. Logs Run:							
GammaRay/Neutron	√CCL						
				New Used			
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	9	7	10	22	Portland	3	50/50 POZ
Completion	5.6250	2.8750	8	896	Portland	116	50/50 POZ
		ADDITIONAL	CEMENTING /	SQUEEZE RECORD		<u></u>	
Purpose: Perforate Protect Casing Plug Back TD Plug Off Zone	Depth Top Bottom	Type of Cement	# Sacks Used		Type and P	ercent Additives	\$
Shots Per Foot	PERFORATI Specify	ON RECORD - Bridge Plug Footage of Each Interval Per	s Set/Type forated		cture, Shot, Cement mount and Kind of Ma		d Depth
3	844.0-856.0	· · · · · · · · · · · · · · · · · · ·		2" DML RTG	3		12
						10 NA - 1	
TUBING RECORD:	Size:	Set At:	Packer At;	Liner Run;	Yes No		
Date of First, Resumed	Production, SWD or EN	HR. Producing Metr	nod:	Gas Lift C	ther (Explain)		
Estimated Production Per 24 Hours	Oil	Bbis. Gas	Mcf			Sas-Oil Ratio	Gravity
DISPOSITIO	Used on Lease			ually Comp. 🔲 Con	nmingled nit ACO-4)	PRODUCTION	ON INTERVAL:



TICKET NUMBER LOCATION OXX FOREMAN Fred YM

PO Box 884, Chanute, KS 66720

FIELD TICKET & TREATMENT REPORT

20-431-9210 o	r 800-467 - 8676			CEMEN				
DATE	CUSTOMER#	WELL	NAME & NUMB	ER	SECTION	TOWNSHIP	RANGE	COUNTY
10/11/11	7532	Thomas	c # 10		·NE	14	2 Z	70
(D/)(() CUSTOMER,	0		i,					
<u> 5∵T</u>			·	, '	TRUCK#	DRIVER	TRUCK#	DRIVER
MAILING ADDRE				<u> </u>	506	FREMON	Safety	nex
1880	o Edi	gerton R	4		495	HARBEC	113 0	σ
CITY	,	STATE	ZIP CODE		505/1106	(ASKEN	CK	
Edger"	You.	Ks.	<u></u>		548	KEIDET	KO	
JOB TYPE LE	mistry	HOLE SIZE			918	CASING SIZE & W	EIGHT 25	" EUE
CASING DEPTH	897	DRILL PIPE_B	affle R	TUBINO	887		OTHER	
SLURRY WEIGH	ıτ <u></u>	SLURRY VOL_		WATER gal/s	k	CEMENT LEFT In	CASING 22	P/45410'
DISPLACEMENT	<u> 5.1 BB</u> -	DISPLACEMENT	r PSI	MIX PSI		RATE 5 3 P	<u>m</u>	
		niveula	Lion 1	Mix x Pu	m1 100 \$	Premiu	n Gal Flu	sh
<i>A</i> 2. <i>b</i>	x Puns	1/6 sks	50/50	Por M	Ex Camer	x 2% Gel	4# Flos.	
Com		Surface			s x lines		isplace	
26	cubben	Alue VA		Battle	dy cas	Ng 11/5	I ABL F	resh
	on Press		from P	SI. Rel	ease nece	s Ove to	sex-floa	×
	ريماک <u>ه ي</u>					<u>, , , , , , , , , , , , , , , , , , , </u>		144
	<u> </u>		. 6					
1, 1	235			······································	·····	1	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·
-78	19. D.: 16	w (Jes)	7			Fred Ma	du	
1. 11	23 27111	+ LASI	/			Jack Jila		
ACCOUNT			1	CODIDTION -	SERVICES or PR	OBUGE	(INIT DRIGE	70711
CODE	QUANITY	. ,	DE	SCRIPTION OF	SERVICES OF PR	ODUCI	UNIT PRICE	TOTAL
5400		* .	PUMP CHARG	Ε'		495		97500
54010		30m:	MILEAGE			495		/20∞
5402	8	97	Cash	4 LOV	Lage			NIC
5407	minin	LVV	Ton 1	Miles_		548		33000
550/5		2hrs	Tras	us port	,	505/106		224ª
	 							
1124	,	16 S/LS	50/50	0 M 3x	(eneut			1212 30
		95#						8000
1118B	~			im 6	<u> </u>		<u> </u>	1.38
1107		.29 #	F10.5	<u>cal</u>	70.			6438
4402			2/2" }	Wbber	Plus	SCAR	F C W Pr	2809
<u></u>			ļ			SCAR		ļ[
			<u> </u>			-		
						7		
•			<u> </u>			0		
					1100			
			<u> </u>	Δ	<u> </u>			·
				0				
	****					7.525%	SALES TAX	1020
lavin 3737	1	// //		··· 	-		ESTIMATED	.o.
		//_					TOTAL	31/511
AUTHORIZTION	18 line	the		TITLE			DATE	

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's

WELL LOG

Thickness of Strata	Formation	Total Depth		
15	Soil/Clay	15		
20	Shale	41		
6	Lime	47		
2	Shale	49		
17	Lime	.66		
10	Shale	76		
9	Lime	85 -		
7	Shale	92		
19	Lime	111		
15	Shale	126		
23	Lime	149		
5	Shale	154		
55	Lime	209		
20	Shale	229		
7	Lime	236		
19	Shale	255		
7	Lime	262		
6	Shale	268		
7	Lime	275		
46	Shale	321		
22	Lime	343		
7	Shale	350		
24	Lime	374		
3	Shale	384		
6	Lime	387		
3	Shale	393		
6	Lime	399		
2	Shale	401		
23	Lime	424		
4	Shale	428		
6	Sandy Shale	434		
146	Shale	580		
10	Lime	590		
13	Shale	603		
. 6	Lime 609			
111	Shale 720			
10	Sand	730		
. 10	Sandy Shale	740		
102	Shale	842		
6	Sand	848		

Town Oilfield Service, Inc. Commenced Spudding: 10/10/2011

Johnson County, KS Well: Thomas A-10 Lease Owner:ST Petroleum

7	Lime	850
4	Sand	854
64	Shale	918-TD
		310-10
<u>.</u>		
	<u>·</u>	
-		