

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

1066970

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 33551	API No. 15 - 15-011-23866-00-00
Name: S & K Oil Production, Inc.	Spot Description:
Address 1: PO BOX 184	SE_NW_SE_SE_Sec17_Twp24S. R22
Address 2:	825 Feet from ☐ North / ☑ South Line of Section
City: BLUE MOUND State: KS Zip: 66010 + 0184	825 Feet from ▼ East / West Line of Section
Contact Person: Steve Jackson Phone: (913) 756-2622	Footages Calculated from Nearest Outside Section Corner:
CONTRACTOR: License #_33551	County: Bourbon
Name: S & K Oil Production, Inc.	Lease Name: Blythe Well #: SK 1
Wellsite Geologist: 0	Field Name: Bronson/Xenia
Purchaser:	Producing Formation: Bartlesville
Designate Type of Completion:	Elevation: Ground: 1022 Kelly Bushing: _0
✓ New Well ☐ Re-Entry ☐ Workover	Total Depth: 632 Plug Back Total Depth:
✓ Oil WSW SWD SIOW Gas D&A ENHR SIGW OG GSW Temp. Abd. CM (Coal Bed Methane) Cathodic Other (Core, Expl., etc.): If Workover/Re-entry: Old Well Info as follows:	Amount of Surface Pipe Set and Cemented at: 20 Feet Multiple Stage Cementing Collar Used? Yes No If yes, show depth set: Feet If Alternate II completion, cement circulated from: 5 feet depth to: 20 w/ 5 sx cmt.
Operator:	
Well Name:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth: Deepening Re-perf. Conv. to ENHR Conv. to SWD Conv. to GSW Plug Back: Plug Back Total Depth Commingled Permit #:	Chloride content: ppm Fluid volume: bbls Dewatering method used: Location of fluid disposal if hauled offsite: Operator Name:
SWD Permit #:	Lease Name: License #:
ENHR Permit #:	QuarterSecTwpS. R East West
GSW Permit #:	County: Permit #:
10/18/2011 10/20/2011 10/20/2011	
Spud Date or Date Reached TD Completion Date or Recompletion Date	

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully compiled with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Letter of Confidentiality Received
Oate:
Confidential Release Date:
☐ Wireline Log Received
Geologist Report Received
UIC Distribution
ALT I I II Approved by: Dearna Garrisor Date: 11/08/2011

Side Two



Operator Name: S & K Oil Production, Inc. _Well #: _SK 1 ______ Lease Name: _ County: Bourbon INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach complete copy of all Electric Wireline Logs surveyed. Attach final geological well site report. **Drill Stem Tests Taken** Yes √ No Log Formation (Top), Depth and Datum Sample (Attach Additional Sheets) Name Datum Top Samples Sent to Geological Survey Yes ✓ No Bartlesville 612 620 ✓ No Yes Yes Cores Taken Electric Log Run Yes ✓ No **Electric Log Submitted Electronically** Yes ☐ No (If no, Submit Copy) List All E. Logs Run: CASING RECORD ☐ New ☑ Used Report all strings set-conductor, surface, intermediate, production, etc. Size Hote Size Casing Weight # Sacks Settina Type of Type and Percent Purpose of String Set (In O.D.) Drilled Lbs. 7 Ft. Depth Cement Used Additives 6 Surface 9.8750 6.2500 20 One 5 None Casing 5.6250 2.8750 6 611 85 One None ADDITIONAL CEMENTING / SQUEEZE RECORD Purpose: Depth # Sacks Used Type of Cement Type and Percent Additives Top Bottom Perforate **Protect Casing** Plug Back TD Plug Off Zone PERFORATION RECORD - Bridge Plugs Set/Type Acid. Fracture, Shot, Cement Squeeze Record Shots Per Foot Specify Footage of Each Interval Perforated (Amount and Kind of Material Used) Depth TUBING RECORD: Size: Set At: Packer At: Liner Run: Yes Date of First, Resumed Production, SWD or ENHR. Producing Method: Flowing Pumping Gas Lift Other (Explain) Estimated Production Oil Bbls. Gas Mcf Water Bbls. Gas-Oil Ratio Gravity Per 24 Hours **DISPOSITION OF GAS:** METHOD OF COMPLETION: PRODUCTION INTERVAL: Open Hole Perf. Dually Comp. Vented Sold Used on Lease Commingled (Submit ACO-5) (Submit ACO-4) (If vented, Submit ACO-18.) Other (Specify)

Lone Jack Oil Company Blue Mound, KS 1-913-756-2307 1-620-363-0492

Lease:	Blythe	_ Operator:	<u> </u>	<u>l</u> API#_	15- <u>011-2386</u>	66-00-00
Contractor: Lo	ne Jack Oil C	ompany Date St	arted:10/18	/11 Date Con	npleted:	10/20/11
Total Depth:	632 feet	Well # _	SK1	3lythe Hole	e Size:	5 5/8
Surface Pipe:	201	6 1/4 Surfac	e Bit:9 <i>7/</i> 5	Sacks of	Centent:	5
Depth of Seat Nipple: Rag Packer At:						
Length and Siz	ze of Casing:		611'- 2 7/8	Sacks of Ce	ment:	85
Legal Descript	tion: <u>SE NV</u>	V SE SE Sec:	_17 Twp:2	4S Range: 22	E County:	Bourbon

Thickness	Depth	Type of Formation	Core Thickness	Depth	Time
2	2	Top Soit			
1	3	Loose Rock & Clay			
2	5	Clay			
5 2 3	10	Black Shale			
2	12	Lime			
3	15	Shale			
22	37	Lime			
3	40	Coal			
4	44	Lime			
6	50	Shale			
12	62	Lime			
18	80	Shale			
17	97	Lime		×	
3	100	Shale		The state of the s	
4	104	Lime			
113	207	Shale			
21	238	Lime			
7 7	315	Shale			
21	336	Lime			·
1	337	Shale			
5	342	Lime			
44	386	Shale			
4	390	Shale w/Lime streaks			
12	402	Lime (slight odor)			
7	409	Shale			
12	417	Lime		-	
195	612	Shale			
2	614	Sand (odor)			
6	620	Good Sand Good Bleed)			
12	632	Black Shale			
	632	TD			
		•			