

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1066974

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 33551	API No. 15 - 15-011-23870-00-00
Name: S & K Oil Production, Inc.	Spot Description:
Address 1: PO BOX 184	NW NE_SW_SE Sec. 17 Twp. 24 S. R. 22 FEast West
Address 2:	
City: BLUE MOUND State: KS Zip: 66010 + 0184	Feet from ☑ East / ☐ West Line of Section
Contact Person: Steve Jackson	Footages Calculated from Nearest Outside Section Corner:
Phone: (913) 756-2622	□ne □nw Øse □sw
CONTRACTOR: License # 31519	County: Bourbon
Name: Jackson, Leland dba Lone Jack Oil Co.	Lease Name: Blythe Well #: SK 5
Wellsite Geologist: 0	Field Name:
Purchaser:	Producing Formation: Bartlesville
Designate Type of Completion:	Elevation: Ground: 968 Kelly Bushing: 0
✓ New Well	Total Depth: 612 Plug Back Total Depth:
□ oil □ wsw □ swb □ slow	Amount of Surface Pipe Set and Cemented at: 5 Feet
☐ Gas ☑ D&A ☐ ENHR ☐ SIGW	Multiple Stage Cementing Collar Used? ☐ Yes ☑ No
☐ OG ☐ GSW ☐ Temp. Abd.	If yes, show depth set: Feet
CM (Coal Bed Methane)	If Alternate II completion, cement circulated from: 0
Cathodic Other (Core, Expl., etc.):	feet depth to: 20 w/ 5 sx cmt.
If Workover/Re-entry: Old Well Info as follows:	sx cm.
Operator:	
Well Name:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth:	
☐ Deepening ☐ Re-perf. ☐ Conv. to ENHR ☐ Conv. to SWD	Chloride content: ppm Fluid volume: bbls
☐ Conv. to GSW	Dewatering method used:
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Permit #:	Operator Name:
Dual Completion Permit #:	Lease Name: License #:
SWD Permit #:	
ENHR Permit #:	Quarter Sec. Twp. S. R. East West
GSW Permit #:	County: Permit #:
10/28/2011 11/2/2011 11/2/2011	
Spud Date or Date Reached TD Completion Date or Recompletion Date	

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regutations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY					
Letter of Confidentiality Received					
Date:					
Confidential Release Date:					
Wireline Log Received					
Geologist Report Received					
UIC Distribution					
ALT I I III Approved by: Deenna Garrisor Date: 11/08/2011					

ļ

Side Two

1066974

Operator Name: S &	K Oil Production	, inc.		_ Lease N	Name: _	Blythe		_{Well #:} _Sh	<u> </u>		
Sec. <u>17</u> Twp. <u>24</u> S. R. <u>22</u> 🕝 East 🗌 West					County: Bourbon						
INSTRUCTIONS: Sho time tool open and clos recovery, and flow rate line Logs surveyed. At	sed, flowing and shu s if gas to surface te	t-in pressui st, along w	res, whether sl ith final chart(s	hut-in press	sure read	ched static level,	hydrostatic p	ressures, bottom	hole temp	erature, fluid	
Drill Stem Tests Taken (Attach Additional Sheets) Samples Sent to Geological Survey Cores Taken Electric Log Run Electric Log Submitted Electronically (If no, Submit Copy)		s 🗸 No			og Formatio	n (Top), Depti	n and Datum	Sample Datum			
		☐ Yes ☑ No ☐ Yes ☑ No			Nam NA	ө				Тор	
List All E. Logs Run:					-						
		Repor		RECORD	Ne	w Used	lon, etc.				
Purpose of String	Size Hole Orilled		Casing (In O.D.)	Weig Lbs./		Setting Depth	Type of Cement	# Sacks Used		and Percent dditives	
Casing	9.8750	6.2500		6		20	One	5	None		
			ADDITIONAL	CEMENTIN	NG / SQL	JEEZE RECORD	<u> </u>		<u> </u>		
Purpose: Perforate Protect Casing Plug Back TO Plug Off Zone	Depth Top Bottom	Туре с	of Cement	# Sacks	Used		Туре г	and Percent Additives			
Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated					Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth					
TUBING RECORD:	Size:	Set At:		Packer At	:	Liner Run:	Yes	No			
Date of First, Resumed F	Production, SWD or EN		Producing Meth	od: Pumping	9 🗆	Gas Lift 🔲 C	Other (Explain) _				
Estimated Production Per 24 Hours	Oil	Bbis.	Gas	Mcf	Wate	er B	bls.	Gas-Oil Ratio		Gravity	
DISPOSITIO	Used on Lease		_	ETHOD OF	COMPLE Dually (Submit /	Comp. Cor	nmingled mit ACO-4)	PRODUCTI	ON INTER	VAL:	

Lone Jack Oil Company Blue Mound, KS

Blythe

1-913-756-2307 1-620-363-0492 Operator: S&KOil API# 15-011-23870-00-00 Contractor: Lone Jack Oil Company Date Started: 10/28/11 Date Completed: 11/2/1 Well# SK5 Blythe Hole Size:

Total Depth: 612 feet 5.5/8 Surface Pipe: 20'6 1/4 Surface Bit: 9 7/8 Sacks of Cement: 5 Depth of Scat Nipple: Rag Packer At: Length and Size of Casing: Sacks of Cement: 60 Legal Description: NW NE SW SE Sec: Twp: 24S Range: County: Bourbon Thickness Depth Type of Formation Core Thickness Depth Time Top Soil 7 6 Lime 5 12 Shale 3 15 Lime 11 26 Shale 11 37 Lime 41 Shale 46 Lime 136 182 Shale 10 192 Lime Dry Hole 78 270 Shale Plugging Instructions from Steve 21 291 Lime 10 sacks at TD 2 293 Shale Pulled up to 400 ft and pumped 10 sacks. 298 Lime Filled from 200 feet to surface with 40 sacks. 44 342 Shale 60 sacks total. 15 357 Lime 11 368 Shale 4 372 Lime 196 568 Shale Little Sand (Slight Odor) 2 570 42 612 Shale 612 TD