

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

1067058

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

| OPERATOR: License # | 32710 | | API No. 15 - 15-207-27888-00-00 | | | | |
|-----------------------------------|--------------------------|---|--|--|--|--|--|
| Name: Laymon Oil | | | Spot Description: | | | | |
| Address 1: 1998 SQUI | RREL RD | | NE_NW_SE_SE_Sec. 17 Twp. 24 S. R. 16 F East West | | | | |
| Address 2: | | | | | | | |
| City: NEOSHO FALLS | State: KS Zi | p:66758+_7124 | | | | | |
| Contact Person: Micha | el Laymon | | Footages Calculated from Nearest Outside Section Comer: | | | | |
| Phone: (620) 963 | 3-2495 | | □ne □nw ☑se □sw | | | | |
| CONTRACTOR: License | | | County: Woodson | | | | |
| Name: Laymon Oil II, | | | Lease Name: Shepard Well #: 6-11 | | | | |
| Wellsite Geologist: none | | | Field Name: | | | | |
| Purchaser: | | | Producing Formation: Squirrel | | | | |
| Designate Type of Compl | etion: | | Elevation: Ground: 1090 Kelly Bushing: 1095 | | | | |
| New Well | Re-Entry | Workover | Total Depth: 1120 Plug Back Total Depth: | | | | |
| | | — □ slow | Amount of Surface Pipe Set and Cemented at: 40 Feet | | | | |
| Gas D | = | ☐ sigw | Multiple Stage Cementing Collar Used? ☐ Yes ✓ No | | | | |
| □ og | GSW | Temp. Abd. | If yes, show depth set:Feet | | | | |
| CM (Coal Bed Meti | nane) | | If Alternate II completion, cement circulated from: | | | | |
| Cathodic O | her (Core, Expl., etc.): | | feet depth to: 40 w/ 10 sx cmt. | | | | |
| If Workover/Re-entry: Ol | d Well Info as follows: | | sx cm. | | | | |
| Operator: | | | | | | | |
| Well Name: | | | Drilling Fluid Management Plan (Data must be collected from the Reserve Pit) | | | | |
| Original Comp. Date: | Original To | otal Depth: | | | | | |
| | | ENHR Conv. to SWD | Chloride content: 0 ppm Fluid volume: 80 bbls | | | | |
| | ☐ Conv. to | _ | Dewatering method used: Evaporated | | | | |
| Plug Back: | Piu | g Back Total Depth | Location of fluid disposal if hauled offsite: | | | | |
| Commingled | Permit #: | <u> </u> | Operator Name: | | | | |
| Dual Completion | Permit #: | | Lease Name: License #: | | | | |
| SWD | Permit #: | - | _ <u>_</u> | | | | |
| ENHR | Permit #: | _ | QuarterSecTwpS. R East West | | | | |
| GSW · | Permit #: | | County: Permit #: | | | | |
| 08/11/2011 | 08/12/2011 | 08/15/2011 | | | | | |
| Spud Date or Recompletion Date | Date Reached TD | Completion Date or Recompletion Date | · | | | | |

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

| KCC Office Use ONLY |
|---|
| Letter of Confidentiality Received |
| Date: |
| Confidential Release Date: |
| ☑ Wireline Log Received |
| Geologist Report Received |
| UIC Distribution |
| ALT I I III Approved by: Deenna Gerrison Date: 11/10/2011 |

Side Two

1067058

| Operator Name: Layn | non Oil II, LLC | | Lease Name | : Shepard | | Well #:6-1 | 1 | |
|---|---|---|--|---|--------------------|------------------|-------------------------------|--|
| Sec. 17 Twp. 24 | s. R. <u>16</u> | ✓ East | County: W | oodson | | | | |
| time tool open and clos | ed, flowing and shu if gas to surface te | d base of formations pen t-in pressures, whether s st, along with final chart(well site report. | hut-in pressure i | eached static level | , hydrostatic pre | ssures, bottom h | ole temperature, flu | |
| Orill Stem Tests Taken (Attach Additional Sh | eets) | Yes Vo | | Log Formation | on (Top), Depth a | and Datum | Sample | |
| Samples Sent to Geolo | gical Survey | Yes 🗹 No | 1 | ame ached | | Top Attached | Datum Attached | |
| Cores Taken | | Yes No | Au | acrica | | Attacrica | Attached | |
| Electric Log Run Electric Log Submitted Electronically (If no, Submit Copy) | | ✓ Yes No ✓ Yes No | | | | | | |
| List All E. Logs Run: | | | : | | | | | |
| Gamma Ray Neutron | l | | | | | | | |
| | | · CASING Report all strings set- | _ | New Used intermediate, produc | tlon, etc. | | | |
| Purpose of String | Size Hole Drilled | Size Casing Set (In O.D.) | Weight Lbs. / Ft. | Setting Depth | Type of Cement | # Sacks Used | Type and Percent Additives | |
| Surface | 10.25000 | 8.6250 | 24 | 40 | portland | 10 | | |
| Production | 6.1250 | 2.8750 | 6.7 | 1115 | common | 150 | | |
| | | | | | | | | |
| | | ADDITIONAL | CEMENTING / S | SQUEEZE RECORD | <u> </u> | | | |
| Purpose: —— Perforate | Depth Top Bottom | Type of Cement | # Sacks Used | # Sacks Used Type and Percent Additives | | | | |
| Protect Casing Plug Back TD | | | | | · | | | |
| —— Plug Off Zone | | | | | | | | |
| Shots Per Foot | PERFORATI | ON RECORD - Bridge Plug | ıs Set/Type | Acid, Fra | ecture, Shot, Ceme | nt Squeeze Recor | d T | |
| Silots Fel Foot | Specify | Footage of Each Interval Per | otage of Each Interval Perforated (Amount end Kind of Material Used) Dep | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | <u>-</u> | | | | | |
| + | | | | | | | | |
| TUBING RECORD: | Size: | Set At: | Packer At: | Liner Run: | Yes N | | 1 | |
| Date of First, Resumed P | roduction, SWD or EN | HR. Producing Meti | hod: | Gas Lift | Other (Explain) | ··· | | |
| Estimated Production Per 24 Hours | Oil | Bbis. Gas | Mcf | Water E | ibis. | Gas-Oil Ratio | Gravity | |
| DICROCITION | NOE CAS: | | AFTION OF SCH | DI ETIO: | | | | |
| DISPOSITION Vented Sold | N OF GAS: | 1 : | - | F COMPLETION: PRODUCTION INTERVAL: Dually Comp. Commingled | | | | |
| (If vented, Subm | _ | Other (Specify) | | | mit ACO-4) | | | |

| Form | ACO1 - Well Completion | |
|-----------|------------------------|--|
| Operator | Laymon Oil II, LLC | |
| Well Name | Shepard 6-11 | |
| Doc ID | 1067058 | |

Tops

| Soil | 0 | 10 | |
|---------------------|------|------|--|
| Lime | 10 | 40 | |
| Shale | 40 | 200 | |
| Lime & Shale | 200 | 670 | |
| Big Shale | 670 | 850 | |
| Lime & Shale | 850 | 995 | |
| Black Shale | 995 | 999 | |
| 5' Lime | 999 | 1004 | |
| Black Shale | 1004 | 1007 | |
| Upper Squirrel Sand | 1007 | 1015 | |
| Shale | 1015 | 1046 | |
| Cap Rock | 1046 | 1047 | |
| Shale | 1047 | 1050 | |
| Cap Rock | 1050 | 1051 | |
| Lower Squirrel Sand | 1051 | 1061 | |
| Shale | 1061 | 1120 | |

|)# | THE NEW KLEIN LUMBER CO., | INC. | | | |
|------------|-----------------------------|--------------------|----------|-------|-------|
| 7 | aymon Oil BILLING ADDRESS_ | | 7-23 | , 20 | 1 |
| ILD TO | BILLING ADDRESS | | | | |
| livered To | Loaded By | Н | auled By | | |
| QUANTITY | DESCRIPTION | FEET | PRICE | TOTAL | |
| 2100 | Sortes Anthona Cement | 200 | 945 | 1890 | nr |
| 000 | Scales Ir Graha Gray | 200 | tay | 161 | 61 |
| | | | | | |
| | | | | 2051 | 62 |
| | | THE REAL PROPERTY. | | | |
| | | A STATE OF | | | |
| | | | | | |
| | | | | | |
| | | 1 | | | |
| | | - | | | |
| | | | | | |
| | VE IN GOOD ORDER | , , | 1 | | Ravin |
| The pa | ral 5-11 - 10 Dacks Shepard | L le-1 | 1 11 |) Ded | 57 |
| 16 221 | 1.7-11 - 10 DACKS | | | | |
| 11 00 | 19-11-10 Dacker | | | | |
| streepen . | of 8-11 - 10 Dacks | | | | |
| neplan | 1 111-11-10 | | | | |
| hopen | s 2 11-11 1D Dacks | | | | |
| Thepa | no ho | | | | |
| Inapa | rd 12-11 10 200 ps | | | | |
| hona | nd 12-11 10 Dacks | | | | |

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588

Payless Concrete Products, L.L.C.

Concrete to be delivered to the nearest accessible point over passable road, Concree to be desired to be horizers accessible but over passable loss, under tribles, own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, solidings trees, shrubbery too, which are at customers risk. The maximum afforted time for unloading trucks is 5 minutes per yard. A charge will, be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength lest when water is added at customer's request. NOTICE TO OWNER

Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the properly which is the subject of this contract.

| | | | | (Halla) | LENGTH RESERVE | 200 C | |
|-------------|--------------|-----------|--|---------|----------------|-----------|---------------------|
| TIME | FORMULA | LOAD SIZE | YARDS ORDERED | | DRIVER/TRUCK | 1 | PLANT/TRANSACTION # |
| PATE A TENT | Topica Tiple | | THE PARTY OF THE P | % CAL | Jak | THE PARTY | ALE STREET |
| 03:35:396 | | 15.00 yd | 15.00 ya | | 36 | 0 000 | |
| DATE | | LOAD# | YARDS DEL. | BATCH# | WATER TRIM | SLUMP | TICKET NUMBER |
| N 1952 N | o Date | B. | 120:00:00 | | THE RESERVE | | 1845 A. L. |
| 08-12-11 | Today. | 3 11 | 15.00 98 | ×17946 | 6/9d -78.0 | 4.00 Inte | 29836 |

WARNING IRRITATING TO THE SKIN AND EYES

Contains Portiand Cement, Wear Rubber Boots and Groves, PROLONSED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes, and Prolonged Contact With Skin. In Cese of Contact With Skin or Eyes, Rush Thoroughly With Water, Il Imitation Persists, Get Medical Atlention, KEEP CHILDREN AWAY.

CONCRETE IS a PERISHABLE DOMMCOTY, and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT, ANY CHANGES OR DANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs including reasonable attorneys' fees, incurred in collecting

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

Not Responsible for Reactive Aggregate of Color Quality. No Carm Allowed Unless Made at Time Material is Delivered.

A \$25 Service Charge and boss of the Cash Discount will be collected on all Returned Checks. Excess Delay Time Charged 2: 650 HR.

PROPERTY DAMAGE RELEASE

(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURBLINE) Dear Customer The driver, of this truck in presenting this FELEASE to Dear Customer The driver, of this truck in presenting this FELEASE to you for you a signature is office opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if a foract the material in this load where you desire it is command to the driver a requested their you also this RELEASE releasing him and this supplie from any responsibility from any damage that may occur to the premises and/or, adjacent property, buildings, sicewskis, driversity crutis, etc. by the delivery of this material, and that you also signe to help him retrove mud from the wheels of his vehicle so that he will not little the public sheet Events as additional comordars. that he will not litter the public street Further, as additional considera-tion, the understand agrees to indemnify and hold harmless the driver of this truck and his supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisin out of delivery of this order. SIGNED

Excessive Water is Detrimental to Concrete Performance H₂0 Added By Request/Authorized By

WEIGHMASTER

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.

EXTENDED PRICE UNIT PRICE QUANTITY CODE DESCRIPTION

TIME ALLOWED RETURNED TO PLANT DELAY EXPLANATION/CYLINDER TEST TAKEN LEFT JOB FINISH UNLOADING 6 TRUCK BROKE DOWN 1. JOB NOT READY 2. SLOW POUR OR PUMP 7. ACCIDENT TRUCK AHEAD ON JOB 8. CITATION 4. CONTRACTOR BROKE DOWN 9. OTHER TIME DUE LEFT PLANT ARRIVED JOB START UNLOADING ADDED WATER DELAY TIME TOTAL ROUND TRIP TOTAL AT JOB UNLOADING TIME

ADDITIONAL CHARGE 1

ADDITIONAL CHARGE 2

GRAND TOTAL