## KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

Type Test	::				(	See Instruc	tions on Re	verse Side	<del>)</del> )					
□ Ор	en Flow				Test Date	a.			ADII	No. 15				
De	liverabilt	y			4/18/20				129	-20665	-0000	}		
Company Chesapeake Operating, Inc.					Lease Hayward				Well Number 2-20					
County Location Morton C SW SW				Section 20		TWP 31S		RNG (E/W) 40W		Acres Attributed				
Field Kinsler					Reservoir Morrow			Gas Gathering Connection DCP Midstream Marketing LP						
Completion Date 6/28/83				Plug Back Total Depth 5709				Packer Set at						
Casing S 5.5	asing Size Weight .5 14.0			Internal [ 5.012	Diameter	Set at 5750		Perforations 4998		то 5028				
Tubing Size Welght 2.875 6.5			Internal D	Diameter	Set at 5100		Perforations		То					
<u>:</u>				Type Flui Oil	Type Fluid Production				Pump Unit or Traveling Plunger? Yes / No Pump Unit					
Producing Thru (Annulus / Tubing)				% C	% Carbon Dioxide				% Nitrogen Gas Gravity - G <sub>g</sub>					
Annulus Vertical D	·	<del></del>				Pres	sure Taps				(Meter	Run) (P	rover) Size	
5750	Duildum	Shut in 4/	18	20	<u>. 11 ., 1</u>	1	(AAA) (BAA)	Takon 4/	'19	20	11 11		(AAA) (DAA)	
					11 at 11 (AM) (PM) Taken 4/									
				<u></u>		OBSERVE	D SURFAC	E DATA			Duration of Shut	24	Hours	
Static / Dynamic Property	Orifice Size (Inches	Meter Prover Pres	Prover Pressure		Flowing Well Heat Temperature Temperat		wellhead Pressure $(P_w)$ or $(P_1)$ or $(P_c)$		Tubing Wellhead Pressure $(P_w)$ or $(P_1)$ or $(P_6)$		Duration (Hours)	Liquid Produced (Barrels)		
Shut-In		psig (Pri	psig (Pm)			<u> </u>	g psig	psia 17.4	psig 0	14.4	24	<del> </del>		
Flow														
					,	FLOW STF	REAM ATTR	IBUTES						
Plate Coeffictient (F <sub>b</sub> ) (F <sub>p</sub> ) Mcfd		Circle one: Mater or Prover Pressure pala		Press Grav Extension Fact  √ P <sub>m</sub> x h F <sub>g</sub>		tor Temperature		Fε	Deviation N Factor F <sub>pv</sub>		v GOR (Cubic F Barrel	eet/	Flowing Fluid Gravity G <sub>m</sub>	
(P <sub>c</sub> ) <sup>2</sup> =		: (P <sub>w</sub> )²	=	:	(OPEN FLO	OW) (DELIV		•	.ATIONS · 14.4 =	:		) <sup>2</sup> = 0.2	.07	
$(P_c)^2 \cdot (P_a)^2$ or $(P_c)^2 \cdot (P_d)^2$		(P <sub>e</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup>		noase formula 1 or 2:  1. P 2 - P 2 2. P 2 P 2 3. P 4 P 2 4. I or 2. 2. P 4 P 2 4. I or 2. 4. I or 3. 5. I or 4. 5. I or 5. 6. I or 6. 6. I or 6. 6. I or 7. 6. I or 7. 6. I or 7. 7. I or 7. 8. I or 7. 8. I or 7. 8. I or 7. 9. I or 7. 9. I or 7. 1. I or		P.2. P.2	Slo	Backpressure Curve Slope = "n" Dr Assigned Standard Slope		og [ ]	Antilog	Or Deli Equals	Open Flow Deliverability Equals R x Antilog (Mcfd)	
Open Flow			Mcfd <b>@</b> 14.65			5 osia		Deliverability			Mcfd @ 14.65 ps	j		
		and nutbority				states that h			a maka the		· · · · · · · · · · · · · · · · · · ·			
	=	rein, and that			•		-		day of Ju	-	rt and that he h		20 <u>11</u>	
		Witness	s (If any	r)			-			For C	Company		RECEIV	
							_							
		For Con	nmissiç	·n						Chec	cked by	S	EP 06	

exempt status und and that the fore- correct to the best of equipment instance I hereby requi	der penalty of perjury under the laws of the state of Kansas that I am authorized to request der Rule K.A.R. 82-3-304 on behalf of the operator Chesapeake Operating, Inc going pressure information and statements contained on this application form are true and it of my knowledge and belief based upon available production summaries and lease records allation and/or upon type of completion or upon use being made of the gas well herein named. est a one-year exemption from open flow testing for the Hayward 2-20 rounds that said well:
	is a coalbed methane producer is cycled on plunger lift due to water is a source of natural gas for injection into an oil reservoir undergoing ER is on vacuum at the present time; KCC approval Docket No is not capable of producing at a daily rate in excess of 250 mcf/D e to supply to the best of my ability any and all supporting documents deemed by Commission y to corroborate this claim for exemption from testing.
Date: July 8, 201	Signature: David Wiist, Production Engineer

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.

SEP 0 6 2011